16.02.2024	Kit components
Product code Description	
3045-0010	NeoBase 2 Non-derivatized Assay Solutions
Components:	
13808340	NeoBase 2 Extraction Solution
13808188	Neo MSMS Flow Solvent





Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

### 1 Identification

- · Product identifier
- · Trade name: NeoBase 2 Extraction Solution
- · Article number: 13808340
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

Laboratory chemicals In vitro diagnostics

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.

Wallac Oy

P.O. Box 10

FI-20101 Turku

Finland

+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS\_Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

# 2 Hazard identification

· Classification of the substance or mixture



flammable

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



toxic

Acute Tox. 3 H331 Toxic if inhaled.



chronic health hazard

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R23/24/25-39/23/24/25: Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger of very

serious irreversible effects through inhalation, in contact with skin and if swallowed.



F; Highly flammable

(Contd. on page 2)

Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoBase 2 Extraction Solution

(Contd. of page 1)

R11: Highly flammable.

- · Information concerning particular hazards for human and environment: Not applicable.
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is labelled according to the IVD regulation

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS06 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

methanol

· Hazard statements

Highly flammable liquid and vapour.

Toxic if inhaled.

Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

*Use explosion-proof electrical/ventilating/lighting equipment.* 

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	s components:		
67-56-1 m			50-75%
<u></u>	T R23/24/25-39/23/24/25; 🐞 F R11		
	) Flam. Liq. 2, H225; 🥎 Acute Tox. 3, H ) STOT SE 1, H370	301; Acute Tox. 3, H311; Acute Tox. 3, H331;	
$S_{I}$	pecific concentration limits: STOT SE 1;	H370: C ≥ 10 %	
	STOT SE 2;	H371: 3 % ≤ C < 10 %	
· Other ingr	edients		
7732-18-5	water		25-50%
144-62-7	oxalic acid	<b>X</b> Xn R21/22	<0.1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

ΡН

*Printing date 16.02.2024 Version number 4 Revision: 16.02.2024* 

Trade name: NeoBase 2 Extraction Solution

(Contd. of page 2)

### 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoBase 2 Extraction Solution

(Contd. of page 3)

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters

### Ingredients with limit values that require monitoring at the workplace:

### 67-56-1 methanol

PEL (USA) Long-term value: 260 mg/m³, 200 ppm REL (USA) Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV (USA) Short-term value: 250 ppm

Long-term value: 200 ppm

Skin; BEI

### · Ingredients with biological limit values:

### 67-56-1 methanol

BEI (USA) 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoBase 2 Extraction Solution

(Contd. of page 4)

application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Physical and chemical propertie.	S
Information on basic physical and che	mical properties
General Information	
Appearance:	T. 11
Form: Colour:	Liquid
Colour: Odour:	Colourless Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
•	100 4000 //////
Change in condition  Melting point/freezing point:	Undetermined.
Initial boiling point and boiling rang	
Flash point:	11 °C
Flammability (solid, gas):	Highly flammable.
Auto-ignition temperature:	455 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive a vapour mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapour pressure at 20 °C:	128 hPa
Density at 20 °C:	$0.85 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	74.0 %
Water:	25.9 %
Solids content:	0.0 %

Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoBase 2 Extraction Solution

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

#### 67-56-1 methanol

 Oral
 LD50
 5,628 mg/kg (rat)

 Dermal
 LD50
 15,800 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Toxic

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoBase 2 Extraction Solution

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information	
UN-Number ADR, IMDG, IATA	UN1230
UN proper shipping name	
ADR	1230 METHANOL solution
IMDG, IATA	METHANOL solution
Transport hazard class(es)	
ADR	
Class	3 Flammable liquids.
Label	3+6.1
IMDG	
Class	3 Flammable liquids.
Label	3/6.1
Class	3 Flammable liquids.
Label	3 (6.1)
Packing group ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	Not applicable
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	336
EMS Number:	F-E,S-D
Stowage Category Stowage Code	B SW2 Clear of living quarters.
Transport in bulk according to Annex II of Marp and the IBC Code	
Transport/Additional information:	**
ADR	
ADK Limited quantities (LQ)	IL

(Contd. on page 8)

Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoBase 2 Extraction Solution

	(Contd. of page 7
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS06 GHS

- · Signal word Danger
- Hazard-determining components of labelling:

methanol

· Hazard statements

Highly flammable liquid and vapour.

Toxic if inhaled.

Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H2 ACUTE TÖXIC

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 16.02.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoBase 2 Extraction Solution

(Contd. of page 8)

### · Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

R11 Highly flammable.

R21/22 Harmful in contact with skin and if swallowed.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS\_Turku@revvity.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity - Category 3

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

\* \* Data compared to the previous version altered.

PH





Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

### 1 Identification

- · Product identifier
- · Trade name: Neo MSMS Flow Solvent
- · Article number: 13808188
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku

Finland +358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

# 2 Hazard identification

· Classification of the substance or mixture



flammable

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.



Xi; Irritant

R36.

Irritating to eyes.



F; Highly flammable

(Contd. on page 2)

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 1)

R11: Highly flammable.

- · Information concerning particular hazards for human and environment: Not applicable.
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is labelled according to the IVD regulation

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

acetonitrile

· Hazard statements

Highly flammable liquid and vapour.

Harmful if swallowed, in contact with skin or if inhaled.

Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

75-05-8 ac	cetonitrile	75-85%
>	₹ Xn R20/21/22; 💓 Xi R36; 🐞 F R11	
<u> </u>	Flam. Liq. 2, H225; <b>(</b> ) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; ye Irrit. 2, H319	
Other ingr	edients	
7732-18-5	water	15-25%
64-18-6	formic acid	<0.25%
	<u>₹</u> C R35	
	Skin Corr. 1A, H314;	
	Specific concentration limits: Skin Corr. 1A; H314: C≥ 90 %	
	Skin Corr. 1B; H314: 10 % ≤ C < 90 %	
	Skin Irrit. 2; H315: 2 % ≤ C < 10 %	
	<i>Eye Irrit. 2; H319: 2 % ≤ C &lt; 10 %</i>	

nage 3

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 3)

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

### 75-05-8 acetonitrile

PEL (USA) Long-term value: 70 mg/m³, 40 ppm REL (USA) Long-term value: 34 mg/m³, 20 ppm TLV (USA) Long-term value: 20 ppm

Skin, A4

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material


The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Neo MSMS Flow Solvent

· Eye protection:



(Contd. of page 4)

Physical and chemical properti	ies
· Information on basic physical and ch	nemical properties
· General Information	• •
· Appearance:	
Form:	Fluid
Colour:	Clear
· Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	2.5-3.4
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling ran	-
· Flash point:	5 °C
· Flammability (solid, gas):	Highly flammable.
· Auto-ignition temperature:	525 °C
Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive at vapour mixtures are possible.
Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
· Vapour pressure at 20 °C:	97 hPa
Density at 20 °C:	$0.82 \ g/cm^3$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water	: Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	80.5 %
Water:	19.4 %
Solids content:	0.0 %
Other information	No further relevant information available.

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 5)

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

#### · LD/LC50 values relevant for classification:

#### 75-05-8 acetonitrile

 Oral
 LD50
 2,730 mg/kg (rat)

 Dermal
 LD50
 1,250 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.

(Contd. on page 7)

Revision: 16.02.2024 Printing date 16.02.2024 Version number 6

Trade name: Neo MSMS Flow Solvent

(Contd. of page 6)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

### 14 Transport information · UN-Number · ADR, IMDG, IATA UN1648 · UN proper shipping name 1648 ACETONITRILE solution · IMDG, IATA ACETONITRILE solution · Transport hazard class(es) · ADR, IMDG, IATA · Class 3 Flammable liquids. · Label · Packing group · ADR, IMDG, IATA II· Environmental hazards: · Marine pollutant: Not applicable Warning: Flammable liquids. · Special precautions for user · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D· Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ 1L· Limited quantities (LQ) Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category D/E· Tunnel restriction code · IMDG · Limited quantities (LQ) 1LCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 1648 ACETONITRILE SOLUTION, 3, II · UN "Model Regulation":

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

(Contd. on page 8)

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 7)

#### · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

acetonitrile

#### · Hazard statements

Highly flammable liquid and vapour.

Harmful if swallowed, in contact with skin or if inhaled.

Causes serious eye irritation.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

*Use explosion-proof electrical/ventilating/lighting equipment.* 

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- Highly flammable liquid and vapour. H225
- H227 Combustible liquid.
- H302 Harmful if swallowed.
- Harmful in contact with skin. H312
- H314 Causes severe skin burns and eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.

*R11* Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R35 Causes severe burns.

R36 Irritating to eyes.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@revvity.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

Page 9/9

# Safety Data Sheet according to GHS

Printing date 16.02.2024 Version number 6 Revision: 16.02.2024

Trade name: Neo MSMS Flow Solvent

LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

(Contd. of page 8)