| 14.03.2024   | Kit components   |
|--------------|--|
| Product code | Description  |
| 3093-0010    | NeoLSD MSMS Kit<br>3093-0010, 3093-001U, 3093-0020, 3093-0020_CA |
| Components:  |  |
| 13808359     | NeoLSD Extraction Solution                                       |
| 13808188     | Neo MSMS Flow Solvent  |
| 13808187     | NeoLSD Substrates and Internal Standards                         |

NeoLSD Assay Buffer

13808186





Printing date 14.03.2024 Version number 2 Revision: 16.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: NeoLSD Extraction Solution

· Article number: 13808359

· CAS Number:

141-78-6

· EC number:

205-500-4

· Index number:

607-022-00-5

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics

Laboratory chemicals

- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.

Wallac Oy

P.O. Box 10

FI-20101 Turku

Finland

+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS Turku@revvity.com

· 1.4 Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



flammable

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 and 98/79

The product is labelled according to the IVD regulation

The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.03.2024 Version number 2 Revision: 16.02.2024

Trade name: NeoLSD Extraction Solution

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

ethyl acetate

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

141-78-6 ethyl acetate

- Identification number(s)
- · EC number: 205-500-4
- · Index number: 607-022-00-5

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 14.03.2024 Version number 2 Revision: 16.02.2024

Trade name: NeoLSD Extraction Solution

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

#### 141-78-6 ethyl acetate

WEL Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 14.03.2024 Version number 2 Revision: 16.02.2024

Trade name: NeoLSD Extraction Solution

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless
Odour: Fruit-like
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: -83.57 °C Initial boiling point and boiling range: 77-78 °C

· Flash point: -1 °C

· Flammability (solid, gas): Highly flammable.

· Auto-ignition temperature: 460 °C

• **Decomposition temperature:** Not determined.

(Contd. on page 5)

Printing date 14.03.2024 Version number 2 Revision: 16.02.2024

Trade name: NeoLSD Extraction Solution

|   | (Contd. of page 4  |
|---|--|
| · Ignition temperature:                 | Not determined.  |
| Explosive properties:                   | Product is not explosive. However, formation of explosive air, vapour mixtures are possible. |
| · Explosion limits:                     |  |
| Lower:                                  | 2.1 Vol %  |
| Upper:                                  | 11.5 Vol %   |
| · Vapour pressure at 20 °C:             | 97 hPa   |
| · Vapour pressure at 50 °C:             | 360 hPa  |
| Density at 20 °C:                       | $0.9 \text{ g/cm}^3$   |
| Relative density                        | Not determined.  |
| · Vapour density                        | Not determined.  |
| · Evaporation rate                      | Not determined.  |
| Solubility in / Miscibility with        |  |
| water at 20 °C:                         | 79 g/l   |
| Partition coefficient: n-octanol/water: | Not determined.  |
| · Viscosity:                            |  |
| Dynamic at 20 °C:                       | 0.44 mPas  |
| Kinematic:                              | Not determined.  |
| Organic solvents:                       | 100.0 %  |
| · 9.2 Other information                 | No further relevant information available.   |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50  | · LD/LC50 values relevant for classification: |                      |  |
|------------|---|----------------------|--|
| 141-78-6 e | thyl acetai                                   | te                   |  |
| Oral       | LD50  | 5,620 mg/kg (rabbit) |  |
| Inhalative | LC50/4 h                                      | 1,600 mg/l (rat)     |  |

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 14.03.2024 Version number 2 Revision: 16.02.2024

Trade name: NeoLSD Extraction Solution

(Contd. of page 5)

· STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.

| SEC | TION | 14: T | ransport | inj | <sup>f</sup> ormat | ion |
|-----|------|-------|----------|-----|--------------------|-----|
|     |      |       |          |     |                    |     |

| · 14.1 UN-Number  |        |
|-------------------|--------|
| · ADR, IMDG, IATA | UN1173 |

· 14.2 UN proper shipping name

· ADR 1173 ETHYL ACETATE ETHYL ACETATE

- · 14.3 Transport hazard class(es)
- · ADR, IMDG, IATA



| · Class | 3 Flammable liquids. |
|---------|----------------------|
| · Label | 3                    |

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards: Not applicable.

• 14.6 Special precautions for user Warning: Flammable liquids.

33

Hazard identification number (Kemler code):

• EMS Number: F-E,S-D
• Stowage Category B

(Contd. on page 7)

Printing date 14.03.2024 Version number 2 Revision: 16.02.2024

Trade name: NeoLSD Extraction Solution

| 14.7 Transport in bulk according to Anne<br>Marpol and the IBC Code | Not applicable.                                  |
|---|--|
| Transport/Additional information:                                   |  |
| ADR   |  |
| Limited quantities (LQ)   | IL   |
| Excepted quantities $(EQ)$  | Code: E2   |
| 1 1 2   | Maximum net quantity per inner packaging: 30 ml  |
|   | Maximum net quantity per outer packaging: 500 ml |
| Transport category  | 2  |
| Tunnel restriction code   | D/E  |
| <i>IMDG</i>   |  |
| Limited quantities (LQ)   | IL   |
| Excepted quantities (EQ)  | Code: E2   |
| 1 1 2   | Maximum net quantity per inner packaging: 30 ml  |
|   | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation":  | UN 1173 ETHYL ACETATE, 3, II                     |

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

Substance is not listed.

· Regulated poisons

Substance is not listed.

· Reportable explosives precursors

Substance is not listed.

· Reportable poisons

Substance is not listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@revvitv.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 8)

Page 8/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 2 Revision: 16.02.2024 Printing date 14.03.2024

Trade name: NeoLSD Extraction Solution

(Contd. of page 7)

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3





Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Neo MSMS Flow Solvent

· Article number: 13808188

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS Turku@revvity.com

· 1.4 Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 and 98/79

The product is labelled according to the IVD regulation

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

Trade name: Neo MSMS Flow Solvent

### · Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

acetonitrile

· Hazard statements

H225 Highly flammable liquid and vapour.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous compone | ents:  |        |
|---------------------|--|--------|
| CAS: 75-05-8        | acetonitrile   | 75-85% |
| EINECS: 200-835-2   | Flam. Liq. 2, H225; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319 |        |
| · Other ingredients |  |        |
| CAS: 7732-18-5      | water  | 15-25% |
| EINECS: 231-791-2   |  |        |
| CAS: 64-18-6        | formic acid  | <0.25% |
| EINECS: 200-579-1   | 🕸 Skin Corr. 1A, H314; 🗘 Acute Tox. 4, H302  |        |
|                     | Specific concentration limits: Skin Corr. 1A; H314: C≥90 %   |        |
|                     | Skin Corr. 1B; H314: 10 % ≤ C < 90 %   |        |
|                     | Skin Irrit. 2; H315: 2 % ≤ C < 10 %  |        |
|                     | Eye Irrit. 2; H319: 2 % ≤ C < 10 %   |        |

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 2)

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

#### 75-05-8 acetonitrile

WEL Short-term value: 102 mg/m³, 60 ppm Long-term value: 68 mg/m³, 40 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:

Form: Fluid
Colour: Clear

(Contd. on page 5)

Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

Trade name: Neo MSMS Flow Solvent

|   | (Contd. of page   |
|---|---|
| · Odour:  | Characteristic  |
| Odour threshold:  | Not determined.   |
| pH-value at 20°C:   | 2.5-3.4   |
| Change in condition<br>Melting point/freezing point:<br>Initial boiling point and boiling range | Undetermined.<br>2: 81°C  |
| Flash point:  | 5 °C  |
| Flammability (solid, gas):  | Highly flammable.   |
| Auto-ignition temperature:  | 525 °C  |
| Decomposition temperature:  | Not determined.   |
| Ignition temperature:   | Product is not selfigniting.  |
| Explosive properties:   | Product is not explosive. However, formation of explosive air vapour mixtures are possible. |
| Explosion limits:   |   |
| Lower:  | 4.4 Vol %   |
| Upper:  | 16 Vol %  |
| Vapour pressure at 20 °C:   | 97 hPa  |
| Density at 20 °C:   | $0.82 \ g/cm^3$   |
| Relative density  | Not determined.   |
| · Vapour density  | Not determined.   |
| Evaporation rate  | Not determined.   |
| · Solubility in / Miscibility with water:   | Fully miscible.   |
| Partition coefficient: n-octanol/water:   | Not determined.   |
| · Viscosity:  |   |
| Dynamic:  | Not determined.   |
| Kinematic:  | Not determined.   |
| Solvent content:  |   |
| Organic solvents:   | 80.5 %  |
| Water:  | 19.4 %  |
| Solids content:   | 0.0 %   |
| 9.2 Other information   | No further relevant information available.  |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 5)

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

LD/LC50 values relevant for classification:

#### 75-05-8 acetonitrile

 Oral
 LD50
 2,730 mg/kg (rat)

 Dermal
 LD50
 1,250 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 6)

| SECTION 14: Transport information  |   |
|--|---|
| 14.1 UN-Number<br>ADR, IMDG, IATA  | UN1648  |
| 14.2 UN proper shipping name<br>ADR<br>IMDG, IATA  | 1648 ACETONITRILE solution<br>ACETONITRILE solution   |
| 4.3 Transport hazard class(es)   |   |
| ADR, IMDG, IATA  |   |
|  |   |
| Class<br>Label   | 3 Flammable liquids.<br>3   |
| 14.4 Packing group<br>ADR, IMDG, IATA  | II  |
| 14.5 Environmental hazards:<br>Marine pollutant:   | Not applicable  |
| 4.6 Special precautions for user<br>Hazard identification number (Kemler code):<br>EMS Number:<br>Stowage Category<br>Stowage Code | Warning: Flammable liquids. 33 F-E,S-D B SW2 Clear of living quarters.  |
| 4.7 Transport in bulk according to Annex II of<br>Marpol and the IBC Code  | <b>f</b><br>Not applicable.   |
| Transport/Additional information:  |   |
| ADR<br>Limited quantities (LQ)<br>Excepted quantities (EQ)   | 1L<br>Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| Transport category<br>Tunnel restriction code  | 2<br>D/E  |
| MDG<br>Limited quantities (LQ)<br>Excepted quantities (EQ)   | IL<br>Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation":   | UN 1648 ACETONITRILE SOLUTION, 3, II  |

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

(Contd. on page 8)

Printing date 14.03.2024 Version number 6 Revision: 14.03.2024

Trade name: Neo MSMS Flow Solvent

(Contd. of page 7)

25%

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

64-18-6 formic acid

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@revvity.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· \* Data compared to the previous version altered.





Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: NeoLSD Substrates and Internal Standards
- · Article number: 13808187
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS Turku@revvity.com

· 1.4 Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 and 98/79

The product is labelled according to the IVD regulation

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void

(Contd. on page 2)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Substrates and Internal Standards

| Other ingredients                  | (Cont   | d. of pag |
|------------------------------------|---|-----------|
| CAS: 143-19-1<br>EINECS: 205-591-0 | Sodium oleate   | 25-50     |
|                                    | [6-Benzoylamino-hexyl)-{2-[4-(3,4,5-trihydroxy-6 hydroxymethyltetrahydro-pyran-2-yloxy)-phenyl-carbamoyl]-ethyl}-carbamic acid t-butyl ester GLA-S  | 15-25     |
|                                    | D-galactosyl-β-1,1' N-heptanoyl-D-erythro-sphingosine<br>GALC-S   | 10-15     |
| CAS: 182493-45-4                   | N-hexanoyl-D-erythro-sphingosylphosphorylcholine<br>ASM-S   | 10-15     |
|                                    | D-glucosyl-β-1,1' N-pentanoyl-D-erythro-sphingosine<br>ABG-S  | 5-10%     |
|                                    | (7-Benzoylamino-heptyl)-{2-[4-(3,4,5-trihydroxy-6-hydroxymethyltetrahydro-pyran-2-yloxy)-phenyl-carbamoyl]-ethyl}-carbamic acid t-butyl ester GAA-S | 5-10%     |
|                                    | IDUA-S 5-(4-(3-(N-(6-benzamidohexyl)acetamido)propanamido)phenoxy)- 2,3,4-trihydroxy- cyclohexanecarboxylic acid MPS1-S                             | 2.5-59    |
|                                    | (7-d5-Benzoylamino-heptyl)-[2-(4-hydroxy-phenylcarbamoyl)-ethyl]-carbamic acid tert-butyl ester GAA-IS  | <1%       |
|                                    | (6-d5-Benzoylamino-hexyl)-[2-(4-hydroxy-phenylcarbamoyl)-<br>ethyl]-carbamic acidtert-butyl ester<br>(GLA-IS)                                       | <1%       |
|                                    | N-pentanoyl-D-erythro-sphingosine(d7)<br>C5 Ceramide (d7)<br>ABG-IS   | < 0.25    |
|                                    | N-(6-(N-(3-((4-hydroxyphenyl)amino)-3-oxopropyl)acetamido)hexyl)-d5-benzamide MPS1-IS IDUA-IS   | <0.25     |
|                                    | C6(d7) Ceramide   | < 0.25    |
|                                    | N-heptanoyl(d5)-D-erythro-sphingosine<br>C7 Ceramide (d5)   | <0.25     |

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Substrates and Internal Standards

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Substrates and Internal Standards

(Contd. of page 3)

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

## SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and ch<br>General Information | nemical properties                            |
|---|---|
| Appearance:   |   |
| Form:   | Not determined.                               |
| Colour:   | Not determined.                               |
| Odour:  | Characteristic                                |
| Odour threshold:  | Not determined.                               |
| pH-value:   | Not applicable.                               |
| Change in condition   |   |
| Melting point/freezing point:                                   | Undetermined.                                 |
| Initial boiling point and boiling range:                        | Undetermined.                                 |
| Flash point:  | Not applicable.                               |
| Flammability (solid, gas):                                      | Not determined.                               |
| Decomposition temperature:                                      | Not determined.                               |
| Ignition temperature:   | Product is not selfigniting.                  |
| Explosive properties:   | Product does not present an explosion hazard. |
| Explosion limits:   |   |
| Lower:  | Not determined.                               |
| Upper:  | Not determined.                               |
| Vapour pressure:  | Not applicable.                               |
| Density:  | Not determined.                               |
| Relative density  | Not determined.                               |
| Vapour density  | Not applicable.                               |
| Evaporation rate  | Not applicable.                               |
| Solubility in / Miscibility with                                |   |
| water:  | Soluble.                                      |
| Partition coefficient: n-octanol/water:                         | Not determined.                               |
| Viscosity:  |   |
| Dynamic:  | Not applicable.                               |
|   | Not applicable.                               |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Substrates and Internal Standards

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- **Recommendation** Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

| · 14.1 UN-Number       |      |
|------------------------|------|
| · ADR, ADN, IMDG, IATA | Void |
| 14.2 UN                |      |

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

(Contd. on page 6)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Substrates and Internal Standards

|  |                                    | (Contd. of page 5 |
|--|------------------------------------|-------------------|
| · 14.4 Packing group<br>· ADR, IMDG, IATA                            | Void                               |                   |
| · 14.5 Environmental hazards:<br>· Marine pollutant:                 | Not applicable                     |                   |
| · 14.6 Special precautions for user                                  | Not applicable.                    |                   |
| · 14.7 Transport in bulk according to Ann<br>Marpol and the IBC Code | <b>ex II of</b><br>Not applicable. |                   |
| · UN "Model Regulation":   | Void                               |                   |

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@revvity.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative





Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: NeoLSD Assay Buffer

· Article number: 13808186

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category PC21 Laboratory chemicals

· Application of the substance / the mixture

Laboratory chemicals In vitro diagnostics

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS Turku@revvity.com

· 1.4 Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 and 98/79

The product is labelled according to the IVD regulation

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Assay Buffer

|   |   | (Con                 | ntd. of page 1) |
|---|---|----------------------|-----------------|
| · Dangerous componen                    | ts:   |                      |                 |
| CAS: 110-15-6 s<br>EINECS: 203-740-4    | uccinic acid  | 🗘 Eye Irrit. 2, H319 | 1-2.5%          |
| · Other ingredients                     |   |                      |                 |
| CAS: 7732-18-5<br>EINECS: 231-791-2     | water   |                      | 95-100%         |
| CAS: 345909-26-4<br>EC number: 804-788- | Sodium taurocholate hydrate                           |                      | 1-2.5%          |
| CAS: 1811-31-0<br>EINECS: 217-321-9     | N-acetyl-D-galactosamine                              |                      | 1-2.5%          |
| · Additional informatio                 | n: For the wording of the listed hazard phrases refer | to section 16.       |                 |

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Assay Buffer

(Contd. of page 2)

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

| · · ·   |   |
|---|---|
| · 9.1 Information on basic physical and o<br>· General Information                                | chemical properties                           |
| · Appearance:   |   |
| Form:   | Fluid   |
| Colour:   | Clear   |
| · Odour:  | Characteristic                                |
| · Odour threshold:  | Not determined.                               |
| · pH-value at 20 °C:  | 4.7   |
| · Change in condition<br>Melting point/freezing point:<br>Initial boiling point and boiling range | 0 °C<br>2: 100 °C                             |
| · Flash point:  | Not applicable.                               |
| · Flammability (solid, gas):  | Not applicable.                               |
| · Decomposition temperature:  | Not determined.                               |
| · Ignition temperature:   | Product is not selfigniting.                  |
| Explosive properties:   | Product does not present an explosion hazard. |
| · Explosion limits:   |   |
| Lower:  | Not determined.                               |
| Upper:  | Not determined.                               |

(Contd. on page 4)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Assay Buffer

|   |  | (Contd. of page |
|---|--|-----------------|
| · Vapour pressure at 20 °C:             | 23 hPa                                     |                 |
| · Density at 20 °C:                     | 1.01 g/cm³                                 |                 |
| Relative density                        | Not determined.                            |                 |
| · Vapour density                        | Not determined.                            |                 |
| Evaporation rate                        | Not determined.                            |                 |
| · Solubility in / Miscibility with      |  |                 |
| water:                                  | Fully miscible.                            |                 |
| Partition coefficient: n-octanol/water: | Not determined.                            |                 |
| · Viscosity:                            |  |                 |
| Dynamic at 20 °C:                       | 0.952 mPas                                 |                 |
| Kinematic:                              | Not determined.                            |                 |
| · Solvent content:                      |  |                 |
| Water:                                  | 96.0 %                                     |                 |
| Solids content:                         | 0.0 %                                      |                 |
| · 9.2 Other information                 | No further relevant information available. |                 |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Assay Buffer

(Contd. of page 4)

- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| 14.1 UN-Number                          |                 |  |
|---|-----------------|--|
| ADR, ADN, IMDG, IATA                    | Void            |  |
| 14.2 UN proper shipping name            |                 |  |
| ADR, ADN, IMDG, IATA                    | Void            |  |
| 14.3 Transport hazard class(es)         |                 |  |
| ADR, ADN, IMDG, IATA                    |                 |  |
| Class                                   | Void            |  |
| 14.4 Packing group                      |                 |  |
| ADR, IMDĞ, İATA                         | Void            |  |
| 14.5 Environmental hazards:             |                 |  |
| Marine pollutant:                       | Not applicable  |  |
| 14.6 Special precautions for user       | Not applicable. |  |
| 14.7 Transport in bulk according to Ann | ex II of        |  |
| Marpol and the IBC Code                 | Not applicable. |  |
| UN "Model Regulation":                  | Void            |  |

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 6)

Printing date 14.03.2024 Version number 4 Revision: 16.02.2024

Trade name: NeoLSD Assay Buffer

(Contd. of page 5)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H319 Causes serious eye irritation.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@revvity.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2