29.02.2024	Kit components
Product code	Description
4301-0010	Vanadis Extract [®] Bind and Wash kit For research use only. Not for use in diagnostic procedures.
Components:	
4301-0010-P1	Binding Buffer
4301-0010-P2	Wash Solution



Page 1/9

AU

Safety Data Sheet according to WHS Regulations

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

1 Identification · Product identifier • Trade name: Binding Buffer · Article number: 4301-0010-P1 · Relevant identified uses of the substance or mixture and uses advised against · Product category PC21 Laboratory chemicals · Application of the substance / the mixture In vitro diagnostics Laboratory chemicals • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111 • Further information obtainable from: Product safety department. MSDS Turku@revvity.com • Emergency telephone number: CHEMTREC (whithin U.S.) 800 424-9300 CHEMTREC (from outside U.S.) +1-703-572-3887 · Information on domestic manufacturers Sponsor in Australia: Revvity Pty. Ltd. Building C Tenancy A, Level 2 211 Wellington Road Mulgrave VIC 3170 1800 033 391 •3WE 2 Hazard(s) Identification · Classification of the substance or mixture flammable Flam. Liq. 2 H225 Highly flammable liquid and vapour. corrosive Skin Corr. 1C H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. Eve Dam. 1 (Contd. on page 2)

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

	(Contd. of page
Acute Tox. 4 H332 Harmful if inhaled.	
STOT SE 3 H336 May cause drowsiness or dizziness.	
Label elements	
GHS label elements	
The product is labelled according to the IVD regulation	
The product is classified and labelled according to the Globally Harmoni	sed System (GHS).
Hazard pictograms	
\vee \vee \vee	
GHS02 GHS05 GHS07	
Signal word Danger	
Hazard-determining components of labelling:	
guanidinium thiocyanate ($\geq 25 - \leq 50\%$)	
propan-2-ol (25-50 %)	
Hazard statements	
Highly flammable liquid and vapour.	
Harmful if inhaled.	
Causes severe skin burns and eye damage.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clo	
IF IN EYES: Rinse cautiously with water for several minutes. Remove c	ontact lenses, if present and easy i
do. Continue rinsing.	
Immediately call a POISON CENTER/doctor.	
Specific treatment (see on this label).	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national	/international regulations.
Additional information:	
Contact with acids liberates very toxic gas.	
Other hazards	
Results of PBT and vPvB assessment	
<i>PBT:</i> Not applicable.	
vPvB: Not applicable.	
Commentation of the commen	
Composition and Information on Ingredients	
Chemical characterisation: Mixtures	
Description: Mixture of substances listed below with nonhazardous addit	ions.
Dangerous components:	
593-84-0 guanidinium thiocyanate	≥25-≤50%
Ship Cover 1C H314: Eye Dam 1 H318: A Acuta Tox 4	11222

Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H332
 67-63-0 propan-2-ol
 Flam. Liq. 2, H225; Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H336

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

AT

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

(Contd. of page 2)

4 First Aid Measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Protective equipment: Mouth respiratory protective device.

6 Accidental Release Measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.*
- Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions: Prevent seepage into sewage system, workpits and cellars.*

Dilute with plenty of water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- Keep respiratory protective device available.

(Contd. on page 4)

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

· Storage:

- *Requirements to be met by storerooms and receptacles: Store in a cool location.*
- Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s) No further relevant information available.*

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WES Short-term value: 1230 mg/m³, 500 ppm

Long-term value: 983 mg/m³, 400 ppm

• Additional information: The lists valid during the making were used as basis.

• Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• *Respiratory protection:*

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. of page 3)

(Contd. on page 5)

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

(Contd. of page 4)

General Information	
Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
<i>Melting point/freezing point:</i>	Undetermined.
Initial boiling point and boiling range:	
Flash point:	13 °C
Flammability (solid, gas):	Highly flammable.
Auto-ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou
	mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapour pressure at 20 °C:	43 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	32.3 %
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and Reactivity

• *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Harmful if inhaled.
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- $\cdot \textit{STOT-repeated exposure} \textit{ Based on available data, the classification criteria are not met.}$
- Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- *Recommended cleansing agents:* Water, if necessary together with cleansing agents.

14 Transport information

· UN-Number · ADG, IMDG, IATA	UN2924
· UN proper shipping name	
· ADG	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S
	(ISOPROPANOL (ISOPROPYL ALCOHOL)
MDC LATA	guanidinium thiocyanate)
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S (ISOPROPANOL (ISOPROPYL ALCOHOL)
	guanidinium thiocyanate)
· Transport hazard class(es)	
· ADG	
· Class	3 Flammable liquids.
	(Contd. on page

(Contd. of page 5)

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

	(Contd. of pag
Label	3+8
IMDG	
Class	3 Flammable liquids.
Label	3/8
IATA	
Class	3 Flammable liquids.
Label	3 (8)
Packing group ADG, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids. 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of Mar and the IBC Code	bol Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ) Transport category	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 D/E
Tunnel restriction code	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O (ISOPROPANOL (ISOPROPYL ALCOHOL GUANIDINIUM THIOCYANATE), 3 (8), II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

(Contd. on page 8)

AU

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

Australia, Drivit, Esistica Chamicala	(Contd. of page
Australia: Priority Existing Chemicals None of the ingredients is listed.	
<i>GHS label elements</i> <i>The product is classified and labelled according to the Globally Harmo</i>	onisod System (CHS)
Hazard pictograms	mised System (G115).
$\bigwedge \land \land$	
< {\} < \	
$\forall \vee \vee$	
GHS02 GHS05 GHS07	
Signal word Danger	
Hazard-determining components of labelling:	
guanidinium thiocyanate ($\geq 25 \le 50$ %) propan-2-ol (25-50 %)	
Hazard statements	
Highly flammable liquid and vapour.	
Harmful if inhaled.	
Causes severe skin burns and eye damage.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated	clothing. Rinse skin with water/showe
IF IN EYES: Rinse cautiously with water for several minutes. Remove	
do. Continue rinsing.	
Immediately call a POISON CENTER/doctor.	
Specific treatment (see on this label).	
Store locked up.	
Dispose of contents/container in accordance with local/regional/nation	nal/international regulations
- · ·	an international regulations.
Directive 2012/18/EU	
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li	isted.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier required	isted. nents 5,000 t
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS	sted. nents 5,000 t ments 50,000 t
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier required Qualifying quantity (tonnes) for the application of upper-tier required	sted. nents 5,000 t ments 50,000 t
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier required Qualifying quantity (tonnes) for the application of upper-tier required Chemical safety assessment: A Chemical Safety Assessment has not be	sted. nents 5,000 t ments 50,000 t
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information	isted. nents 5,000 t ments 50,000 t een carried out.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this sa	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier required Qualifying quantity (tonnes) for the application of upper-tier required Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour.	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation.	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled.	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier required Qualifying quantity (tonnes) for the application of upper-tier required Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness.	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department.	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com	isted. nents 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirer Qualifying quantity (tonnes) for the application of upper-tier requirer Chemical safety assessment: A Chemical Safety Assessment has not be Other information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com Abbreviations and acronyms:	isted. ments 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a stual relationship.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Chemical safety assessment: A Chemical Safety Assessment has not be Different information This information is based on our present knowledge. However, this sus specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses pa	isted. ments 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a stual relationship.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirer Qualifying quantity (tonnes) for the application of upper-tier requirer Chemical safety assessment: A Chemical Safety Assessment has not be Other information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses pa International Carriage of Dangerous Goods by Road)	isted. ments 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a stual relationship.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses pa International Carriage of Dangerous Goods by Road) IMDG: International Air Transport Association	isted. ments 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a stual relationship.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Chemical safety assessment: A Chemical Safety Assessment has not be This information is based on our present knowledge. However, this si specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses pa International Carriage of Dangerous Goods by Road) IMDG: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances	isted. ments 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a stual relationship.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirer Qualifying quantity (tonnes) for the application of upper-tier requirer Chemical safety assessment: A Chemical Safety Assessment has not be <u>Other information</u> This information is based on our present knowledge. However, this su specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses pa International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European List of Notified Chemical Substances	isted. ments 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a stual relationship.
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is li Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requiren Qualifying quantity (tonnes) for the application of upper-tier requiren Chemical safety assessment: A Chemical Safety Assessment has not be Other information This information is based on our present knowledge. However, this si specific product features and shall not establish a legally valid contract Relevant phrases H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Department issuing SDS: Product safety department. Contact: MSDS_Turku@revvity.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses pa International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances	isted. ments 5,000 t ments 50,000 t pen carried out. hall not constitute a guarantee for a stual relationship.

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Binding Buffer

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 8)

AU



Page 1/8

Safety Data Sheet according to WHS Regulations

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Identification	
Product identifier	
Trade name: Wash Solution	
Article number: 4301-0010-P2 Relevant identified uses of the substance Product category PC21 Laboratory chen Application of the substance / the mixtur Laboratory chemicals In vitro diagnostics	nicals
Details of the supplier of the safety data s Manufacturer/Supplier: Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111	sheet
Further information obtainable from: Product safety department. MSDS_Turku@revvity.com Emergency telephone number: CHEMTREC (whithin U.S.) 800 424-9300 CHEMTREC (from outside U.S.) +1-703- Information on domestic manufacturers Sponsor in Australia: Revvity Pty. Ltd. Building C Tenancy A, Level 2 211 Wellington Road Mulgrave VIC 3170	
1800 033 391 •2YE	
Hazard(s) Identification	
Classification of the substance or mixtur	a
flammable	c
Flam. Liq. 2	H225 Highly flammable liquid and vapour.
Serious eye damage/irritation – Category	2A H319 Causes serious eye irritation.
Label elements GHS label elements The product is labelled according to the I	VD regulation

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

(Contd. of page 1)

Trade name: Wash Solution

· Hazard pictograms



· Signal word Danger

· Hazard statements

Highly flammable liquid and vapour. Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

64-17-5 ethanol

🚯 Flam. Liq. 2, H225; 🚸 Serious eye damage/irritation – Category 2A, H319

• Other ingredients

7732-18-5 water

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

50-75%

25-50%

ÁU -

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Wash Solution

· Protective equipment: No special measures required.

6 Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

• *Environmental precautions:* Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water.

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:
- *Keep ignition sources away Do not smoke. Protect against electrostatic charges.*

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WES Long-term value: 1880 mg/m³, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• **Respiratory protection:** Not required.

• Protection of hands:



Protective gloves

(Contd. on page 4)

(Contd. of page 2)

[·] Personal protective equipment:

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Wash Solution

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· General Information	
· Appearance:	
· Form:	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
• Odour threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	
· Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	: 78 °C
· Flash point:	13 °C
· Flammability (solid, gas):	Highly flammable.
Auto-ignition temperature:	425 °C
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of explosive air/vapour
	mixtures are possible.
• Explosion limits:	
· Lower:	3.5 Vol %
· Upper:	15 Vol %
· Vapour pressure at 20 °C:	59 hPa
· Vapour pressure at 50 °C:	280 hPa
· Density at 20 °C:	0.85 g/cm^3
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
• Solubility in / Miscibility with	
· water:	Fully miscible.
• Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
Solvent content:	
· Organic solvents:	70.0 %
· Water:	30.0 %
	(Contd. on page 5)

- AU

(Contd. of page 4)

Safety Data Sheet according to WHS Regulations

Printing date 29.02.2024Version number 2Revision: 29.02.2024

Trade name: Wash Solution	

• Solids content: • Other information 0.0 %

No further relevant information available.

10 Stability and Reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification	n:
--	----

64-17-5 ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50/4 h 20,000 mg/l (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- *Bioaccumulative potential* No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Version number 2

Revision: 29.02.2024

(Contd. of page 5)

Trade name: Wash Solution

Printing date 29.02.2024

· Uncleaned packaging:

• Recommendation: Hand over to hazardous waste disposers.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number ADG, IMDG, IATA	UN1170
UN proper shipping name	
ADG	1170 ETHANOL SOLUTION (ETHYL ALCOHO
IMDG	SOLUTION) ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION)
IATA	ETHANOL SOLUTION
Transport hazard class(es)	
ADG, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group ADG, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 33 F-E,S-D A
Transport in bulk according to Annex II of Marg and the IBC Code	vol Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	1L
Excepted quantities $(\tilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 500 ml 2
Tunnel restriction code	2 D/E
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

(Contd. on page 7)

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Wash Solution

(Contd. of page 6)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

• Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- GHS label elements
- The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



· Signal word Danger

• *Hazard statements Highly flammable liquid and vapour. Causes serious eye irritation.*

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

- Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous).
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• *Relevant phrases* H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS_Turku@revvity.com
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

Printing date 29.02.2024

Version number 2

Revision: 29.02.2024

Trade name: Wash Solution

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2	(Contd. of page 7)
1 1 0 7	
Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A	
	AU