Safety Data Sheet
acc. to OSHA HCS

Printing date 02/27/2024 Reviewed on 11/30/2023

1 Identification

· **Product identifier**

· **Trade name: DELFIA Terbium Standard Solution**

· **Article number:** C558-100
· **Application of the substance / the mixture**
Laboratory chemicals
In vitro diagnostics

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· **Information department:**
Product safety department.
MSDS_Turku@revvity.com
· **Emergency telephone number:**
CHEMTREC (within U.S.) 800 424-9300
CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard(s) identification

· **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

· **Label elements**
· **GHS label elements**
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements** Void
· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 0
Fire = 0
Reactivity = 0

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/27/2024 Reviewed on 11/30/2023

Trade name: DELFIA Terbium Standard Solution

(Contd. of page 1)

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:** Void

· **Other ingredients**		
7732-18-5	water	95-100%
77-86-1	trometamol	1-2.5%
127-09-3	sodium acetate	<1%
64-19-7	acetic acid	<1%
877-24-7	potassium hydrogen phthalate	<0.25%
9002-93-1	Polyethylene glycol octylphenol ether	<0.1%
57-09-3	CTAB, Cetyltrimethylammonium bromide	<0.1%
64-17-5	ethanol	<0.1%

4 First-aid measures

· **Description of first aid measures**
· **General information:** No special measures required.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Generally the product does not irritate the skin.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** If symptoms persist consult doctor.
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
77-86-1	trometamol	18 mg/m³

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/27/2024 Reviewed on 11/30/2023

Trade name: DELFIA Terbium Standard Solution

(Contd. of page 2)

127-09-3	sodium acetate	11 mg/m³
64-19-7	acetic acid	5 ppm
877-24-7	potassium hydrogen phthalate	9.6 mg/m³
64-17-5	ethanol	1,800 ppm
78-50-2	Trioctylphosphine oxide	1 mg/m³

· **PAC-2:**

77-86-1	trometamol	190 mg/m³
127-09-3	sodium acetate	120 mg/m³
64-19-7	acetic acid	35 ppm
877-24-7	potassium hydrogen phthalate	110 mg/m³
64-17-5	ethanol	3300* ppm
78-50-2	Trioctylphosphine oxide	11 mg/m³

· **PAC-3:**

77-86-1	trometamol	1,200 mg/m³
127-09-3	sodium acetate	700 mg/m³
64-19-7	acetic acid	250 ppm
877-24-7	potassium hydrogen phthalate	630 mg/m³
64-17-5	ethanol	15000* ppm
78-50-2	Trioctylphosphine oxide	68 mg/m³

7 Handling and storage

· **Handling:**
· **Precautions for safe handling** No special measures required.
· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** None.
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
· **Breathing equipment:** Not required.
· **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** *Goggles recommended during refilling.*

9 Physical and chemical properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Appearance:**	
Form:	*Fluid*
Color:	*According to product specification*
· **Odor:**	*Characteristic*
· **Odor threshold:**	*Not determined.*
· **pH-value:**	*Not determined.*
· **Change in condition**	
Melting point/Melting range:	*0 °C (32 °F)*
Boiling point/Boiling range:	*100 °C (212 °F)*
· **Flash point:**	*Not applicable.*
· **Flammability (solid, gaseous):**	*Not applicable.*
· **Decomposition temperature:**	*Not determined.*
· **Ignition temperature:**	*Product is not selfigniting.*
· **Danger of explosion:**	*Product does not present an explosion hazard.*
· **Explosion limits:**	
Lower:	*Not determined.*
Upper:	*Not determined.*
· **Vapor pressure at 20 °C (68 °F):**	*23 hPa (17.3 mm Hg)*
· **Density at 20 °C (68 °F):**	*1 g/cm³ (8.35 lbs/gal)*
· **Relative density**	*Not determined.*
· **Vapor density**	*Not determined.*
· **Evaporation rate**	*Not determined.*
· **Solubility in / Miscibility with**	
Water:	*Fully miscible.*
· **Partition coefficient (n-octanol/water):**	*Not determined.*
· **Viscosity:**	
Dynamic at 20 °C (68 °F):	*0.952 mPas*
Kinematic:	*Not determined.*
· **Solvent content:**	
Organic solvents:	*0.6 %*
Water:	*96.6 %*
VOC content:	*0.55 %*

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Trade name: DELFIA Terbium Standard Solution

(Contd. of page 4)

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**
· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** No irritating effect.
· **Sensitization:** No sensitizing effects known.
· **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**
None of the ingredients is listed.

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Behavior in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/27/2024 Reviewed on 11/30/2023

Trade name: DELFIA Terbium Standard Solution

(Contd. of page 5)

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:** Hand over to hazardous waste disposers.

· **Uncleaned packagings:**
· **Recommendation:**
Packagings that cannot be cleansed are to be disposed of in the same manner as the product.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**	
· **DOT, ADR, ADN, IMDG, IATA**	Void
· **UN proper shipping name**	
· **DOT, ADR, ADN, IMDG, IATA**	Void
· **Transport hazard class(es)**	
· **DOT, ADR, ADN, IMDG, IATA**	
· **Class**	Void
· **Packing group**	
· **DOT, ADR, IMDG, IATA**	Void
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Not applicable.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **UN "Model Regulation":**	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

13451-19-9	Terbium(III) nitrate hexahydrate

· **TSCA (Toxic Substances Control Act):**

7732-18-5	water	ACTIVE
77-86-1	trometamol	ACTIVE
127-09-3	sodium acetate	ACTIVE
64-19-7	acetic acid	ACTIVE
877-24-7	potassium hydrogen phthalate	ACTIVE
9002-93-1	Polyethylene glycol octylphenol ether	ACTIVE
64-17-5	ethanol	ACTIVE
78-50-2	Trioctylphosphine oxide	ACTIVE

· **Hazardous Air Pollutants**
None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/27/2024 Reviewed on 11/30/2023

Trade name: DELFIA Terbium Standard Solution

(Contd. of page 6)

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**
None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

64-17-5	ethanol	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients is listed.

· **GHS label elements** Void
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements** Void
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department.
· **Contact:** MSDS_Turku@revvity.com
· **Date of preparation / last revision** 02/27/2024
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit