30.11.2023	Kit components
Product code	Description

Chemagic Viral DNA/RNA 300 Kit H96

CMG-1033-S

13808043	Lysis Buffer P
13808024	Binding Buffer P
13808050	Wash Buffer E
13808041	Wash Buffer P
13808055	Wash Buffer H
13808062	Elution Buffer
13808071	Proteinase K
13808048	Poly(A)RNA Buffer
13809185	Magnetic beads





Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

1 Identification

· Product identifier

· Trade name: Lysis Buffer P · Article number: 13808043

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture



Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R32: Contact with acids liberates very toxic gas.

· Information concerning particular hazards for human and environment: Not applicable.

(Contd. on page 2)

Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

Trade name: Lysis Buffer P

(Contd. of page 1)

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is labelled according to the IVD regulation

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

guanidinium thiocyanate

· Hazard statements

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

593-84-0 guanidinium thiocyanate

50-75%



Xn R20/21/22 R32

🥎 Skin Corr. 1C, H314; Eye Dam. 1, H318; 伙 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Aquatic Chronic 3, H412

· Other ingredients

7732-18-5 water 25-50%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

Trade name: Lysis Buffer P

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)

Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

Trade name: Lysis Buffer P

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

Trade name: Lysis Buffer P

(Contd. of page 4)

Information on basic physical and chemi	ical proparties
Injormation on vasic physical and chemi General Information	icui properues
Appearance:	
Form:	Fluid
Colour:	Yellow tint
Odour:	Sulfurous
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	$1.14-1.15 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	38.1 %
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

Trade name: Lysis Buffer P

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · UN-Number
- · ADR, IMDG, IATA UN1760
- · UN proper shipping name
- · ADR 1760 CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)

(Contd. on page 7)

Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

Trade name: Lysis Buffer P

	(Contd. of page
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (guanidiniu thiocyanate)
Transport hazard class(es)	
ADR, IMDG, IATA	
\$ S	
Class	8 Corrosive substances.
Label	8
Packing group	ш
ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	Not applicable
•	**
Special precautions for user Hazard identification number (Kemler code):	Warning: Corrosive substances. 80
EMS Number:	F-A,S-B
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of Marp	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	Maximum net quantity per outer packaging: 1000 mt 3
Transport category Tunnel restriction code	E E
IMDG	-
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S (GUANIDINIUM THIOCYANATE), 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet according to GHS

Printing date 30.11.2023 Version number 13 Revision: 01.11.2023

Trade name: Lysis Buffer P

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

guanidinium thiocyanate

· Hazard statements

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R32 Contact with acids liberates very toxic gas.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS_Turku@perkinelmer.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3





Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

1 Identification

· Product identifier

· Trade name: Binding Buffer P

· Article number: 13808024

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture



flammable

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



chronic health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Skin Corr. 3 H316 Causes mild skin irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



F; Highly flammable

R11: Highly flammable.

Information concerning particular hazards for human and environment: Not applicable.

(Contd. on page 2)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

(Contd. of page 1)

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS07

- · Signal word Danger
- Hazard-determining components of labelling:

Perchloric acid, sodium salt, monohydrate

· Hazard statements

Highly flammable liquid and vapour.

Causes mild skin irritation.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

64-17-5	ethanol	25-50
	▶ F R11	
	Flam. Liq. 2, H225	
7791-07-3	Perchloric acid, sodium salt, monohydrate	25-50
	🕸 Ox. Sol. 1, H271; 🗞 STOT RE 2, H373; 아 Acute Tox. 4, H302; Eye Irrit. 2, H319	
64-19-7	acetic acid	1-2.5
	₹ C R35	
	$\overline{RI}0$	
	♠ Flam. Liq. 3, H226; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H312; Acute Tox. 5, H303	
	Specific concentration limits: Skin Corr. 1A; H314: C≥90 %	
	Skin Corr. 1B; H314: 25 % ≤ C < 90 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	<i>Eye Irrit. 2; H319: 10 % ≤ C < 25 %</i>	

•	Otl	ıer	ingre	edients
---	-----	-----	-------	---------

7732-18-5 water 15-25%

(Contd. on page 3)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

	(Cont	d. of page 2)
6131-90-4	sodium acetate trihydrate	2.5-5%
77-86-1	trometamol	<1%
50-70-4	D-glucitol	<1%
7647-01-0	hydrogen chloride C R34; X Xi R37 Skin Corr. 1B, H314; Eye Dam. 1, H318; STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	<1%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters

T 1 .	• ,1 1• • ,	1 /1 /	•	•, •	, ,1 1 1
· Iuavadiaute	1411110 1110011	value that	ี หกดเบเหก เ	MANITAPINA	at the workplace:
merenis	will ullill	vuiues inui	reuune r	ทบทแบบแน	ui ine workbiuce.

64-17-5 ethanol

'	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1000 ppm A3
	A3

64-19-7 acetic acid

PEL (USA)	Long-term value: 25 mg/m³, 10 ppm
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm Short-term value: 15 ppm Long-term value: 10 ppm
	Long-term value: 25 mg/m³, 10 ppm
TLV (USA)	Short-term value: 15 ppm
	Long-term value: 10 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to GHS

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

· Vapour density



Tightly sealed goggles

Physical and chemical properties	
Information on basic physical and chem	ical properties
General Information	
Appearance: Form:	Solution
Colour:	Colourless
Odour:	Sulfurous
Odour threshold:	Not determined.
pH-value at 20 °C:	5-5.9
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	₹ 78 °C
Flash point:	13 °C
Flammability (solid, gas):	Highly flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapour pressure at 20 °C:	59 hPa
Vapour pressure at 50 °C:	280 hPa
Density at 20 °C:	1.05 - 1.07 g/cm^3
Relative density	Not determined.
	37 1 . 1

Not determined.

(Contd. on page 6)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

	(Contd. of page
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: Water:	46.9 % 19.7 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

7791-07-3 Perchloric acid, sodium salt, monohydrate

Oral LD50 >2,000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 7)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

(Contd. of page 6)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information	
UN-Number	
ADR, IMDG, IATA	UN1993
UN proper shipping name ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHAN (ETHYL ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETH ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL mixture)
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E, <u>S-E</u>
Stowage Category	В
Transport in bulk according to Annex II of Marp	ool
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

(Contd. of page 7)

· IMDG	
· Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
· ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

	· Philippines Inventory of Chemicals and Chemical Substances			
64-17-5				
7732-18-5	water			
6131-90-4	sodium acetate trihydrate			
	acetic acid			
	trometamol			
	D-glucitol			
7647-01-0	hydrogen chloride			

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS07 GHS0

- · Signal word Danger
- Hazard-determining components of labelling:

Perchloric acid, sodium salt, monohydrate

· Hazard statements

Highly flammable liquid and vapour.

Causes mild skin irritation.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Binding Buffer P

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

R10 Flammable.

R11 Highly flammable.

R34 Causes burns.

R35 Causes severe burns.

R37 Irritating to respiratory system.

· Department issuing SDS: Product safety department.

· Contact: MSDS Turku@perkinelmer.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids – Category 3 Ox. Sol. 1: Oxidizing solids – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 5: Acute toxicity - Category 5

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 3: Skin corrosion/irritation – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2





Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

1 Identification

· Product identifier

· Trade name: Wash Buffer E

· Article number: 13808050

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



F; Highly flammable

R11: Highly flammable.

- · Information concerning particular hazards for human and environment: Not applicable.
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Wash Buffer E

(Contd. of page 1)

· Hazard statements

Highly flammable liquid and vapour.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangero	ous components:		
64-17-5	ethanol	▶ F R11 ♦ Flam. Liq. 2, H225	50-75%
Other in	gredients		
7732-18	2-5 water		25-50%
9005-64	2-5 Polysorbate 20		<0.25%
Addition	nal information: For the wording of the li	sted hazard phrases refer to section 16	

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet according to GHS

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Wash Buffer E

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL (USA) Long-term value: 1900 mg/m³, 1000 ppm REL (USA) Long-term value: 1900 mg/m³, 1000 ppm TLV (USA) Short-term value: 1000 ppm

13

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Wash Buffer E

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

0 D1 .	, ,	,		,	7.0
9 Physical	ana	C	nemical	nro	nortios
) I II you ui	ullute	- 0.	tellittellit	$\rho_{I} \sigma$	periods

· Partition coefficient: n-octanol/water:

· Information on basic physical and chem · General Information	ical properties
· Appearance:	
Form: Colour:	Solution Colourless
Colour: · Odour:	
· Odour: · Odour threshold:	Sulfurous Not determined.
· Oaour inresnoia:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	78 °C
· Flash point:	13 °C
· Flammability (solid, gas):	Highly flammable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
· Vapour pressure at 20 °C:	59 hPa
Vapour pressure at 50 °C:	280 hPa
Density at 20 °C:	0.87-0.89 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.

Not determined.

(Contd. on page 5)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Wash Buffer E

		(Contd. of page 4
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	64.9 %	
Water:	35.0 %	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.

(Contd. on page 6)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Wash Buffer E

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. of page 5)

Transport information	
UN-Number ADR, IMDG, IATA	UN1170
UN proper shipping name ADR IMDG IATA	1170 ETHANOL (ETHYL ALCOHOL) solution ETHANOL (ETHYL ALCOHOL) solution ETHANOL solution
Transport hazard class(es) ADR, IMDG, IATA	
Class Label	3 Flammable liquids. 3
Packing group ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 33 F-E,S-D A
Transport in bulk according to Annex II of Marpand the IBC Code	pol Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL) SOLUTIO 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

(Contd. on page 7)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Wash Buffer E

(Contd. of page 6)

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapour.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

R11 Highly flammable.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@perkinelmer.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

PH





Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

1 Identification

· Product identifier

· Trade name: Wash Buffer P · Article number: 13808041

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture



flammable

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



chronic health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi · Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.



F; Highly flammable

R11: Highly flammable.

Information concerning particular hazards for human and environment: Not applicable.

(Contd. on page 2)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

(Contd. of page 1)

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

02 GHS07

GHS0

- · Signal word Danger
- Hazard-determining components of labelling:

Perchloric acid, sodium salt, monohydrate

· Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous	s components:		
64-17-5 ethanol			
	8 F R11		
	ô Flam. Liq. 2, H225		
7791-07-3	Perchloric acid, sodium salt, monohydrate	15-25%	
	🕸 Ox. Sol. 1, H271; 🕸 STOT RE 2, H373; <page-header> Acute Tox. 4, H302; Eye Irrit. 2, H319</page-header>		
7647-01-0	hydrogen chloride	<0.25%	
	🤬 T R23; 🔁 C R35		
	Press. Gas L, H280; 🧇 Acute Tox. 2, H330; 🔷 Skin Corr. 1A, H314; Eye Dam. 1,		
	H318		

· Other ingredients

7732-18-5 water 50-75%

(Contd. on page 3)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

	(Cont	d. of page 2)
6131-90-4	sodium acetate trihydrate	1-2.5%
64-19-7	acetic acid C R35 R10	<1%
	Flam. Liq. 3, H226; Skin Corr. 1A, H314; Acute Tox. 4, H312; Acute Tox. 5, H303	
	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 %	
	Skin Corr. 1B; H314: 25 % ≤ C < 90 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
77-86-1	trometamol	<0.25%
50-70-4	D-glucitol	<0.25%
· Additional	information: For the wording of the listed hazard phrases refer to section 16.	

⁴ First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

(Contd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters

· Ingredients with limit values that	require monitoring	at the workplace:
--------------------------------------	--------------------	-------------------

64-17-5 ethanol

PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1000 ppm

7647-01-0 hydrogen chloride

PEL (USA)	Ceiling limit: 7 mg/m³, 5 ppm
REL (USA)	Ceiling limit: 7 mg/m³, 5 ppm Ceiling limit: 7 mg/m³, 5 ppm Ceiling limit: 2 ppm
TLV (USA)	Ceiling limit: 2 ppm
	11

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to GHS

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties	Physical and chemical properties		
· Information on basic physical and chen	nical properties		
· General Information			
· Appearance:			
Form:	Solution		
Colour:	Colourless		
· Odour:	Sulfurous		
· Odour threshold:	Not determined.		
· pH-value at 20 °C:	4.6-5.8		
· Change in condition			
Melting point/freezing point:	Undetermined.		
Initial boiling point and boiling range	:: 78 °C		
· Flash point:	13 °C		
Flammability (solid, gas):	Highly flammable.		
Decomposition temperature:	Not determined.		
Ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.		
Explosion limits:			
Lower:	3.5 Vol %		
Upper:	15 Vol %		
· Vapour pressure at 20 °C:	59 hPa		
Vapour pressure at 50 °C:	280 hPa		
Density at 20 °C:	1.04-1.06 g/cm³		
· Relative density	Not determined.		
Vapour density	Not determined.		

(Contd. on page 6)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

	(Contd. of page
· Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: Water:	28.6 % 51.1 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

· Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information	
UN-Number	UN1993
ADR, IMDG, IATA	UN1993
UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHAN)
H C	(ETHYL ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETH
IATA	ALCOHOL)) FLAMMABLE LIQUID, N.O.S. (ETHANOL mixture)
	TEAMINIABLE LIQUID, IV.O.S. (ETHANOL mixture)
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
	**
Special precautions for user	Warning: Flammable liquids. 33
Hazard identification number (Kemler code): EMS Number:	F-E,S-E
EMS Number. Stowage Category	B B
0 0 1	
Transport in bulk according to Annex II of Mar	pol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	IL

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

	(Contd. of page 7
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Philippines Inventory of Chemicals and Chemical Substances	
7732-18-5	
64-17-5	
	sodium acetate trihydrate
	acetic acid
	trometamol
50-70-4	D-glucitol

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS07

- · Signal word Danger
- Hazard-determining components of labelling:

Perchloric acid, sodium salt, monohydrate

· Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Wash Buffer P

(Contd. of page 8)

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

R10 Flammable.

R11 Highly flammable.

R23 Toxic by inhalation.

R35 Causes severe burns.

· Department issuing SDS: Product safety department.

· Contact: MSDS Turku@perkinelmer.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Press. Gas L: Gases under pressure - Liquefied gas

Flam. Liq. 2: Flammable liquids – Category 2

Ox. Sol. 1: Oxidizing solids - Category 1

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

PH





Printing date 30.11.2023 Version number 5 Revision: 01.11.2023

1 Identification

· Product identifier

· Trade name: Wash Buffer H · Article number: 13808055

• *CAS Number:* 7732-18-5 • *EC number:*

231-791-2

· Relevant identified uses of the substance or mixture and uses advised against

· Product category PC21 Laboratory chemicals

· Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

Classification of the substance or mixture

The substance is not classified, according to the Globally Harmonised System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment: Not applicable.
- · Label elements
- $\cdot \textit{GHS label elements} \ \textit{The product is labelled according to the IVD regulation}$
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Substances
- · CAS No. Description

7732-18-5 water

(Contd. on page 2)

Printing date 30.11.2023 Version number 5 Revision: 01.11.2023

Trade name: Wash Buffer H

· Identification number(s)

• EC number: 231-791-2

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.

(Contd. on page 3)

Printing date 30.11.2023 Version number 5 Revision: 01.11.2023

Trade name: Wash Buffer H

(Contd. of page 2)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

Information on basic physical and chem	ical properties
General Information	rem properties
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	· 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	$l g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic at 20 °C:	0.952 mPas

(Contd. on page 4)

Printing date 30.11.2023 Version number 5 Revision: 01.11.2023

Trade name: Wash Buffer H

(Contd. of page 3)

Kinematic: Water:	Not determined. 100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

The substance is not subject to classification according to the latest version of the EU lists.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

ЭΗ -

Printing date 30.11.2023 Version number 5 Revision: 01.11.2023

Trade name: Wash Buffer H

(Contd. of page 4)

UN-Number ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	Not applicable	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex Land the IBC Code	I of Marpol Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

Substance is listed.

- · **GHS label elements** Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@perkinelmer.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative





Printing date 30.11.2023 Version number 3 Revision: 02.11.2023

1 Identification

· Product identifier

· Trade name: Elution Buffer · Article number: 13808062

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- $\cdot \textit{Information concerning particular hazards for human and environment:} \\$

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void

(Contd. on page 2)

Printing date 30.11.2023 Version number 3 Revision: 02.11.2023

Trade name: Elution Buffer

(Contd. of page 1)

· Other ingr	edients	
7732-18-5	water	95-100%
77-86-1	trometamol	<0.1%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

· Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 3)

Printing date 30.11.2023 Version number 3 Revision: 02.11.2023

Trade name: Elution Buffer

(Contd. of page 2)

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

· Vapour density

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

9 Physical and chemical properties

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Goggles recommended during refilling

Information on basic physical and ch	emical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Sulfurous
Odour threshold:	Not determined.
pH-value at 20 °C:	7.8-8.4
Change in condition	
Melting point/freezing point:	0 °C
Initial boiling point and boiling ran	ge: 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	I g/cm³
Relative density	Not determined.

Not determined.

(Contd. on page 4)

Printing date 30.11.2023 Version number 3 Revision: 02.11.2023

Trade name: Elution Buffer

		(Contd. of page 3
Evaporation rate	Not determined.	
Solubility in / Miscibility with water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity: Dynamic at 20°C: Kinematic:	0.952 mPas Not determined.	
Solvent content: Water:	99.9 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 5)

Printing date 30.11.2023 Version number 3 Revision: 02.11.2023

Trade name: Elution Buffer

(Contd. of page 4)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

14 Trunsport injormation	
· UN-Number · ADR, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Mar and the IBC Code	pol Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@perkinelmer.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 6)

Printing date 30.11.2023 Version number 3 Revision: 02.11.2023

Trade name: Elution Buffer

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. of page 5)





Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

1 Identification

· Product identifier

· Trade name: Proteinase K · Article number: 13808071

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture



Resp. Sens. 1

chronic health hazard

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Skin Irrit. 2

H315 Causes skin irritation.

Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.



Xn; Sensitising

May cause sensitisation by inhalation.

- · Information concerning particular hazards for human and environment: Not applicable.
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Proteinase K

(Contd. of page 1)

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Proteinase, Tritirachium album serine

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear eye protection / face protection.

[In case of inadequate ventilation] wear respiratory protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

39450-01-6 Proteinase, Tritirachium album serine

≥50-≤90%



🗙 Xi R36/37/38; 🗙 Xn R42

Resp. Sens. 1, H334; Skin Irrit. 2, H315; Serious eye damage/irritation — Category 2A, H319; STOT SE 3, H335

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Proteinase K

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Proteinase K

· Protection of hands:

(Contd. of page 3)



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

· Relative density

· Vapour density

· Evaporation rate



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chem · General Information	ical properties
· Appearance:	
Form:	Powder
Colour:	White
· Odour:	Sulfurous
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.

Not determined.

Not applicable. Not applicable.

(Contd. on page 5)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Proteinase K

		(Contd. of page 4)
Solubility in / Miscibility with water:	Soluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
· Solvent content:		
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation Sensitisation possible through inhalation.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

PH

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Proteinase K

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information		
· UN-Number · ADR, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex Is and the IBC Code	I of Marpol Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS07

- · Signal word Danger
- Hazard-determining components of labelling:

Proteinase, Tritirachium album serine

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 7)

Printing date 30.11.2023 Version number 4 Revision: 02.11.2023

Trade name: Proteinase K

(Contd. of page 6)

Wear eye protection / face protection.

[In case of inadequate ventilation] wear respiratory protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

R36/37/38 Irritating to eyes, respiratory system and skin.

R42 May cause sensitisation by inhalation.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@perkinelmer.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

PH





Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

1 Identification

· Product identifier

· Trade name: Poly(A)RNA Buffer

· Article number: 13808048

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS_Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture



Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R32: Contact with acids liberates very toxic gas.

· Information concerning particular hazards for human and environment: Not applicable.

(Contd. on page 2)

Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

Trade name: Poly(A)RNA Buffer

· Classification system:

(Contd. of page 1)

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is labelled according to the IVD regulation

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

guanidinium thiocyanate

· Hazard statements

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

593-84-0 guanidinium thiocyanate

25-50%

Xn R20/21/22 R32

🥎 Skin Corr. 1C, H314; Eye Dam. 1, H318; 伙 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Aquatic Chronic 3, H412

· Other ingredients

7732-18-5 water 50-75%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

Trade name: Poly(A)RNA Buffer

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)

Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

Trade name: Poly(A)RNA Buffer

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

Trade name: Poly(A)RNA Buffer

(Contd. of page 4)

Information on basic physical and chem	ical proparties
Injormation on vasic physical and chem General Information	icui properues
Appearance:	
Form:	Fluid
Colour:	Yellow tint
Odour:	Sulfurous
Odour threshold:	Not determined.
pH-value at 20 °C:	4
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	2 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.15 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	66.7 %
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

Trade name: Poly(A)RNA Buffer

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · UN-Number
- · ADR, IMDG, IATA UN1760
- · UN proper shipping name
- · ADR 1760 CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)

(Contd. on page 7)

Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

Trade name: Poly(A)RNA Buffer

	(Contd. of page
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (guanidiniu thiocyanate)
Transport hazard class(es)	
ADR, IMDG, IATA	
\$ S	
Class	8 Corrosive substances.
Label	8
Packing group	ш
ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	Not applicable
•	**
Special precautions for user Hazard identification number (Kemler code):	Warning: Corrosive substances. 80
EMS Number:	F-A,S-B
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of Marp	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	Maximum net quantity per outer packaging: 1000 mt 3
Transport category Tunnel restriction code	E E
IMDG	-
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S (GUANIDINIUM THIOCYANATE), 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet according to GHS

Printing date 30.11.2023 Version number 11 Revision: 01.11.2023

Trade name: Poly(A)RNA Buffer

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

guanidinium thiocyanate

Hazard statements

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Harmful if inhaled. H332

Harmful to aquatic life with long lasting effects. H412

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R32 Contact with acids liberates very toxic gas.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@perkinelmer.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3





Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

1 Identification

· Product identifier

· Trade name: <u>Magnetic beads</u> · Article number: 13809185

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS_Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

2 Hazard identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements The product is labelled according to the IVD regulation
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Magnetic beads

(Contd. of page 1)

· Dangerous components: Void

· Other ingredients			
7732-18-5	water	75-85%	
	Magnetic beads	15-25%	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

Н-

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Magnetic beads

(Contd. of page 2)

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

· General Information

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

· Information on basic physical and chemical properties

9 Physical and chemical properties

· Appearance:		
Form:	Fluid	
Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	2: 100 °C	

· Flash point: Not applicable.

Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

(Contd. on page 4)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Magnetic beads

	(Con	td. of page
Vapour pressure at 20 °C:	23 hPa	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	80.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 5)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Magnetic beads

(Contd. of page 4)

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information · UN-Number

· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR. ADN IMDG IATA	Void

- · Transport hazard class(es)
- · ADR, ADN, IMDG, IATA
- · Class Void
- · Packing group
- · ADR, IMDG, IATA Void
- · Environmental hazards:
- · Marine pollutant: Not applicable
- · Special precautions for user Not applicable.
- · Transport in bulk according to Annex II of Marpol and the IBC Code
 - Not applicable.

15 Regulatory information

· UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

· Philippines Inventory of Chemicals and Chemical Substances

7732-18-5 water

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@perkinelmer.com

(Contd. on page 6)

Printing date 30.11.2023 Version number 3 Revision: 30.11.2023

Trade name: Magnetic beads

(Contd. of page 5)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative