| 20.02.2024Kit components | | |
|--------------------------|---------------------------------|--|
| Product code | Description | |
| FR-9367 | JB-2 Staining System FR-9367 | |
| Components: | | |
| 13805357 | JB-2 Gel Stain Concentrate | |
| 13805360 | JB-2 Stain Buffer | |
| 13805363 | JB-2 Stain Activator | |



Page 1/9

Safety Data Sheet according to WHS Regulations

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

| 1 Identification | |
|--|---|
| · Product identifier | |
| • Trade name: <u>JB-2 Gel Stai</u> | n Concentrate |
| Article number: 13805357 Relevant identified uses of a Product category PC21 La Application of the substance In vitro diagnostics Laboratory chemicals | |
| • Details of the supplier of th • Manufacturer/Supplier: Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111 | re safety data sheet |
| Further information obtain Product safety department. MSDS_Turku@revvity.com Emergency telephone number CHEMTREC (whithin U.S.) CHEMTREC (from outside Information on domestic me Sponsor in Australia: Revvity Pty. Ltd. Building C Tenancy A, Leve 211 Wellington Road Mulgrave VIC 3170 | ber: 800 424-9300 U.S.) +1-703-572-3887 panufacturers |
| 1800 033 391 •2WE | |
| 2 Hazard(s) Identificatio | n and a second se |
| · Classification of the substa | |
| flammable | |
| Flam. Liq. 2 H225 Highly j | flammable liquid and vapour. |
| toxic | |
| Acute Tox. 3 H331 Toxic if | inhaled. |
| chronic health ha | nzard |
| | |

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

| STOT SE 1 | (Contd. of pay H370 Causes damage to the central nervous system and the visual organs. |
|---|--|
| · Label eleme | |
| · GHS label e | |
| | is labelled according to the IVD regulation |
| | is classified and labelled according to the Globally Harmonised System (GHS). |
| · Hazard picto | |
| | GHS06 GHS08 |
| · Signal word | Danger |
| · Hazard-dete | rmining components of labelling: |
| methanol (93 | i-100 %) |
| 3,3'-dimetho | xybiphenyl-4,4'-ylenediammoniumdichloride ($\geq 0.1 - <1 \%$) |
| · Hazard state | |
| | nable liquid and vapour. |
| Toxic if inha | |
| May cause c | |
| | ge to the central nervous system and the visual organs. |
| · Precautiona | |
| | rom heat/sparks/open flames/hot surfaces. No smoking. |
| | n-proof electrical/ventilating/lighting equipment. |
| | he dust/fume/gas/mist/vapours/spray. |
| | (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/show |
| Store locked | |
| 1 0 | ontents/container in accordance with local/regional/national/international regulations. |
| • Other hazar | |
| | BT and vPvB assessment |
| • PBT: Not ap • vPvB: Not ap | |

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Г

| 67-56-1 | methanol | 95-100% |
|---------|---|------------|
| | ♦ Flam. Liq. 2, H225; ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: $C \ge 10 \%$ STOT SE 2; H371: 3 % $\le C < 10 \%$ | - |
| | 3,3'-dimethoxybiphenyl-4,4'-ylenediammoniumdichloride | _ ≥0.1-<1% |

4 First Aid Measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

(Contd. on page 3)

⁻ AU

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire Fighting Measures

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Protective equipment: Mouth respiratory protective device.

6 Accidental Release Measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions:

Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.*
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- *Store in cool, dry conditions in well sealed receptacles.*
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 3)

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

67-56-1 methanol

WES Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Sk

• Additional information: The lists valid during the making were used as basis.

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

| • General Information | |
|-----------------------|--|
| · Appearance: | |
| · Form· | |

- · Form:
- Colour:
- Odour:
- Odour threshold:
- · pH-value:

Alcohol-like Not determined. Not determined

Transparent

- [•]Change in condition
- Not determined. -98 °C

Solution

- Melting point/freezing point:
- · Initial boiling point and boiling range: 64 °C

(Contd. on page 5)

AU

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

| | (Contd. of page 4) |
|--|--|
| · Flash point: | 11 °C |
| · Flammability (solid, gas): | Highly flammable. |
| Auto-ignition temperature: | 455 °C |
| • Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| · Explosive properties: | <i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i> |
| • Explosion limits: | |
| · Lower: | 5.5 Vol % |
| · Upper: | 44 Vol % |
| · Vapour pressure at 20 °C: | 128 hPa |
| Density at 20 °C: | $0.8 \ g/cm^3$ |
| Relative density | Not determined. |
| · Vapour density | Not determined. |
| • Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| · water: | Fully miscible. |
| • Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| · Dynamic: | Not determined. |
| · Kinematic: | Not determined. |
| · Solvent content: | |
| · Organic solvents: | 99.3 % |
| · Solids content: | 0.0 % |
| · Other information | No further relevant information available. |

10 Stability and Reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity Toxic if inhaled.

· LD/LC50 values relevant for classification:

67-56-1 methanol

Oral LD50 5,628 mg/kg (rat)

Dermal LD50 15,800 mg/kg (rabbit)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity May cause cancer.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Causes damage to the central nervous system and the visual organs.
- $\cdot \textit{STOT-repeated exposure} \textit{ Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 5)

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| UN-Number ADG, IMDG, IATA | UN1230 | |
|------------------------------|------------------------|--|
| UN proper shipping name | | |
| ADG | 1230 METHANOL solution | |
| IMDG, IATA | METHANOL solution | |
| Transport hazard class(es) | | |
| ADG | | |
| | | |
| Class | 3 Flammable liquids. | |
| Label | 3+6.1 | |
| IMDG | | |
| | | |
| Class | 3 Flammable liquids. | |

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

| | (Contd. of pag |
|---|--|
| Label | 3/6.1 |
| IATA | |
| | |
| Class | 3 Flammable liquids. |
| Label | 3 (6.1) |
| Packing group ADG, IMDG, IATA | II |
| Environmental hazards: Marine pollutant: | Not applicable |
| Special precautions for user | Warning: Flammable liquids. |
| Hazard identification number (Kemler code): | 336 |
| EMS Number: | F-E,S-D |
| Stowage Category Stowage Code | B SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of Marg and the IBC Code | pol Not applicable. |
| Transport/Additional information: | |
| ADG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| Transport category | Maximum net quantity per outer packaging: 500 ml 2 |
| Tunnel restriction code | 2 D/E |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1230 METHANOL SOLUTION, 3 (6.1), II |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Australian Inventory of Industrial Chemicals
- 67-56-1 methanol
- · Standard for the Uniform Scheduling of Medicines and Poisons

67-56-1 methanol

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 8)

S5, S6, S10

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 7) · Hazard pictograms GHS02 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labelling: methanol (95-100 %) *3,3'-dimethoxybiphenyl-4,4'-ylenediammoniumdichloride* (≥0.1-<1%) · Hazard statements Highly flammable liquid and vapour. Toxic if inhaled. May cause cancer. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting equipment. Do not breathe dust/fume/gas/mist/vapours/spray. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category H2 ACUTE TOXIC P5c FLAMMABLE LIQUIDS • Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t · National regulations: • Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group I (extremely dangerous). Carcinogenic hazardous material group II (very dangerous). Carcinogenic hazardous material group III (dangerous). · Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H350 May cause cancer.

H370 Causes damage to organs.

· Department issuing SDS: Product safety department.

• Contact: MSDS Turku@revvity.com

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

Printing date 20.02.2024

Version number 8

Revision: 30.11.2023

Trade name: JB-2 Gel Stain Concentrate

| | (Contd. of page 8) |
|---|--------------------|
| IMDG: International Maritime Code for Dangerous Goods | |
| IATA: International Air Transport Association | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| Flam. Liq. 2: Flammable liquids – Category 2 | |
| Acute Tox. 3: Acute toxicity – Category 3 | |
| Carc. 1A: Carcinogenicity – Category 1A | |
| STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 | |
| | AU |



Page 1/6

Safety Data Sheet according to WHS Regulations

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

| Pro | duct identifier |
|---|--|
| Tra | de name: <u>JB-2 Stain Buffer</u> |
| Rela Pro App In v | cle number: 13805360 evant identified uses of the substance or mixture and uses advised against duct category PC21 Laboratory chemicals lication of the substance / the mixture itro diagnostics oratory chemicals |
| Man Rev Wal P.O FI-2 Fini | ails of the supplier of the safety data sheet nufacturer/Supplier: vity Inc. lac Oy . Box 10 20101 Turku land 18 2 2678 111 |
| Prov MSI Ema CHI Info Spo Rev Buil 211 Mul | ther information obtainable from: duct safety department. DS_Turku@revvity.com ergency telephone number: EMTREC (whithin U.S.) 800 424-9300 EMTREC (from outside U.S.) +1-703-572-3887 ormation on domestic manufacturers nsor in Australia: vity Pty. Ltd. Iding C Tenancy A, Level 2 Wellington Road grave VIC 3170 |
| 180 | 0 033 391 |
| Ha | zard(s) Identification |
| | ssification of the substance or mixture product is not classified, according to the Globally Harmonised System (GHS). |

- Signal word Void
 Hazard statements Void
- Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 2)

AU

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Buffer

(Contd. of page 1)

| 3 Composit | ion and Information on Ingrea | lients | |
|----------------|--|---|--------------------------|
| ententreut e | haracterisation: Mixtures : Mixture of substances listed below v | vith nonhazardous additions. | |
| · Dangerous | components: | | |
| | 1,2,3-Propanetricarboxylic acid, 2-hy Skin Irrit. 2, H315; Serious eye da H335 | droxy-, monohydrate mage/irritation – Category 2A, H319; STOT SE | <i>3</i> , <i>2.5-5%</i> |
| · Other ingre | dients | | |
| 7732-18-5 | water | | 85-90% |
| 6132-04-3 | Trisodium citrate dihydrate | | 5-10% |
| 26628-22-8 | sodium azide | <i>⊗</i> Acute Tox. 1, H300; Acute Tox. 1, H310 | <0.025% |
| · Additional i | nformation: For the wording of the l | isted hazard phrases refer to section 16. | . <u> </u> |

4 First Aid Measures

· General information: No special measures required.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire Fighting Measures

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- Special hazards arising from the substance or mixture No further relevant information available.
- *Protective equipment:* No special measures required.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 3)

AU

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

(Contd. of page 2)

Trade name: JB-2 Stain Buffer

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

| General Information | | |
|--|---|--|
| Appearance: | | |
| Form: | Liquid | |
| Colour: | Colourless | |
| Odour: | Sulfurous | |
| Odour threshold: | Not determined. | |
| pH-value at 20 °C: | 4-6 | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range: | Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gas): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure at 20 °C: | 23 hPa | |
| Density at 20 °C: | $1.1 g/cm^3$ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Fully miscible. | |

– AU

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Buffer

| | | (Contd. of page |
|---|--|-----------------|
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Water: | 88.3 % | |
| Other information | No further relevant information available. | |

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *Possibility of hazardous reactions* No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* N_0 further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.

(Contd. on page 5)

AU -

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

(Contd. of page 4)

Trade name: JB-2 Stain Buffer

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

| UN-Number | | |
|---|-----------------|--|
| ADG, ADN, IMDG, IATA | Void | |
| UN proper shipping name ADG, ADN, IMDG, IATA | Void | |
| Transport hazard class(es) | | |
| ADG, ADN, IMDG, IATA | | |
| Class | Void | |
| Packing group | | |
| ADG, IMDG, IATA | Void | |
| Environmental hazards: | | |
| Marine pollutant: | Not applicable | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex I | | |
| and the IBC Code | Not applicable. | |
| UN "Model Regulation": | Void | |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

• Hazard statements Void

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Department issuing SDS: Product safety department.

(Contd. on page 6)

AU

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Buffer

| (Contd. of page 5) |
|--|
| · Contact: MSDS_Turku@revvity.com |
| · Abbreviations and acronyms: |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the |
| International Carriage of Dangerous Goods by Road) |
| IMDG: International Maritime Code for Dangerous Goods |
| IATA: International Air Transport Association |
| EINECS: European Inventory of Existing Commercial Chemical Substances |
| ELINCS: European List of Notified Chemical Substances |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) |
| PBT: Persistent, Bioaccumulative and Toxic |
| vPvB: very Persistent and very Bioaccumulative |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2 |
| Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 |
| - 411 |



Page 1/6

Safety Data Sheet according to WHS Regulations

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

| Product iden | ier | | |
|---|---|-------------------------|--|
| | B-2 Stain Activator | | |
| Product categ | fied uses of the substance or mixture and ry PC21 Laboratory chemicals the substance / the mixture stics | uses advised against | |
| Details of the Manufacture Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Tur Finland +358 2 2678 | 1 | | |
| Product safet MSDS_Turku Emergency to CHEMTREC CHEMTREC Information Sponsor in Au Revvity Pty. I | Prevvity.com ephone number: whithin U.S.) 800 424-9300 rom outside U.S.) +1-703-572-3887 a domestic manufacturers tralia: l. ancy A, Level 2 Road | | |
| Classification | entification of the substance or mixture not classified, according to the Globally H | armonised System (GHS). | |
| Label elemen GHS label el Hazard picto Signal word | nents The product is labelled according to ams Void | the IVD regulation | |

• Other hazards

- **Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable.

(Contd. on page 2)

AU

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Activator

(Contd. of page 1)

| <i>Chemical characterisation: Mixtures</i> <i>Description: Mixture of substances listed below with nonhazardous additions.</i> | |
|--|----------|
| · Dangerous components: | |
| hydrogen peroxide | ≥2.5-<5% |
| ♦ Ox. Liq. 1, H271; ♦ Skin Corr. 1A, H314; (1) Acute Tox. 4, H302; Acute Tox. 4, H332 Specific concentration limits: Ox. Liq. 1; H271: $C \ge 70 \%$ | |
| <i>Ox. Liq. 2; H272: 50 %</i> \leq <i>C</i> $<$ 70 % | |
| <i>Skin Corr.</i> 1 <i>A</i> ; <i>H</i> 314: <i>C</i> ≥ 70 % | |
| <i>Skin Corr. 1B; H314: 50 % ≤ C < 70 %</i> | |
| <i>Skin Irrit. 2; H315: 35 % ≤ C < 50 %</i> | |
| <i>Eye Dam. 1; H318: C</i> ≥ 8 % | |
| <i>Eye Irrit.</i> 2; H319: $5\% \le C < 8\%$ | |
| STOT SE 3; C ≥ 35 % | |
| Other ingredients | |
| 7732-18-5 water | 95-100% |

4 First Aid Measures

• General information: No special measures required.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling:

· Precautions for safe handling No special measures required.

(Contd. on page 3)

AU

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Activator

• *Information about fire - and explosion protection:* No special measures required. • *Storage:*

• **Requirements to be met by storerooms and receptacles:** No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: None.

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

hydrogen peroxide

WES Long-term value: 1.4 mg/m³, 1 ppm

• *Additional information:* The lists valid during the making were used as basis.

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

• Respiratory protection: Not required.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9 Physical and Chemical Properties

| • General Information | | |
|--|---|-----------------|
| · Appearance: | | |
| · Form: | Solution | |
| · Colour: | According to product specification | |
| · Odour: | Characteristic | |
| • Odour threshold: | Not determined. | |
| · pH-value at 20 °C: | 4 | |
| • Change in condition | | |
| • Melting point/freezing point: | $0 \ ^{\circ}C$ | |
| Initial boiling point and boiling rate | nge: 100 °C | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gas): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| · Ignition temperature: | Product is not selfigniting. | |
| • Explosive properties: | Product does not present an explosion hazard. | |
| • Explosion limits: | | |
| · Lower: | Not determined. | |
| · Upper: | Not determined. | |
| • Vapour pressure at 20 °C: | 23 hPa | |
| | | (Contd. on page |

(Contd. on page 4)

(Contd. of page 2)

AU

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Activator

| | (Contd. of page 2 |
|---|--|
| · Density at 20 °C: | 1.01 g/cm^3 |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| • Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| water: | Fully miscible. |
| • Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| Dynamic at 20 °C: | 0.952 mPas |
| · Kinematic: | Not determined. |
| · Solvent content: | |
| · Water: | <i>97.0 %</i> |
| · Other information | No further relevant information available. |

10 Stability and Reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- $\cdot \textit{STOT-repeated exposure} \textit{ Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 5)

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Activator

(Contd. of page 4)

13 Disposal considerations

· Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:

- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

| Void |
|-----------------------|
| Void |
| |
| Void |
| Void |
| Not applicable |
| Not applicable. |
| ol Not applicable. |
| Void |
| |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

hydrogen peroxide

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

S5, S6, S10

Printing date 20.02.2024

Version number 7

Revision: 30.11.2023

Trade name: JB-2 Stain Activator

| | (Contd. of page 5 |
|---|----------------------------------|
| Relevant phrases | |
| H271 May cause fire or explosion; strong oxidizer. | |
| H302 Harmful if swallowed. | |
| H314 Causes severe skin burns and eye damage. | |
| H332 Harmful if inhaled. | |
| 11552 Hurmjui ij innuicu. | |
| Department issuing SDS: Product safety department. | |
| Contact: MSDS Turku@revvity.com | |
| Abbreviations and acronyms: | |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (| European Agreement Concerning th |
| International Carriage of Dangerous Goods by Road) | 1 0 0 |
| IMDG: International Maritime Code for Dangerous Goods | |
| IATA: International Air Transport Association | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| Ox. Liq. 1: Oxidizing liquids – Category 1 | |
| Acute Tox. 4: Acute toxicity – Category 4 | |
| Skin Corr. 1A: Skin corrosion/irritation – Category 1A | |