20.02.2024	Kit components	
Product code	Description	
FR-9367	JB-2 Staining System FR-9367	
Components:		
13805357	JB-2 Gel Stain Concentrate	
13805360	JB-2 Stain Buffer	

JB-2 Stain Activator

13805363





Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

#### 1 Identification

- · Product identifier
- · Trade name: JB-2 Gel Stain Concentrate
- · Article number: 13805357
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc. Wallac Oy P.O. Box 10 FI-20101 Turku Finland +358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

# 2 Hazard identification

· Classification of the substance or mixture



flammable

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



toxic

Acute Tox. 3 H331 Toxic if inhaled.



chronic health hazard

H350 May cause cancer. Carc. 1A

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R45-23/24/25-39/23/24/25: May cause cancer. Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

(Contd. on page 2)

Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 1)



F; Highly flammable

R11: Highly flammable.

- · Information concerning particular hazards for human and environment: Not applicable.
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements

The product is labelled according to the IVD regulation

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS06

GHS0

- · Signal word Danger
- · Hazard-determining components of labelling:

methanol

3,3'-dimethoxybiphenyl-4,4'-ylenediammoniumdichloride

· Hazard statements

Highly flammable liquid and vapour.

Toxic if inhaled.

May cause cancer.

Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

67-56-1	methanol  T R23/24/25-39/23/24/25; F R11	95-100%
	♠ Flam. Liq. 2, H225; ♠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♠ STOT SE 1, H370	-
	Specific concentration limits: STOT SE 1; H370: $C \ge 10 \%$ STOT SE 2; H371: $3 \% \le C < 10 \%$	
20325-40-0	3,3'-dimethoxybiphenyl-4,4'-ylenediammoniumdichloride  ☐ T R45; Xn R22  ☐ Acute Tox. 3, H301;  Carc. 1A, H350	≥0.1-<1%

i. on page 3

Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4 First-aid measures

- Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

(Contd. on page 4)

Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 3)

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

# 8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 67-56-1 methanol

PEL (USA) Long-term value: 260 mg/m³, 200 ppm REL (USA) Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV (USA) Short-term value: 250 ppm

Long-term value: 200 ppm

Skin; BEI

#### · Ingredients with biological limit values:

#### 67-56-1 methanol

BEI (USA) 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

# Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

Trade name: JB-2 Gel Stain Concentrate

· Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and chem	nical properties
General Information	
Appearance:	
Form:	Solution
Colour:	Transparent
Odour:	Alcohol-like Not determined.
Odour threshold:	
pH-value:	Not determined.
Change in condition	00.00
Melting point/freezing point:	-98 °C
Initial boiling point and boiling range	
Flash point:	11 °C
Flammability (solid, gas):	Highly flammable.
Auto-ignition temperature:	455 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive at vapour mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapour pressure at 20 °C:	128 hPa
Density at 20 °C:	$0.8 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 6)

Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

Trade name: JB-2 Gel Stain Concentrate

· Other information	No further relevant information available.	
Solids content:	0.0 %	
· Solvent content: Organic solvents:	99.3 %	
	(Contd. of	page 5)

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC5	· LD/LC50 values relevant for classification:	
	67-56-1 methanol	
Oral	LD50	5,628 mg/kg (rat)
		15,800 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Toxic

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. IA

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

Trade name: JB-2 Gel Stain Concentrate

· Other adverse effects No further relevant information available.

(Contd. of page 6)

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	
ADR, IMDG, IATA	UN1230
UN proper shipping name	
ADR	1230 METHANOL solution
IMDG, IATA	METHANOL solution
Transport hazard class(es)	
ADR	
Class	3 Flammable liquids.
Label	3+6.1
IMDG	
Class	3 Flammable liquids.
Label	3/6.1
IATA	
Class	3 Flammable liquids.
Label	3 (6.1)
Packing group	
ADR, ĬMDG, IATA	II
Environmental hazards:	
Marine pollutant:	Not applicable
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	336
EMS Number:	F- $E$ , $S$ - $D$

(Contd. on page 8)

Revision: 20.02.2024 Printing date 20.02.2024 Version number 8

Trade name: JB-2 Gel Stain Concentrate

	(Contd. of page
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II and the IBC Code	<b>of Marpol</b> Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

67-56-1 methanol

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS06

· Signal word Danger

Hazard-determining components of labelling:

methanol

3,3'-dimethoxybiphenyl-4,4'-ylenediammoniumdichloride

· Hazard statements

Highly flammable liquid and vapour.

Toxic if inhaled.

May cause cancer.

Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

*Use explosion-proof electrical/ventilating/lighting equipment.* 

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 9)

Printing date 20.02.2024 Version number 8 Revision: 20.02.2024

Trade name: JB-2 Gel Stain Concentrate

(Contd. of page 8)

#### · Seveso category

H2 ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Additional classification according to Decree on Hazardous Materials, Annex II:

Carcinogenic hazardous material group I (extremely dangerous).

Carcinogenic hazardous material group II (very dangerous).

Carcinogenic hazardous material group III (dangerous).

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225	Highly flammable liquid and vapour.	
	1118:119 free:11111111111111111111111111111111111	

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H350 May cause cancer.

H370 Causes damage to organs.

R11 Highly flammable.

R22 Harmful if swallowed.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if

swallowed.

R45 May cause cancer.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@revvity.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3 Carc. 1A: Carcinogenicity – Category 1A

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1





Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

#### 1 Identification

· Product identifier

Trade name: JB-2 Stain Buffer

· Article number: 13805360

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department.

MSDS Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

### 2 Hazard identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements The product is labelled according to the IVD regulation
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# 3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Buffer

		(Contd.	of page 1)
· Dangerous	components:		
	I,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate		2.5-5%
•	🗘 Serious eye damage/irritation — Category 2A, H319; Acute Tox. 5, H303		
· Other ingre	dients		
7732-18-5	water	8	85-90%
6132-04-3	Trisodium citrate dihydrate		5-10%
26628-22-8	sodium azide  T+ R28; N R50/53  R32  Acute Tox. 2, H300; Acute Tox. 1, H310; Aquatic Acute 1, H400; Aquatic Chronic 1, H410		0.025%
· Additional i	<b>Information:</b> For the wording of the listed hazard phrases refer to section 16.		

# 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 3)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Buffer

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Colourless
Odour: Sulfurous
Odour threshold: Not determined.

• pH-value at 20 °C: 4-6

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

• Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

(Contd. on page 4)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Buffer

	(Contd. of page
Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	$1.1 \text{ g/cm}^3$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	88.3 %
Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 5)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Buffer

(Contd. of page 4)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	**	
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	Not applicable	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II	of Marpol	
and the IBC Code	Not applicable.	

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

- · **GHS label elements** Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 6)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Buffer

(Contd. of page 5)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H300 Fatal if swallowed.
- H303 May be harmful if swallowed.
- H310 Fatal in contact with skin.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R28 Very toxic if swallowed.
- R32 Contact with acids liberates very toxic gas.
- R36 Irritating to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Department issuing SDS: Product safety department.
- · Contact: MSDS Turku@revvity.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 5: Acute toxicity – Category 5

Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

PH





Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

#### 1 Identification

· Product identifier

· Trade name: JB-2 Stain Activator

· Article number: 13805363

· Relevant identified uses of the substance or mixture and uses advised against

· Product category PC21 Laboratory chemicals

· Application of the substance / the mixture

In vitro diagnostics Laboratory chemicals

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity Inc.
Wallac Oy
P.O. Box 10
FI-20101 Turku
Finland
+358 2 2678 111

· Further information obtainable from:

Product safety department. MSDS\_Turku@revvity.com

· Emergency telephone number:

CHEMTREC (whithin U.S.) 800 424-9300

CHEMTREC (from outside U.S.) +1-703-572-3887

### 2 Hazard identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · GHS label elements The product is labelled according to the IVD regulation
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# 3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Activator

(Contd. of page 1) · Dangerous components: ≥2.5-<5% hydrogen peroxide 🔷 Ox. Liq. 1, H271; 🔷 Skin Corr. 1A, H314; 🚺 Acute Tox. 4, H302; Acute Tox. 4, H332 Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272:  $50 \% \le C < 70 \%$ Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314:  $50 \% \le C < 70 \%$ Skin Irrit. 2; H315: 35 %  $\leq$  C < 50 % Eye Dam. 1; H318: C≥8 % Eye Irrit. 2; H319:  $5\% \le C < 8\%$ STOT SE 3; C ≥ 35 % · Other ingredients 7732-18-5 water 95-100%

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.

· Additional information: For the wording of the listed hazard phrases refer to section 16.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling.
- · Precautions for safe handling No special measures required.

(Contd. on page 3)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Activator

(Contd. of page 2)

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### hydrogen peroxide

PEL (USA) Long-term value: 1.4 mg/m³, 1 ppm REL (USA) Long-term value: 1.4 mg/m³, 1 ppm TLV (USA) Long-term value: 1 ppm

A3

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed

· Eye protection: Goggles recommended during refilling

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solution

Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined.

• pH-value at 20 °C: 4

· Change in condition

*Melting point/freezing point:*  $0 \, ^{\circ}C$ 

(Contd. on page 4)

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Activator

		(Contd. of page
Initial boiling point and boiling range	∷ 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	$1.01 \text{ g/cm}^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic at 20 °C:	0.952 mPas	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Activator

(Contd. of page 4)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Hand over to hazardous waste disposers.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	Not applicable	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	of Marpol	
and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void

(Contd. on page 6)

(Contd. of page 5)

# Safety Data Sheet according to GHS

Printing date 20.02.2024 Version number 7 Revision: 20.02.2024

Trade name: JB-2 Stain Activator

· Hazard statements Void

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

R20/22 Harmful by inhalation and if swallowed.

R35 Causes severe burns.

*R5* Heating may cause an explosion.

Contact with combustible material may cause fire. *R8* 

· Department issuing SDS: Product safety department.

· Contact: MSDS Turku@revvity.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 1: Oxidizing liquids – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A