

Kit Components

Product code	Description
5,996	NEXTFLEX RiboNaut rRNA Depletion Kit NOVA-5129(6X)

Components:

5,991	NEXTFLEX Bait Hybridization Buffer
5,992	NEXTFLEX Cleanup Buffer
5,993	NEXTFLEX RiboNaut Bait Mix
5,946	NEXTFLEX Cleanup Beads XP
5,994	NEXTFLEX RiboNaut Bead Wash Buffer
5,995	NEXTFLEX RiboNaut Beads
5,780	Resuspension Buffer

Catalog Numbers this SDS contains:
NOVA-512961, NOVA-512962,
NOVA-512963, NOVA-512964, &
NOVA-512965

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019


1 Identification

- **Product identifier**
- **Trade name:** NEXTFLEX Bait Hybridization Buffer
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Manufacturer/Supplier:
 Revvity
 2650 Crescent
 Drive, Suite 200
 Lafayette, CO 80026

 CHEMTREC () +1 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified according to the Globally Harmonized System (GHS).
 - **Additional information:** For the wording of the listed hazard phrases refer to section 16.
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



Health = 0
 Fire = 0
 Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Bait Hybridization Buffer

(Contd. of page 1)

· Dangerous components:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	2.5-10%
-----------	--	---------

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m ³
-----------	--	----------------------

· PAC-2:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m ³
-----------	--	-----------------------

· PAC-3:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m ³
-----------	--	-----------------------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Bait Hybridization Buffer

(Contd. of page 2)

- *Conditions for safe storage, including any incompatibilities*
- *Storage:*
- *Requirements to be met by storerooms and containers: No special requirements.*
- *Information about storage in one common storage facility: Not required.*
- *Further information about storage conditions: None.*
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- *Additional information about design of technical systems: No further data; see item 7.*
- *Control parameters*
- *Components with limit values that require monitoring at the workplace:*
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- *Exposure controls*
- *Personal protective equipment:*
- *General protective and hygienic measures:*
The usual precautionary measures for handling chemicals should be followed.
- *Respiratory protection: Not required.*
- *Protection of hands:*
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- *Material of gloves*
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- *Penetration time of glove material*
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- *Eye protection: Goggles recommended during refilling.*

9 Physical and chemical properties

- *Information on basic physical and chemical properties*
- *General Information*
- *Appearance:*

<i>Form:</i>	<i>Fluid</i>
<i>Color:</i>	<i>According to product specification</i>
<i>Odor:</i>	<i>Characteristic</i>
<i>Odor threshold:</i>	<i>Not determined.</i>
- *pH-value:* *N/A*
- *Change in condition*

<i>Melting point/Melting range:</i>	<i>Undetermined.</i>
<i>Boiling point/Boiling range:</i>	<i>100 °C (212 °F)</i>
- *Flash point:* *Not applicable.*
- *Flammability (solid, gaseous):* *Not applicable.*

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX Bait Hybridization Buffer**

(Contd. of page 2)

· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.4415 g/cm ³ (12.02932 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	
	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Water:	55.0 %
· VOC content:	0.00 %
· Solids content:	45.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

ES

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Bait Hybridization Buffer

(Contd. of page 2)

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:** N/A

· **Other information:** N/A

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Must be specially treated adhering to official regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **ADR, ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **ADR, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** Void

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX Bait Hybridization Buffer**

(Contd. of page 2)

· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. Revvity, Inc. shall not be held

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Bait Hybridization Buffer

(Contd. of page 2)

liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 11/08/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

1 Identification

- **Product identifier**
- **Trade name:** NEXTFLEX Cleanup Buffer
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Manufacturer/Supplier:
 Revvity
 2650 Crescent
 Drive, Suite 200
 Lafayette, CO 80026

 CHEMTREC () +1 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified according to the Globally Harmonized System (GHS).
 - **Additional information:** For the wording of the listed hazard phrases refer to section 16.
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Cleanup Buffer

(Contd. of page 1)

· Dangerous components:

60-00-4	EDTA	1-2.5%
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	1-2.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

25322-68-3	Polyethylene glycol	30 mg/m ³
60-00-4	EDTA	4.1 mg/m ³
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m ³
26628-22-8	sodium azide	0.026 mg/m ³

· PAC-2:

25322-68-3	Polyethylene glycol	1,300 mg/m ³
60-00-4	EDTA	45 mg/m ³
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m ³
26628-22-8	sodium azide	0.29 mg/m ³

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX Cleanup Buffer**

(Contd. of page 2)

· PAC-3:		
25322-68-3	Polyethylene glycol	7,700 mg/m ³
60-00-4	EDTA	200 mg/m ³
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m ³
26628-22-8	sodium azide	5.3 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

25322-68-3 Polyethylene glycol (10-25%)

WEEL	Long-term value: 10 mg/m ³ (H); MW>200
------	--

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Cleanup Buffer

(Contd. of page 2)

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Fluid
Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	N/A
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	75.9 %
VOC content:	0.00 %
Solids content:	3.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Cleanup Buffer

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

26628-22-8 sodium azide

Oral	LD50	27 mg/kg (rat)
Dermal	LD50	20 mg/kg (rabbit)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:** N/A

- **Other information:** N/A

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX Cleanup Buffer**

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):	
26628-22-8	sodium azide
· Section 313 (Specific toxic chemical listings):	
26628-22-8	sodium azide
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX Cleanup Buffer

(Contd. of page 6)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8	sodium azide	A4
------------	--------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. Revvity, Inc. shall not be held liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 11/08/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019


1 Identification

- **Product identifier**
- **Trade name:** NEXTFLEX RiboNaut Bait Mix
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Manufacturer/Supplier:
 Revvity
 2650 Crescent
 Drive, Suite 200
 Lafayette, CO 80026

 CHEMTREC () +1 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified according to the Globally Harmonized System (GHS).
 - **Additional information:** For the wording of the listed hazard phrases refer to section 16.
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



Health = 0
 Fire = 0
 Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Bait Mix**

(Contd. of page 1)

· Dangerous components:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	2.5-10%
-----------	--	---------

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m ³
-----------	--	----------------------

· PAC-2:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m ³
-----------	--	-----------------------

· PAC-3:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m ³
-----------	--	-----------------------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Bait Mix

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
- **pH-value:** N/A
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Bait Mix**

(Contd. of page 2)

· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density: Not determined.	
· Relative density: Not determined.	
· Vapor density: Not determined.	
· Evaporation rate: Not determined.	
· Solubility in / Miscibility with Water: Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Water:	94.9 %
· VOC content:	0.00 %
· Solids content:	5.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

ES

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Bait Mix**

(Contd. of page 2)

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:** N/A

- **Other information:** N/A

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Must be specially treated adhering to official regulations.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

- **ADR, ADN, IMDG, IATA** Void

- **UN proper shipping name**

- **ADR, ADN, IMDG, IATA** Void

- **Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class** Void

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Bait Mix**

(Contd. of page 2)

· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

1185-53-1 | 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride

7732-18-5 | Water

· TSCA new (21st Century Act) (Substances not listed)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Bait Mix

(Contd. of page 2)

should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. Revvity, Inc. shall not be held liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 11/08/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 09/27/2018


1 Identification

- **Product identifier**
- **Trade name:** NEXTFLEX Cleanup Beads XP
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Manufacturer/Supplier:
 Revvity
 2650 Crescent
 Drive, Suite 200
 Lafayette, CO 80026

 CHEMTREC () +1 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified according to the Globally Harmonized System (GHS).
 - **Additional information:** For the wording of the listed hazard phrases refer to section 16.
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



Health = 0
 Fire = 0
 Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 09/27/2018

Trade name: **NEXTFLEX Cleanup Beads XP**

(Contd. of page 1)

· Dangerous components:

60-00-4	EDTA	1-2.5%
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	1-2.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

25322-68-3	Polyethylene glycol	30 mg/m ³
60-00-4	EDTA	4.1 mg/m ³
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m ³
26628-22-8	sodium azide	0.026 mg/m ³

· PAC-2:

25322-68-3	Polyethylene glycol	1,300 mg/m ³
60-00-4	EDTA	45 mg/m ³
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m ³
26628-22-8	sodium azide	0.29 mg/m ³

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 09/27/2018

Trade name: **NEXTFLEX Cleanup Beads XP**

(Contd. of page 2)

· PAC-3:		
25322-68-3	Polyethylene glycol	7,700 mg/m ³
60-00-4	EDTA	200 mg/m ³
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m ³
26628-22-8	sodium azide	5.3 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

25322-68-3 Polyethylene glycol (10-25%)

WEEL	Long-term value: 10 mg/m ³ (H); MW>200
------	--

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 09/27/2018

Trade name: NEXTFLEX Cleanup Beads XP

(Contd. of page 2)

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Fluid
Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	N/A
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	75.9 %
VOC content:	0.00 %
Solids content:	3.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 09/27/2018

Trade name: NEXTFLEX Cleanup Beads XP

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

26628-22-8 sodium azide

Oral	LD50	27 mg/kg (rat)
Dermal	LD50	20 mg/kg (rabbit)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:** N/A

- **Other information:** N/A

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 09/27/2018

Trade name: NEXTFLEX Cleanup Beads XP

(Contd. of page 5)

13 Disposal considerations

- Waste treatment methods
- Recommendation: Must be specially treated adhering to official regulations.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number	Void
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	Void
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Void
· ADR, ADN, IMDG, IATA	Void
· Class	Void
· Packing group	Void
· ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):	
26628-22-8	sodium azide
· Section 313 (Specific toxic chemical listings):	
26628-22-8	sodium azide
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 09/27/2018

Trade name: NEXTFLEX Cleanup Beads XP

(Contd. of page 6)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8	sodium azide	A4
------------	--------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. Revvity, Inc. shall not be held liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 11/08/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019


1 Identification

- **Product identifier**
- **Trade name:** NEXTFLEX RiboNaut Bead Wash Buffer
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Manufacturer/Supplier:
 Revvity
 2650 Crescent
 Drive, Suite 200
 Lafayette, CO 80026

 CHEMTREC () +1 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified according to the Globally Harmonized System (GHS).
 - **Additional information:** For the wording of the listed hazard phrases refer to section 16.
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



Health = 0
 Fire = 0
 Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Bead Wash Buffer

(Contd. of page 1)

· Dangerous components:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	2.5-10%
-----------	--	---------

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m ³
-----------	--	----------------------

· PAC-2:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m ³
-----------	--	-----------------------

· PAC-3:

1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m ³
-----------	--	-----------------------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Bead Wash Buffer

(Contd. of page 2)

- *Conditions for safe storage, including any incompatibilities*
- *Storage:*
- *Requirements to be met by storerooms and containers: No special requirements.*
- *Information about storage in one common storage facility: Not required.*
- *Further information about storage conditions: None.*
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- *Additional information about design of technical systems: No further data; see item 7.*
- *Control parameters*
- *Components with limit values that require monitoring at the workplace:*
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- *Exposure controls*
- *Personal protective equipment:*
- *General protective and hygienic measures:*
The usual precautionary measures for handling chemicals should be followed.
- *Respiratory protection: Not required.*
- *Protection of hands:*
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- *Material of gloves*
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- *Penetration time of glove material*
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- *Eye protection: Goggles recommended during refilling.*

9 Physical and chemical properties

- *Information on basic physical and chemical properties*
- *General Information*
- *Appearance:*

<i>Form:</i>	<i>Fluid</i>
<i>Color:</i>	<i>According to product specification</i>
<i>Odor:</i>	<i>Characteristic</i>
<i>Odor threshold:</i>	<i>Not determined.</i>
- *pH-value:* *N/A*
- *Change in condition*

<i>Melting point/Melting range:</i>	<i>Undetermined.</i>
<i>Boiling point/Boiling range:</i>	<i>100 °C (212 °F)</i>
- *Flash point:* *Not applicable.*
- *Flammability (solid, gaseous):* *Not applicable.*

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Bead Wash Buffer**

(Contd. of page 2)

· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density: Not determined.	
· Relative density: Not determined.	
· Vapor density: Not determined.	
· Evaporation rate: Not determined.	
· Solubility in / Miscibility with Water: Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Water:	79.8 %
· VOC content:	0.00 %
· Solids content:	20.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

ES

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Bead Wash Buffer

(Contd. of page 2)

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:** N/A

· **Other information:** N/A

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Must be specially treated adhering to official regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **ADR, ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **ADR, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**
· **Class** Void

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Bead Wash Buffer

(Contd. of page 2)

· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. Revvity, Inc. shall not be held

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Bead Wash Buffer

(Contd. of page 2)

liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 11/08/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

1 Identification

- **Product identifier**
- **Trade name:** NEXTFLEX RiboNaut Beads
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Manufacturer/Supplier:
 Revvity
 2650 Crescent
 Drive, Suite 200
 Lafayette, CO 80026

 CHEMTREC () +1 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified according to the Globally Harmonized System (GHS).
 - **Additional information:** For the wording of the listed hazard phrases refer to section 16.
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Beads**

(Contd. of page 1)

· **Dangerous components:** Void

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
26628-22-8	sodium azide	0.026 mg/m ³
· PAC-2:		
26628-22-8	sodium azide	0.29 mg/m ³
· PAC-3:		
26628-22-8	sodium azide	5.3 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Beads**

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.

· **pH-value:** N/A

· Change in condition

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Beads**

(Contd. of page 3)

· **Ignition temperature:**

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

· Auto igniting:	Product is not selfigniting.
-------------------------	------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
-------------------------------	---

· **Explosion limits:**

Lower:	Not determined.
---------------	-----------------

Upper:	Not determined.
---------------	-----------------

· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
---	---------------------

· Density at 20 °C (68 °F):	1.00085 g/cm ³ (8.35209 lbs/gal)
------------------------------------	---

· Relative density	Not determined.
---------------------------	-----------------

· Vapor density	Not determined.
------------------------	-----------------

· Evaporation rate	Not determined.
---------------------------	-----------------

· **Solubility in / Miscibility with**

Water:	Not miscible or difficult to mix.
---------------	-----------------------------------

· Partition coefficient (n-octanol/water):	Not determined.
---	-----------------

· **Viscosity:**

Dynamic at 20 °C (68 °F):	0.952 mPas
----------------------------------	------------

Kinematic:	Not determined.
-------------------	-----------------

· **Solvent content:**

Water:	99.9 %
---------------	--------

VOC content:	0.00 %
---------------------	--------

Solids content:	0.0 %
------------------------	-------

· Other information	No further relevant information available.
----------------------------	--

10 Stability and reactivity

- **Reactivity** No further relevant information available.

- **Chemical stability**

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

- **Possibility of hazardous reactions** No dangerous reactions known.

- **Conditions to avoid** No further relevant information available.

- **Incompatible materials:** No further relevant information available.

- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:	
---	--

26628-22-8 sodium azide		
-------------------------	--	--

Oral	LD50	27 mg/kg (rat)
------	------	----------------

Dermal	LD50	20 mg/kg (rabbit)
--------	------	-------------------

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

(Contd. on page 5)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Beads**

(Contd. of page 4)

- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:** N/A
- **Other information:** N/A
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|------|
| <ul style="list-style-type: none"> · UN-Number · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · UN proper shipping name · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class | Void |

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: **NEXTFLEX RiboNaut Beads**

(Contd. of page 4)

- | | |
|--|-----------------|
| · Packing group | Void |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- **Section 355 (extremely hazardous substances):**

26628-22-8 | sodium azide

- **Section 313 (Specific toxic chemical listings):**

26628-22-8 | sodium azide

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 | sodium azide

A4

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. Revvity, Inc. shall not be held

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/08/2019

Trade name: NEXTFLEX RiboNaut Beads

(Contd. of page 4)

liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 11/08/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/01/2017


1 Identification

- **Product identifier**
- **Trade name:** Resuspension Buffer
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Manufacturer/Supplier:
 Revvity
 2650 Crescent
 Drive, Suite 200
 Lafayette, CO 80026

 CHEMTREC () +1 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**
 The product is not classified according to the Globally Harmonized System (GHS).
 - **Additional information:** For the wording of the listed hazard phrases refer to section 16.
-
- **Label elements**
 - **GHS label elements** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



Health = 0
 Fire = 0
 Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/01/2017

Trade name: Resuspension Buffer

(Contd. of page 1)

· **Dangerous components:** Void

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
77-86-1	TRIS	18 mg/m ³
· PAC-2:		
77-86-1	TRIS	190 mg/m ³
· PAC-3:		
77-86-1	TRIS	1,200 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/01/2017

Trade name: Resuspension Buffer

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.
- **pH-value:** N/A
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/01/2017

Trade name: Resuspension Buffer

(Contd. of page 3)

· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	0.9984 g/cm ³ (8.33165 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	
	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
· Dynamic at 20 °C (68 °F):	0.952 mPas
· Kinematic:	Not determined.
· Solvent content:	
· Water:	99.0 %
· VOC content:	0.00 %
· Solids content:	1.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/01/2017

Trade name: Resuspension Buffer

(Contd. of page 3)

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxic effects:** N/A

· **Other information:** N/A

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Must be specially treated adhering to official regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **ADR, ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **ADR, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** Void

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/01/2017

Trade name: Resuspension Buffer

(Contd. of page 3)

- | | |
|--|-----------------|
| · Packing group | Void |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. Revvity, Inc. shall not be held

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 11/08/2019

Reviewed on 11/01/2017

Trade name: Resuspension Buffer

(Contd. of page 3)

liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 11/08/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit