

Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

· Trade name: Ultima Gold XR

· Article number: 6013119, 6013117, 6013113, 6013111

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Laboratory chemicals

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity Health Sciences B.V.

Rigaweg 22

9723 TH Groningen

The Netherlands

Phone: 0031 50 5445900

www.revvity.com

Australian contact address:

Revvitv

Level 2, Building C, Tenancy A,

211 Wellington Road,

Mulgrave, VIC 3170

Australia

Phone: +613 9212 8500

· Further information obtainable from:

Quality Assurance, Environment, Safety & Health (QA/ESH)

SDS.Groningen@revvity.com

· Emergency telephone number:

+31 50 5445971

CHEMTREC (within Australia) +(61)-290372994

CHEMTREC (from outside Australia) +1 703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

(Contd. of page 1)



GHS09 environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms









GHS05

GHS07

GHS08 G

- · Signal word Danger
- · Hazard-determining components of labelling:

Alkylphenol Polyglycolether (20-40 %)

Diisopropyl naphthalene isomers (40-60 %)

2,2'-iminodiethanol (2.5-5 %)

Phosphoric acid, butyl ester (2.5-5 %)

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

- · Other hazards
- · Results of PBT and vPvB assessment

38640-62-9 Diisopropyl naphthalene isomers

(Contd. on page 3)



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

	(Contd. of page 2)
· vPvB:	
38640-62-9 Diisopropyl naphthalene isomers	

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions

Dangerous	components:	
38640-62-9	Diisopropyl naphthalene isomers Asp. Tox. 1, H304 Aquatic Chronic 1, H410 PBT; vPvB	40-60%
9016-45-9	Alkylphenol Polyglycolether Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	20-40%
12788-93-1	Phosphoric acid, butyl ester Carc. 2, H351 Skin Corr. 1A, H314	2.5-5%
39464-70-5	Alkoxy phosphate Eye Dam. 1, H318 Skin Irrit. 2, H315	2.5-10%
78-40-0	Triethyl phosphate • Acute Tox. 4, H302; Serious eye damage/irritation — Category 2A, H319	2.5-109
111-42-2	2,2'-iminodiethanol Repr. 2, H361fd; STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 Aquatic Chronic 3, H412	2.5-5%
577-11-7	Sodium dioctyl sulphosuccinate Eye Dam. 1, H318 Skin Irrit. 2, H315	2.5-10%
9016-45-9	Alkylphenol polyglycolether Eye Dam. 1, H318 Acute Tox. 4, H302 Aquatic Chronic 3, H412	0-2.5%
128-37-0	Butylated hydroxytoluene � Aquatic Chronic 1, H410	0-1%
Non-danger	rous components	
25498-49-1	Tripropylenglycol Methyl Ether	0-2.5%
7732-18-5	water, distilled, conductivity or of similar purity	0-2.5%
92-71-7	2,5-Diphenyloxazole (PPO)	0-2.5%
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	0-2.59

4 First Aid Measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

(Contd. of page 3)

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: Wear fully protective suit.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin. • Respiratory protection: Not required.

Protection of hands:



Protective gloves

EN ISO 374-1/Type B

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.2 \text{ mm}$

Breakthrough time: > 120 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Fluid

· Colour: According to product specification

· Odour: Characteristic

· pH-value at 20 °C:

· Change in condition

• Melting point/freezing point: Undetermined.
• Initial boiling point and boiling range: 290 °C

· Flash point: 152 °C · Auto-ignition temperature: 350 °C

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure at 20 °C: 1.3 hPa
Density at 20 °C: 1.005 g/cm³

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

(Contd. on page 6)



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >1,379 mg/kg

38640-62-9 Diisopropyl naphthalene isomers

Oral LD50 4,000 mg/kg (Rat)

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

· Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity:

9016-45-9 Alkylphenol Polyglycolether

chronic NOEC/ECx > 1 mg/l (Alge)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

(Contd. of page 6)

- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· Results of PBT and vPvB assessment

_	D	D	\overline{T} .
	\boldsymbol{r}	n	

38640-62-9 Diisopropyl naphthalene isomers

· vPvB:

38640-62-9 Diisopropyl naphthalene isomers

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

14 Transport information

• Recommendation: Disposal must be made according to official regulations.

· UN-Number · ADG, IMDG, IATA	UN3082
· UN proper shipping name	
$\cdot ADG$	3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (Diisoprop
	naphthalene isomers, Alkylphenol Polyglycolether)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Diisopropyl naphthalene isome
	Alkylphenol Polyglycolether), MARINE POLLUTANI
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Diisopropyl naphthalene isome
	Alkylphenol Polyglycolether)

- · Transport hazard class(es)
- \cdot ADG



• Class 9 (M6) Miscellaneous dangerous substances and articles.

(Contd. on page 8)



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

	(Contd. of page
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
Packing group	
ADG, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardou substances: Diisopropyl naphthalene isomers
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADG):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Transport in bulk according to Annex II of Mar	
and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· ADG · Tunnel restriction code	E
UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOU, SUBSTANCE, LIQUID, N.O.S. (Diisopropy naphthalene isomers, Alkylphenol Polyglycolether), SIII

15 Regulatory information

 $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$

	Inventory of Industrial Chemicals
	Diisopropyl naphthalene isomers
12788-93-1	Phosphoric acid, butyl ester
	Alkoxy phosphate
78-40-0	Triethyl phosphate
111-42-2	2,2'-iminodiethanol
577-11-7	Sodium dioctyl sulphosuccinate
25498-49-1	Tripropylenglycol Methyl Ether
7732-18-5	water, distilled, conductivity or of similar purity
92-71-7	2,5-Diphenyloxazole (PPO)
	(Contd. on page 9)

____ AT



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

	(Contd. of page 8)
128-37-0 Butylated hydroxytoluene	
· Standard for the Uniform Scheduling of Medicines and Poisons	
78-40-0 Triethyl phosphate	S6
111-42-2 2,2'-iminodiethanol	S5, S6
· Australia: Priority Existing Chemicals	
None of the ingredients is listed.	

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS08



GHS05 G

GHS07

GHS09

· **Signal word** Danger

· Hazard-determining components of labelling:

Alkylphenol Polyglycolether (20-40%)

Diisopropyl naphthalene isomers (40-60 %)

2,2'-iminodiethanol (2.5-5 %)

Phosphoric acid, butyl ester (2.5-5 %)

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

· Directive 2012/18/EU

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

(Contd. on page 10)



Printing date 20.11.2023 Version number 7 Revision: 20.11.2023

Trade name: Ultima Gold XR

(Contd. of page 9)

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- Department issuing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH)
- · Contact: SDS. Groningen@revvity.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data compared to the previous version altered.

ΑU