

Safety Data Sheet
according to WHS Regulations

Printing date 20.11.2023

Version number 13




Revision: 20.11.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- **Product identifier**
- **Trade name:** *Ultima Gold MV*
- **Article number:** 6013159, 6013153, 6013151
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** *Laboratory chemicals*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Revvity Health Sciences B.V.
Rigaweg 22
9723 TH Groningen
The Netherlands
Phone: 0031 50 5445900
www.revvity.com
Australian contact address:
Revvity
Level 2 ,Building C, Tenancy A,
211 Wellington Road,
Mulgrave,
VIC 3170
Australia
Phone: +613 9212 8500
- **Further information obtainable from:**
Quality Assurance, Environment, Safety & Health (QA/ESH)
SDS.Groningen@revvity.com
- **Emergency telephone number:**
+31 50 5445971
CHEMTREC (within Australia) +(61)-290372994
CHEMTREC (from outside Australia) +1 703-527-3887

2 Hazard(s) Identification

- **Classification of the substance or mixture**
-  *GHS08 health hazard*
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
-  *GHS05 corrosion*
Eye Dam. 1 H318 Causes serious eye damage.
-  *GHS09 environment*
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Safety Data Sheet
according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: *Ultima Gold MV*

(Contd. of page 1)



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Diisopropyl naphthalene isomers (60-80 %)
Alkylphenol Polyglycolether (2.5-10 %)
bis(2-ethylhexyl) hydrogen phosphate (2.5-10 %)
Isoparaffinic Hydrocarbon (10-20 %)

· **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:**

| | |
|------------|---------------------------------|
| 38640-62-9 | Diisopropyl naphthalene isomers |
|------------|---------------------------------|

· **vPvB:**

| | |
|------------|---------------------------------|
| 38640-62-9 | Diisopropyl naphthalene isomers |
|------------|---------------------------------|

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

| | | |
|------------|---|--------|
| 38640-62-9 | Diisopropyl naphthalene isomers | 60-80% |
| | Asp. Tox. 1, H304 Aquatic Chronic 1, H410 PBT; vPvB | |

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: *Ultima Gold MV*

(Contd. of page 2)

| | | |
|-----------------------------------|--|---------|
| | Isoparaffinic Hydrocarbon ⚠ Asp. Tox. 1, H304 | 10-20% |
| 9016-45-9 | Alkylphenol Polyglycoether ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315 | 2.5-10% |
| 9016-45-9 | Alkylphenol Polyglycoether ⚠ Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319 | 2.5-10% |
| 298-07-7 | bis(2-ethylhexyl) hydrogen phosphate ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302 | 2.5-10% |
| 111-42-2 | 2,2'-iminodiethanol ⚠ Repr. 2, H361fd; STOT RE 2, H373 ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 Aquatic Chronic 3, H412 | 0-2.5% |
| 12645-31-7 | Phosphoric acid, 2-ethylhexyl ester ⚠ Skin Corr. 1B, H314 | 0-2.5% |
| 577-11-7 | Sodium dioctyl sulphosuccinate ⚠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315 | 0-2.5% |
| 78-40-0 | Triethyl phosphate ⚠ Acute Tox. 4, H302; Serious eye damage/irritation – Category 2A, H319 | 0-2.5% |
| · Non-dangerous components | | |
| 7732-18-5 | water, distilled, conductivity or of similar purity | 0-2.5% |
| 92-71-7 | 2,5-Diphenyloxazole (PPO) | 0-2.5% |
| 13280-61-0 | 1,4-Bis-(2-methylstyryl)-benzene (bis-MSB) | 0-2.5% |

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** Wear fully protective suit.

-AU-

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: *Ultima Gold MV*

(Contd. of page 3)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Keep people at a distance and stay on the windward side.
Ensure adequate ventilation
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store receptacle in fume cupboard.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

EN ISO 374-1/Type B

- **Material of gloves**
Nitrile rubber, NBR

(Contd. on page 5)

Safety Data Sheet
according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: *Ultima Gold MV*

(Contd. of page 4)

Recommended thickness of the material: ≥ 0.2 mm

Breakthrough time: > 120 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and Chemical Properties

· **General Information**

· **Appearance:**

- **Form:** Fluid
- **Colour:** Colourless
- **Odour:** Characteristic
- **pH-value at 20 °C:** 5.7

· **Change in condition**

· **Melting point/freezing point:** Undetermined.

· **Initial boiling point and boiling range:** 212 °C

· **Flash point:** 152 °C

· **Auto-ignition temperature:** 450 °C

· **Ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

· **Lower:** 0.4 Vol %

· **Upper:** 4.7 Vol %

· **Density at 20 °C:** 0.96 g/cm³

· **Solubility in / Miscibility with**

· **water:** Not miscible or difficult to mix.

· **Other information**

No further relevant information available.

10 Stability and Reactivity

· **Reactivity** No further relevant information available.

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** Carbon monoxide

-AU-

(Contd. on page 6)

Safety Data Sheet
according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: *Ultima Gold MV*

(Contd. of page 5)

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

| | | |
|------|------|-------------|
| Oral | LD50 | 5,492 mg/kg |
|------|------|-------------|

38640-62-9 Diisopropyl naphthalene isomers

| | | |
|------|------|-------------------|
| Oral | LD50 | 4,000 mg/kg (Rat) |
|------|------|-------------------|

- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**
May be fatal if swallowed and enters airways.

12 Ecological Information

· **Toxicity**

· **Aquatic toxicity:**

9016-45-9 Alkylphenol Polyglycolether

| | |
|------------------|----------------|
| chronic NOEC/ECx | >1 mg/l (Alge) |
|------------------|----------------|

9016-45-9 Alkylphenol Polyglycolether

| | |
|------------------|----------------|
| chronic NOEC/ECx | >1 mg/l (Alge) |
|------------------|----------------|

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:**

| | |
|------------|---------------------------------|
| 38640-62-9 | Diisopropyl naphthalene isomers |
|------------|---------------------------------|

· **vPvB:**

| | |
|------------|---------------------------------|
| 38640-62-9 | Diisopropyl naphthalene isomers |
|------------|---------------------------------|

(Contd. on page 7)

Safety Data Sheet
according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: *Ultima Gold MV*



(Contd. of page 6)

· *Other adverse effects* No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

| | |
|--|--|
| · UN-Number · ADG, IMDG, IATA | UN3082 |
| · UN proper shipping name · ADG · IMDG · IATA | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether) |
| · Transport hazard class(es) · ADG  | 9 (M6) Miscellaneous dangerous substances and articles. |
| · Label | 9 |
| · IMDG, IATA  | 9 Miscellaneous dangerous substances and articles. |
| · Class | 9 |
| · Label | 9 |
| · Packing group · ADG, IMDG, IATA | III |
| · Environmental hazards: | Product contains environmentally hazardous substances: Diisopropyl naphthalene isomers |
| · Marine pollutant: | Yes Symbol (fish and tree) |

(Contd. on page 8)

Safety Data Sheet
according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: *Ultima Gold MV*

(Contd. of page 7)

| | |
|---|---|
| · Special marking (ADG): | Symbol (fish and tree) |
| · Special marking (IATA): | Symbol (fish and tree) |
| · Special precautions for user | Warning: Miscellaneous dangerous substances and articles. |
| · Hazard identification number (Kemler code): | 90 |
| · EMS Number: | F-A,S-F |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · ADG | |
| · Tunnel restriction code | E |
| · UN "Model Regulation": | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycoether), 9, III |

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

| | |
|---|---|
| · Australian Inventory of Industrial Chemicals | |
| 38640-62-9 | Diisopropyl naphthalene isomers |
| 298-07-7 | bis(2-ethylhexyl) hydrogen phosphate |
| 111-42-2 | 2,2'-iminodiethanol |
| 12645-31-7 | Phosphoric acid, 2-ethylhexyl ester |
| 577-11-7 | Sodium dioctyl sulphosuccinate |
| 7732-18-5 | water, distilled, conductivity or of similar purity |
| 92-71-7 | 2,5-Diphenyloxazole (PPO) |
| 78-40-0 | Triethyl phosphate |

| | | |
|---|---------------------|--------|
| · Standard for the Uniform Scheduling of Medicines and Poisons | | |
| 111-42-2 | 2,2'-iminodiethanol | S5, S6 |
| 78-40-0 | Triethyl phosphate | S6 |

| | |
|---|--|
| · Australia: Priority Existing Chemicals | |
| None of the ingredients is listed. | |

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05 GHS08 GHS09

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

Diisopropyl naphthalene isomers (60-80 %)

(Contd. on page 9)

Safety Data Sheet according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: Ultima Gold MV

(Contd. of page 8)

Alkylphenol Polyglycoether (2.5-10 %)
bis(2-ethylhexyl) hydrogen phosphate (2.5-10 %)
Isoparaffinic Hydrocarbon (10-20 %)

· **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

· **Directive 2012/18/EU**

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:** Quality Assurance, Environment, Safety & Health (QA/ESH)

· **Contact:** SDS.Groningen@revvity.com

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

Printing date 20.11.2023

Version number 13

Revision: 20.11.2023

Trade name: Ultima Gold MV

(Contd. of page 9)

vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

-AU-