

Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Ultima Gold MV
- · Article number: 6013159, 6013153, 6013151
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- $\cdot \textit{Application of the substance/the mixture} \ Laboratory \ chemicals$
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Health Sciences B.V.

Rigaweg 22

9723 TH Groningen

The Netherlands

Phone: 0031 50 5445900

www.revvity.com

· Further information obtainable from:

Quality Assurance, Environment, Safety & Health (QA/ESH)

SDS. Groningen@revvity.com

· 1.4 Emergency telephone number:

+31 50 5445971

CHEMTREC: +1 703-527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Irrit. 2

H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

(Contd. of page 1)

· Hazard pictograms







GHS05

S05 GHS08 GHS

· Signal word Danger

· Hazard-determining components of labelling:

Diisopropyl naphthalene isomers Alkylphenol Polyglycolether bis(2-ethylhexyl) hydrogen phosphate Isoparaffinic Hydrocarbon

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT:		
38640-62-9 Diisopropyl nap	thalene isomers	
· vPvB:		
38640-62-9 Diisopropyl naphthalene isomers		

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 38640-62-9 EINECS: 254-052-6	Diisopropyl naphthalene isomers Asp. Tox. 1, H304 Aquatic Chronic 1, H410 PBT; vPvB	60-80%
	Isoparaffinic Hydrocarbon ♣ Asp. Tox. 1, H304 EUH066	10-20%
CAS: 9016-45-9 NLP: 500-024-6	Alkylphenol Polyglycolether Eye Dam. 1, H318 ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315	2.5-10%
	•	(Contd. on page 3)

— GE



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

CAS 0017 45 0	All 1 1 1 D . 1 1 1 1	(Contd. of page 2
CAS: 9016-45-9	Alkylphenol Polyglycolether	2.5-10%
NLP: 500-024-6	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 298-07-7	bis(2-ethylhexyl) hydrogen phosphate	2.5-10%
EINECS: 206-056-4	Skin Corr. 1B, H314	
	♦ Acute Tox. 4, H302	
CAS: 111-42-2	2,2'-iminodiethanol	0-2.5%
EINECS: 203-868-0	& Repr. 2, H361fd; STOT RE 2, H373	
Index number: 603-071-00-		
	Acute Tox. 4, H302; Skin Irrit. 2, H315	
	Aquatic Chronic 3, H412	
CAS: 12645-31-7	Phosphoric acid, 2-ethylhexyl ester	0-2.5%
EINECS: 235-741-0	Skin Corr. 1B, H314	
CAS: 577-11-7	Sodium dioctyl sulphosuccinate	0-2.5%
EINECS: 209-406-4		
	Škin Irrit. 2, H315	
CAS: 78-40-0	Triethyl phosphate	0-2.5%
EINECS: 201-114-5	♦ Acute Tox. 4, H302; Eye Irrit. 2, H319	
Index number: 015-013-00-	.7	
· Non-dangerous componen	ts	
CAS: 7732-18-5 water,	distilled, conductivity or of similar purity	0-2.5%
EINECS: 231-791-2		
CAS: 92-71-7 2,5-D	iphenyloxazole (PPO)	0-2.5%
EINECS: 202-181-3		
CAS: 13280-61-0 1.4-Bi	is-(2-methylstyryl)-benzene (bis-MSB)	0-2.5%
EINECS: 236-285-5		

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

(Contd. of page 3)

5.3 Advice for firefighters

· Protective equipment: Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from heat and direct sunlight.

Store receptacle in fume cupboard.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 5)



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

· Hand protection

(Contd. of page 4)



Protective gloves

EN ISO 374-1/Type B

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.2 mm

Breakthrough time: > 120 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

Colour: Colourless
 Odour: Characteristic
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

ากท*ลง*

· Lower and upper explosion limit

Lower: 0.4 Vol % (38640-62-9 Diisopropyl naphthalene

isomers)

212 °C (413.6 °F)

· Upper: 4.7 Vol % (38640-62-9 Diisopropyl naphthalene

isomers)

• Flash point: 152 °C (305.6 °F)

• Auto-ignition temperature: 450 °C (842 °F)

· pH at 20 °C (68 °F)

Solubility

· water: Not miscible or difficult to mix.

· Density and/or relative density

• Density at 20 °C (68 °F): 0.96 g/cm³ (8.0112 lbs/gal)

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

(Contd. on page 6)



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

		(Contd. of page
Information with regard to physical hazard o	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

ATE (Acute Toxicity Estimates)

Oral LD50 5,815 mg/kg

38640-62-9 Diisopropyl naphthalene isomers

Oral LD50 4,000 mg/kg (Rat)

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

(Contd. of page 6)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

9016-45-9 Alkylphenol Polyglycolether

chronic NOEC/ECx > 1 mg/l (Alge)

9016-45-9 Alkylphenol Polyglycolether

chronic NOEC/ECx > 1 mg/l (Alge)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· PBT:

38640-62-9 Diisopropyl naphthalene isomers

· vPvB:

38640-62-9 Diisopropyl naphthalene isomers

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

UN3082

(Contd. on page 8)



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

	(Contd. of page 2
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropy
· IMDG · IATA	naphthalene isomers, Alkylphenol Polyglycolether) ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Diisopropyl naphthalene isomers Alkylphenol Polyglycolether), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Diisopropyl naphthalene isomers Alkylphenol Polyglycolether)
· 14.3 Transport hazard class(es)	
· ADR	
*	
· Class	9 (M6) Miscellaneous dangerous substances and articles.
· Label	9
· IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardou.
· Marine pollutant:	substances: Diisopropyl naphthalene isomers Yes
· Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code): · EMS Number:	90 F-A,S-F
· 14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· ADR · Tunnel restriction code	E
· Tunnel restriction code	E (Contd. on page



Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

(Contd. of page 8

· UN "Model Regulation":

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycolether), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)

9016-45-9 Alkylphenol Polyglycolether

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- *H410 Very toxic to aquatic life with long lasting effects.*
- H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

- Department issuing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH)
- · Contact: SDS.Groningen@revvity.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

(Contd. on page 10)

Sunset date: 2021-01-04

Page 10/10



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.11.2023 Version number 13 (replaces version 12) Revision: 20.11.2023

Trade name: Ultima Gold MV

(Contd. of page 9)

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.