US

revvity

*

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Reviewed on 11/20/2023


D 1	
Product identifier	
Trade name: <u>Ultima</u>	n Gold MV
	3159, 6013153, 6013151 ubstance / the mixture Laboratory chemicals
Details of the suppli Manufacturer/Supp Revvity Health Scien Rigaweg 22 9723 TH Groningen The Netherlands Phone: 0031 50 544 www.revvity.com	nces B.V.
· Information departm	
Quality Assurance, E SDS.Groningen@rev	Environment, Safety & Health (QA/ESH)
• Emergency telephon	
+31 50 5445971	USA and Canada) 1 800 424 0200
	u U.S.A. and Canada) 1-800-424-9300 putside U.S.A. and Canada) +1703-527-3887
Classification of the	substance or mixture
Classification of the	ealth hazard
Classification of the	substance or mixture
Classification of the	ealth hazard H304 May be fatal if swallowed and enters airways.
Classification of the GHS08 Ho Aspiration Hazard 1	ealth hazard H304 May be fatal if swallowed and enters airways.
Classification of the GHS08 Ho Aspiration Hazard 1 Comparison GHS05 Co Eye Damage 1	ealth hazard H304 May be fatal if swallowed and enters airways. prrosion
Classification of the GHS08 Ho Aspiration Hazard 1 Compared to the Eye Damage 1 Compared to the GHS09 End	ealth hazard H304 May be fatal if swallowed and enters airways. orrosion H318 Causes serious eye damage.
Classification of the GHS08 Ho Aspiration Hazard 1 Compared to the Eye Damage 1 Compared to the GHS09 End	ealth hazard H304 May be fatal if swallowed and enters airways. orrosion H318 Causes serious eye damage.
GHS08 Ho Aspiration Hazard 1 GHS05 Co Eye Damage 1 Cy GHS09 En Aquatic Chronic 1	ealth hazard H304 May be fatal if swallowed and enters airways. orrosion H318 Causes serious eye damage.
Classification of the GHS08 Ho Aspiration Hazard 1 Constraint GHS05 Co Eye Damage 1 Constraint GHS09 En Aquatic Chronic 1 Constraint GHS07	ealth hazard H304 May be fatal if swallowed and enters airways. orrosion H318 Causes serious eye damage. nvironment H410 Very toxic to aquatic life with long lasting effects.



Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/20/2023

Printing date 11/20/2023



*

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 $\cdot \textit{Description: } Mixture of the substances listed below with nonhazardous additions. }$

38640-62-9 Diisopropyl naphthalene isomers	60-80%
Aspiration Hazard 1, H304 Aquatic Chronic 1, H410 PBT; vPvB	
Isoparaffinic Hydrocarbon	10-20%
Aspiration Hazard 1, H304	
9016-45-9 Alkylphenol Polyglycolether	2.5-10%
Eye Damage 1, H318 Acute Toxicity - Oral 4, H302; Skin Irritation 2, H.	
Acute Toxicity - Oral 4, H302; Skin Irritation 2, H.	315

Reviewed on 11/20/2023



Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Trade name: Ultima Gold MV

	(Co	ntd. of page 2)
9016-45-9	Alkylphenol Polyglycolether	2.5-10%
	🚸 Skin Irritation 2, H315; Eye Irritation 2A, H319	
298-07-7	bis(2-ethylhexyl) hydrogen phosphate	2.5-10%
	Skin Corrosion 1B, H314 Acute Toxicity - Oral 4, H302	
111-42-2	2,2'-iminodiethanol	0-2.5%
	Carcinogenicity 2, H351; Toxic to Reproduction 2, H361; Specific Target Organ Toxicity - Repeated Exposure 2, H373	-
	Eye Damage 1, H318	
	Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315	
10//2 01 -	Aquatic Chronic 3, H412	0.0.00
12645-31-7	Phosphoric acid, 2-ethylhexyl ester	0-2.5%
	🔗 Skin Corrosion 1B, H314	
577-11-7	Sodium dioctyl sulphosuccinate	0-2.5%
	Eye Damage 1, H318 Skin Irritation 2, H315	
78-40-0	Triethyl phosphate	0-2.5%
	♦ Acute Toxicity - Oral 4, H302; Eye Irritation 2A, H319	-
· Non-Dange	rous components	
7732-18-5	water, distilled, conductivity or of similar purity	0-2.5%
92-71-7	2,5-Diphenyloxazole (PPO)	0-2.5%
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	0-2.5%
· Additional i	<i>nformation:</i> For the wording of the listed hazard phrases refer to section 16.	

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Wear fully protective suit.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Trade name: Ultima Gold MV

Reviewed on 11/20/2023

6 Accidental release measures · Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay upwind. Ensure adequate ventilation · Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 38640-62-9 Diisopropyl naphthalene isomers 5.6 mg/m³ 298-07-7 bis(2-ethylhexyl) hydrogen phosphate 15 mg/m^3 111-42-2 2,2'-iminodiethanol $3 mg/m^3$ 577-11-7 Sodium dioctyl sulphosuccinate 5.7 mg/m^{3} 92-71-7 2,5-Diphenyloxazole (PPO) 2.5 mg/m^3 78-40-0 Triethyl phosphate 23 mg/m^3 12 mg/m³ 13280-61-0 1,4-Bis-(2-methylstyryl)-benzene (bis-MSB) PAC-2: 38640-62-9 Diisopropyl naphthalene isomers 61 mg/m^3 298-07-7 bis(2-ethylhexyl) hydrogen phosphate 160 mg/m^3 111-42-2 2,2'-iminodiethanol 28 mg/m³ 577-11-7 Sodium dioctyl sulphosuccinate 63 mg/m³ 92-71-7 2,5-Diphenyloxazole (PPO) 27 mg/m^3 78-40-0 Triethyl phosphate 250 mg/m^3 13280-61-0 1,4-Bis-(2-methylstyryl)-benzene (bis-MSB) 130 mg/m^{3} · PAC-3: 38640-62-9 Diisopropyl naphthalene isomers 370 mg/m³ 298-07-7 bis(2-ethylhexyl) hydrogen phosphate 980 mg/m^{3} 111-42-2 2,2'-iminodiethanol 130 mg/m³ 577-11-7 Sodium dioctyl sulphosuccinate 380 mg/m^3 92-71-7 2,5-Diphenyloxazole (PPO) 160 mg/m³ 78-40-0 Triethvl phosphate 320 mg/m^3 13280-61-0 1,4-Bis-(2-methylstyryl)-benzene (bis-MSB) 790 mg/m^3

7 Handling and storage

· Handling:

· Precautions for safe handling No special measures required.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Reviewed on 11/20/2023

Trade name: Ultima Gold MV

(Contd. of page 4)

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from heat and direct sunlight.

Store receptacle in fume compartment.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- Breathing equipment: Not necessary if room is well-ventilated.
- Protection of hands:



Protective gloves

EN ISO 374-1/Type B

• Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.2 \text{ mm}$

Breakthrough time: > 120 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Page 6/11

Printing date 11/20/2023

Trade name: Ultima Gold MV

Reviewed on 11/20/2023

(Contd. of page 5)

Information on basic physical	and chemical properties
General Information	
Appearance:	۱ · ۱
Form:	Fluid Colorless
Color: Odor:	Coloriess
Oaor:	Characteristic
pH-value at 20 °C (68 °F):	5.7
Change in condition	
Melting point/Melting range:	
Boiling point/Boiling range:	212 °C (413.6 °F)
Flash point:	152 °C (305.6 °F)
Auto igniting:	450 °C (842 °F)
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	0.4 Vol %
Upper:	4.7 Vol %
Density at 20 °C (68 °F):	0.96 g/cm ³ (8.0112 lbs/gal)
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Solvent content:	
VOC content:	< 2.5 %
	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 5,492 mg/kg

(Contd. on page 7)

US -

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Reviewed on 11/20/2023

Trade name: Ultima Gold MV

(Contd. of page 6)

2B

38640-62-9 Diisopropyl naphthalene isomers

Oral LD50 4,000 mg/kg (Rat)

· Primary irritant effect:

 \cdot on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

111-42-2 2,2'-iminodiethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

9016-45-9 Alkylphenol Polyglycolether

chronic NOEC/ECx >1 mg/l (Alge)

9016-45-9 Alkylphenol Polyglycolether

chronic NOEC/ECx >1 mg/l (Alge)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- **Remark:** Harmful to fish
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· Results of PBT and vPvB assessment

· PBT:

38640-62-9 Diisopropyl naphthalene isomers

· vPvB:

38640-62-9 Diisopropyl naphthalene isomers

Other adverse effects No further relevant information available.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Trade name: Ultima Gold MV

Reviewed on 11/20/2023

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

UN-Number	UN3082
ADR, IMDG, IATA	01/3082
UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Diisopropyl naphthalene isome
IMDG	Alkylphenol Polyglycolether) ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Diisopropyl naphthalene isome
IATA	Alkylphenol Polyglycolether), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Diisopropyl naphthalene isome Alkylphenol Polyglycolether)
Transport hazard class(es)	
ADR	
Class Label	9 (M6) Miscellaneous dangerous substances and articles 9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
ADR, IMDG, IATA	111
Environmental hazards:	Product contains environmentally hazardous substanc Diisopropyl naphthalene isomers
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)

Reviewed on 11/20/2023

Printing date 11/20/2023

Trade name: Ultima Gold MV

	(Contd. of page 8)
 Hazard identification number (Kemler code) EMS Number: 	: 90 F-A,S-F
• Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · Remarks:	Not dangerous according to the above specifications. Special marking with the symbol (fish and tree).
· UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Diisopropyl naphthalene isomers, Alkylphenol Polyglycolether), 9, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

None of the i	ingredient is listed.	
Section 313	(Specific toxic chemical listings):	
111-42-2 2,2	2'-iminodiethanol	
· TSCA (Toxi	c Substances Control Act):	
38640-62-9	Diisopropyl naphthalene isomers	ACTIVE
298-07-7	bis(2-ethylhexyl) hydrogen phosphate	ACTIVE
111-42-2	2,2'-iminodiethanol	ACTIVE
12645-31-7	Phosphoric acid, 2-ethylhexyl ester	ACTIVE
	Sodium dioctyl sulphosuccinate	ACTIVE
	water, distilled, conductivity or of similar purity	ACTIVE
	2,5-Diphenyloxazole (PPO)	ACTIVE
78-40-0	Triethyl phosphate	ACTIVE
· Hazardous A	Air Pollutants	
111-42-2 2,2	2'-iminodiethanol	
· Proposition	65	
· Chemicals k	nown to cause cancer:	
111-42-2 2,2	2'-iminodiethanol	
· Chemicals k	nown to cause reproductive toxicity for females:	
None of the i	ingredients is listed.	
· Chemicals k	nown to cause reproductive toxicity for males:	
None of the i	ingredients is listed.	
· Chemicals k	nown to cause developmental toxicity:	
None of the i	ingredients is listed.	
· Carcinogeni	c categories	
-	onmental Protection Agency)	
	ingredients is listed.	
-		(Contd. on page 1

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Reviewed on 11/20/2023

Trade name: Ultima Gold MV

	(Contd. of pa	ige 9
• TLV (Threshol		
111-42-2 2,2'-1	minodiethanol	A3
· MAK (German	Maximum Workplace Concentration)	
111-42-2 2,2'-1	minodiethanol 0.46 ppm; 2 mg/	/m³
· NIOSH-Ca (No	tional Institute for Occupational Safety and Health)	
None of the ing	redients is listed.	
· GHS label elem	nents	
	classified and labeled according to the Globally Harmonized System (GHS).	
· Hazard pictogr	ams	
GHS05 GH	S08 GHS09	
· Signal word Da	inger	
· Hazard-determ	ining components of labeling:	
	ohthalene isomers	
Alkylphenol Po		
bis(2-ethylhexy) hydrogen phosphate	
Isoparaffinic H	vdrocarbon	
· Hazard statem	ents	
H315 Causes sl		
	erious eye damage.	
	ital if swallowed and enters airways.	
	c to aquatic life with long lasting effects.	
· Precautionary		
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P310	$J \rightarrow I$	
P302+P352	If on skin: Wash with plenty of water.	
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lense	2S,
D222 + D212	present and easy to do. Continue rinsing.	
P332+P313	<i>If skin irritation occurs: Get medical advice/attention.</i>	
P362	Take off contaminated clothing.	
· Cnemical safet	y assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 11)

[•] US

revvity

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2023

Reviewed on 11/20/2023

Trade name: Ultima Gold MV

H410 Very toxic to aquatic life with long lasting effects.	(Contd. of page 10)
H412 Harmful to aquatic life with long lasting effects.	
· Department issuing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH)	
· Contact: SDS.Groningen@revvity.com	
• Date of preparation / last revision 11/20/2023	
· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regula	itions Concerning the
International Transport of Dangerous Goods by Rail)	tions concerning the
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	
ICAO: International Civil Aviation Organisation	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen	nent Concerning the
International Carriage of Dangerous Goods by Road)	0
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Carcinogenicity 2: Carcinogenicity – Category 2	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Categor	n, 2
Aspiration Hazard 1: Aspiration hazard – Category 1	y 2
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
• * Data compared to the previous version altered.	
Duna comparea to the previous version anerea.	
	—— US —