

**1 Identification**

- **Product identifier**
- **Trade name:** Ultima Gold F
- **Article number:** 6013179, 6013171, 6013173
- **CAS Number:**  
38640-62-9
- **EC number:**  
254-052-6
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Revvity Health Sciences B.V.  
Rigaweg 22  
9723 TH Groningen  
The Netherlands  
Phone: 0031 50 5445900  
www.revvity.com
- **Information department:**  
Quality Assurance, Environment, Safety & Health (QA/ESH)  
SDS.Groningen@revvity.com
- **Emergency telephone number:**  
+31 50 5445971  
CHEMTREC (within U.S.A. and Canada) 1-800-424-9300  
CHEMTREC (from outside U.S.A. and Canada) +1703-527-3887

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS08 Health hazard

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



GHS09 Environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08 GHS09

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Diisopropyl naphthalene isomers

Trade name: *Ultima Gold F*

(Contd. of page 1)

**Hazard statements**

H304 May be fatal if swallowed and enters airways.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

P273 Avoid release to the environment.  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P331 Do NOT induce vomiting.  
P391 Collect spillage.

**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:**

38640-62-9	Diisopropyl naphthalene isomers
------------	---------------------------------

**vPvB:**

38640-62-9	Diisopropyl naphthalene isomers
------------	---------------------------------

**3 Composition/information on ingredients**

**Chemical characterization: Substances**






**CAS No. Description**

38640-62-9 Diisopropyl naphthalene isomers

**Identification number(s)**

**EC number:** 254-052-6

**Dangerous components:**

38640-62-9	Diisopropyl naphthalene isomers  Aspiration Hazard 1, H304  Aquatic Chronic 1, H410 PBT; vPvB	80-100%
67-56-1	methanol  Flammable Liquids 2, H225  Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331  Specific Target Organ Toxicity - Single Exposure 1, H370	0-2.5%

**4 First-aid measures**

**Description of first aid measures**

**General information:** No special measures required.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If symptoms persist consult doctor.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

Trade name: Ultima Gold F

(Contd. of page 2)

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous substances are released.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

38640-62-9	Diisopropyl naphthalene isomers	5.6 mg/m <sup>3</sup>
92-71-7	2,5-Diphenyloxazole (PPO)	2.5 mg/m <sup>3</sup>
67-56-1	methanol	530 ppm
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	12 mg/m <sup>3</sup>

· **PAC-2:**

38640-62-9	Diisopropyl naphthalene isomers	61 mg/m <sup>3</sup>
92-71-7	2,5-Diphenyloxazole (PPO)	27 mg/m <sup>3</sup>
67-56-1	methanol	2,100 ppm
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	130 mg/m <sup>3</sup>

· **PAC-3:**

38640-62-9	Diisopropyl naphthalene isomers	370 mg/m <sup>3</sup>
92-71-7	2,5-Diphenyloxazole (PPO)	160 mg/m <sup>3</sup>
67-56-1	methanol	7200* ppm
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	790 mg/m <sup>3</sup>

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
None.  
Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Trade name: *Ultima Gold F*

(Contd. of page 3)

· *Specific end use(s) No further relevant information available.*

**8 Exposure controls/personal protection**

- *Additional information about design of technical systems: No further data; see section 7.*
- *Control parameters*
- *Components with limit values that require monitoring at the workplace: Not required.*
- *Additional information: The lists that were valid during the creation were used as basis.*
- *Exposure controls*
- *Personal protective equipment:*
- *General protective and hygienic measures:*  
*The usual precautionary measures for handling chemicals should be followed.*
- *Breathing equipment:*  
*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.*  
*Filter A/P2*
- *Protection of hands:*



Protective gloves

EN ISO 374-1/Type B

- *Material of gloves*  
*Nitrile rubber, NBR*  
*Recommended thickness of the material: ≥ 0.2 mm*  
*Breakthrough time: > 120 minutes*  
*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.*
- *Penetration time of glove material*  
*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- *Eye protection:*



Tightly sealed goggles

**9 Physical and chemical properties**

- *Information on basic physical and chemical properties*
  - *General Information*
  - *Appearance:*
- |               |                  |
|---------------|------------------|
| <i>Form:</i>  | <i>Fluid</i>     |
| <i>Color:</i> | <i>Colorless</i> |
| <i>Odor:</i>  | <i>Odorless</i>  |

- *Change in condition*
- Melting point/Melting range: -40 °C*
- Boiling point/Boiling range: 300 °C (572 °F)*

(Contd. on page 5)

Trade name: *Ultima Gold F*

(Contd. of page 4)

· <b>Flash point:</b>	140 °C (284 °F)
· <b>Auto igniting:</b>	450 °C (842 °F)
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
Lower:	0.4 Vol % (Diisopropylnaphthalene)
Upper:	4.7 Vol % (Diisopropylnaphthalene)
· <b>Vapor pressure at 20 °C (68 °F):</b>	0.003 hPa (0 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.96 g/cm <sup>3</sup> (8.0112 lbs/gal)
· <b>Solubility in / Miscibility with Water at 20 °C (68 °F):</b>	0.0002 g/l
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Oral	LD50	3,586 mg/kg
Dermal	LD50	96,774 mg/kg
Inhalative	LC50/4 h	968 mg/l

**38640-62-9 Diisopropyl naphthalene isomers**

Oral	LD50	4,000 mg/kg (Rat)
------	------	-------------------

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
The substance is not subject to classification.

(Contd. on page 6)

Trade name: Ultima Gold F

(Contd. of page 5)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Other information:** The product is not easily biodegradable.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:**

38640-62-9 Diisopropyl naphthalene isomers

· **vPvB:**

38640-62-9 Diisopropyl naphthalene isomers

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· **UN-Number**

· **ADR, IMDG, IATA**

UN3082

· **UN proper shipping name**



· **ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
LIQUID, N.O.S. (Diisopropyl naphthalene isomers)

(Contd. on page 7)

Trade name: Ultima Gold F

(Contd. of page 6)

· <b>IMDG</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers), MARINE POLLUTANT
· <b>IATA</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene isomers)
· <b>Transport hazard class(es)</b>	
· <b>ADR</b>	
	
· <b>Class</b>	9 (M6) Miscellaneous dangerous substances and articles
· <b>Label</b>	9
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	9 Miscellaneous dangerous substances and articles
· <b>Label</b>	9
· <b>Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: Diisopropyl naphthalene isomers
· <b>Marine pollutant:</b>	Yes (DOT) Symbol (fish and tree)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>Special marking (IATA):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles
· <b>Hazard identification number (Kemler code):</b>	90
· <b>EMS Number:</b>	F-A,S-F
· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>Remarks:</b>	Special marking with the symbol (fish and tree).
· <b>UN "Model Regulation":</b>	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Diisopropyl naphthalene isomers), 9, III

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

(Contd. on page 8)

Trade name: Ultima Gold F

(Contd. of page 7)

· **Section 313 (Specific toxic chemical listings):**

67-56-1 | methanol

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

67-56-1 | methanol

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

67-56-1 | methanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08 GHS09

· **Signal word Danger**

· **Hazard-determining components of labeling:**

Diisopropyl naphthalene isomers

· **Hazard statements**

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P273 Avoid release to the environment.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P391 Collect spillage.

(Contd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/17/2023

Reviewed on 11/17/2023

**Trade name: Ultima Gold F**

(Contd. of page 8)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

- H225 Highly flammable liquid and vapor.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H331 Toxic if inhaled.
- H370 Causes damage to organs.
- H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Quality Assurance, Environment, Safety & Health (QA/ESH)

· **Contact:** SDS.Groningen@revvity.com

· **Date of preparation / last revision** 11/17/2023

· **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flammable Liquids 2: Flammable liquids – Category 2
- Acute Toxicity - Oral 3: Acute toxicity – Category 3
- Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1
- Aspiration Hazard 1: Aspiration hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **\* Data compared to the previous version altered.**