

Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

· Trade name: Emulsifier-Safe

· Article number: 6013389, 6013381

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity Health Sciences B.V.

Rigaweg 22

9723 TH Groningen

The Netherlands

Phone: 0031 50 5445900

www.revvity.com

Australian contact address:

Revvitv

Level 2, Building C, Tenancy A,

211 Wellington Road,

Mulgrave, VIC 3170

Australia Phone: +613 9212 8500

· Further information obtainable from:

Quality Assurance, Environment, Safety & Health (QA/ESH)

SDS.Groningen@revvity.com

Emergency telephone number:

+31 50 5445971

CHEMTREC (within Australia) +(61)-290372994

CHEMTREC (from outside Australia) +1 703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

(Contd. of page 1)



Skin Irrit. 2

H315 Causes skin irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS05

GHS08

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

benzene, C10-13-alkyl derivatives (60-80 %) Alkylphenol Polyglycolether (10-20 %)

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture: consisting of the following components.

· Dangerous	Dangerous components:			
67774-74-7	benzene, C10-13-alkyl derivatives	60-80%		
	♦ Asp. Tox. 1, H304			
9016-45-9	Alkylphenol Polyglycolether	10-20%		
	♦ Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319			
9016-45-9	Alkylphenol Polyglycolether	10-20%		
	Eye Dam. 1, H318 1 Acute Tox. 4, H302; Skin Irrit. 2, H315			
	♠ Acute Tox. 4, H302; Skin Irrit. 2, H315			

(Contd. on page 3)



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

		(Contd. of page 2)
	Triethyl phosphate	0-2.5%
	🚯 Acute Tox. 4, H302; Serious eye damage/irritation – Category 2A, H319	
	Phosphoric acid, 2-ethylhexyl ester	0-2.5%
	Skin Corr. 1B, H314	
· Non-danger	ous components	
7732-18-5	water, distilled, conductivity or of similar purity	0-2.5%
92-71-7	2,5-Diphenyloxazole (PPO)	0-2.5%
13280-61-0	1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	0-2.5%
· Additional in	nformation: For the wording of the listed hazard phrases refer to section 16.	·

4 First Aid Measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

- · Special hazards arising from the substance or mixture Carbon monoxide (CO)
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- AU



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

(Contd. of page 3)

7 Handling and Storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

EN ISO 374-1/Type B

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.2 mm

Breakthrough time: > 120 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

- AU



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

(Contd. of page 4)

9 Physical and Chemical Properties

· General Information

· Appearance:

Form: Fluid
Colour: Colourless
Odour: Characteristic

· Change in condition

• Melting point/freezing point: Undetermined. • Initial boiling point and boiling range: 285 °C • Flash point: 150 °C

• Flash point: 150 °C • Auto-ignition temperature: 400 °C

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

• **Density at 20 °C:** 0.925 g/cm³

· Solubility in / Miscibility with

• water: Not miscible or difficult to mix.

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 3,861 mg/kg

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

(Contd. of page 5)

12 Ecological Information

- · Toxicity
- · Aquatic toxicity:

9016-45-9 Alkylphenol Polyglycolether

chronic NOEC/ECx >1 mg/l (Alge)

9016-45-9 Alkylphenol Polyglycolether

chronic NOEC/ECx > 1 mg/l (Alge)

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- $\cdot \textit{Bioaccumulative potential} \ \textit{No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

· Class

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · ADG, IMDG, IATA	UN3082
· UN proper shipping name	
$\cdot ADG$	3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (Alkylphen
	Polyglycolether)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Alkylphenol Polyglycolethe
	MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Alkylphenol Polyglycolether)

articles.

(Contd. on page 7)

9 (M6) Miscellaneous dangerous substances and



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

	(Contd. of page 6
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
Packing group	
ADG, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: Alkylphenol Polyglycolether
Marine pollutant:	Yes
G : I I: (ADG)	Symbol (fish and tree)
Special marking (ADG): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
<u> </u>	
Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Transport in bulk according to Annex II of Mar	pol
and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· ADG	
Tunnel restriction code	E
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (Alkylpheno) Polyglycolether), 9, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sujety, neut	in and environmental regulations/registation specific for the substance or mixture	
· Australian	Inventory of Industrial Chemicals	
67774-74-7	benzene, C10-13-alkyl derivatives	
78-40-0	Triethyl phosphate	
7732-18-5	water, distilled, conductivity or of similar purity	
92-71-7	2,5-Diphenyloxazole (PPO)	
12645-31-7	Phosphoric acid, 2-ethylhexyl ester	
· Standard fo	r the Uniform Scheduling of Medicines and Poisons	
78-40-0 Tri	ethyl phosphate S6	,

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 8)



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

(Contd. of page 7)

· Hazard pictograms







GHS05

GHS08 GHS

· Signal word Danger

· Hazard-determining components of labelling:

benzene, C10-13-alkyl derivatives (60-80 %) Alkylphenol Polyglycolether (10-20 %)

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Directive 2012/18/EU

- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

- **Department issuing SDS:** Quality Assurance, Environment, Safety & Health (QA/ESH)
- · Contact: SDS. Groningen@revvity.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)



Printing date 28.11.2023 Version number 12 Revision: 28.11.2023

Trade name: Emulsifier-Safe

(Contd. of page 8)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Asp. Tox. 1: Aspiration hazard – Category 1

 $A quatic\ Chronic\ 2:\ Hazardous\ to\ the\ aquatic\ environment\ -\ long\ -term\ aquatic\ hazard\ -\ Category\ 2$

· * Data compared to the previous version altered.