

Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

· Trade name: Insta-Gel Plus

· Article number: 6013399, 6013391

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity Health Sciences B.V.

Rigaweg 22

9723 TH Groningen

The Netherlands

Phone: 0031 50 5445900

www.revvity.com

Australian contact address:

Revvitv

Level 2, Building C, Tenancy A,

211 Wellington Road,

Mulgrave, VIC 3170

Australia

Phone: +613 9212 8500

· Further information obtainable from:

Quality Assurance, Environment, Safety & Health (QA/ESH)

SDS.Groningen@revvity.com

· Emergency telephone number:

+31 50 5445971

CHEMTREC (within Australia) +(61)-290372994

CHEMTREC (from outside Australia) +1 703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

(Contd. of page 1)



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms









GHS02 GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Alkylphenol Polyglycolether (40-60 %)

· Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

	(Contd. of page
· Dangerous components:	
95-63-6 1,2,4-trimethylbenzene	40-60%
Flam. Liq. 3, H226 Aquatic Chronic 2, H411 Acute Tox. 4, H332; Skin Irrit. 2, H315; Serious eye damage/irritation – Cata 2A, H319; STOT SE 3, H335	egory
9016-45-9 Alkylphenol Polyglycolether Eye Dam. 1, H318 Acute Tox. 4, H302	40-60%
9016-45-9 Alkylphenol Polyglycolether Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	0-2.5%
68412-53-3 Nonylphenyl (branched) polyoxyethylene ether phosphate Eye Dam. 1, H318 Aquatic Chronic 2, H411 Skin Irrit. 2, H315	0-2.5%
111-42-2 2,2'-iminodiethanol Repr. 2, H361fd; STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 Aquatic Chronic 3, H412	0-1%
·SVHC	
9016-45-9 Alkylphenol Polyglycolether	
· Non-dangerous components	
92-71-7 2,5-Diphenyloxazole (PPO)	0-2.5%
7732-18-5 water, distilled, conductivity or of similar purity	0-2.5%
13280-61-0 1,4-Bis-(2-methylstyryl)-benzene (bis-MSB)	0-2.5%

4 First Aid Measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

(Contd. of page 3)

5 Fire Fighting Measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: Mouth respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 5)



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

(Contd. of page 4)

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

EN ISO 374-1/Type B

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.2 mm

Breakthrough time: > 120 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· General Information

· Appearance:

Form: Fluid
Colour: Colourless
Odour: Characteristic

· Change in condition

Melting point/freezing point: Undetermined.
 Initial boiling point and boiling range: 170 °C
 Flash point: 48 °C
 Auto-ignition temperature: 200 °C

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

Lower: 1.1 Vol %
 Upper: 7.0 Vol %
 Vapour pressure at 20 °C: 3 hPa
 Density at 20 °C: 0.96 g/cm³

· Solubility in / Miscibility with

• water: Not miscible or difficult to mix.

• Other information No further relevant information available.

ΑU



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

(Contd. of page 5)

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50	· LD/LC50 values relevant for classification:		
ATE (Acu	ATE (Acute Toxicity Estimates)		
Oral		991 mg/kg	
Dermal	LD50	5,682 mg/kg (Rabbit)	
Inhalative	LC50/4 h	32.4 mg/l (Rat)	

95-63-6 1,	2,4-trimeth	ylbenzene
Oral	LD50	3,400 mg/kg (Rat)

Dermal LD50 3,160 mg/kg (Rabbit)
Inhalative LC50/4 h 18 mg/l (Rat)

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic to	xicity:	
95-63-6 1,	2,4-trimeth	ylbenzene
Inhalative	LC50	7.19-8.28 mg/l (Other fish)
	EC50/48h	6.14 mg/l (Daphnia magna)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot \textit{Mobility in soil} \ \textit{No further relevant information available}.$

(Contd. on page 7)



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

(Contd. of page 6)

- · Ecotoxical effects:
- · Remark: Toxic for fish
- $\cdot \textit{Additional ecological information:}$
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN proper shipping name IMDG, IATA FLAMMABLE LIQUID, N.O.S. (1,2,4-trimethy benzene) Transport hazard class(es) ADG Class Label 3 (F1) Flammable liquids. 3 IMDG, IATA Class 3 Flammable liquids.	UN-Number	1000
Transport hazard class(es) ADG Class Label IMDG, IATA FLAMMABLE LIQUID, N.O.S. (1,2,4-trimethy benzene) 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 (F1) Flammable liquids.	ADG, IMDG, IATA	1993
Class Class Clabel IMDG, IATA Class 3 (F1) Flammable liquids. 3 FIMDG STATA Final State of the state of t	UN proper shipping name IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (1,2,4-trimethy benzene)
Class Label 3 (F1) Flammable liquids. 3 IMDG, IATA Class 3 Flammable liquids.	· Transport hazard class(es)	
Label 3 - IMDG, IATA - Class 3 Flammable liquids.	· ADG	
· Label 3 · IMDG, IATA · Class 3 Flammable liquids.	1 1 1 1 1 1 1 1 1 1	
· IMDG, IATA · Class 3 Flammable liquids.		
	· IMDG, IATA	
Label 3	· Class	3 Flammable liquids.
	·Label	3
	· ADG, IMDG, IATA	III



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

	(Contd. of page 7
Environmental hazards: Marine pollutant: Special marking (ADG):	No Symbol (fish and tree)
 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Flammable liquids. 30 F-E,S-E
Transport in bulk according to Annex II of Margand the IBC Code	pol Not applicable.
· Transport/Additional information:	
· ADG · Tunnel restriction code	E
· UN "Model Regulation":	UN1993, FLAMMABLE LIQUID, N.O.S. (not viscous) (1,2,4-trimethylbenzene), ENVIRONMENTALLY HAZARDOUS, 3, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

	· Australian Inventory of Industrial Chemicals		
	95-63-6 1,2,4-trimethylbenzene		
9016-45-9	Alkylphenol Polyglycolether		
	Nonylphenyl (branched) polyoxyethylene ether phosphate		
92-71-7	2,5-Diphenyloxazole (PPO)		
7732-18-5	water, distilled, conductivity or of similar purity		
111-42-2	2,2'-iminodiethanol		

· Standard for the Uniform Scheduling of Medicines and Poisons

111-42-2 2,2'-iminodiethanol

S5, S6

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms









GHS02

GHS05

GHS07

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling: Alkylphenol Polyglycolether (40-60 %)
- · Hazard statements

H226 Flammable liquid and vapour.

 $H302\ Harmful\ if\ swallowed.$

H315 Causes skin irritation.

(Contd. on page 9)



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

(Contd. of page 8)

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

9016-45-9 Alkylphenol Polyglycolether

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- *H411 Toxic to aquatic life with long lasting effects.*
- H412 Harmful to aquatic life with long lasting effects.
- · Department issuing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH)
- · Contact: SDS.Groningen@revvity.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Contd. on page 10)



Printing date 22.11.2023 Version number 7 Revision: 22.11.2023

Trade name: Insta-Gel Plus

(Contd. of page 9)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.