

Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

· Trade name: CarboSorb E

· Article number: 6013729, 6013721

· CAS Number: 5332-73-0

· EC number:

226-241-3

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Laboratory chemicals

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity Health Sciences B.V.

Rigaweg 22

9723 TH Groningen

The Netherlands

Phone: 0031 50 5445900

www.revvity.com

Australian contact address:

Revvity

Level 2, Building C, Tenancy A,

211 Wellington Road,

Mulgrave,

VIC 3170

Australia

Phone: +613 9212 8500

· Further information obtainable from:

Quality Assurance, Environment, Safety & Health (QA/ESH)

SDS.Groningen@revvity.com

Emergency telephone number:

+31 50 5445971

CHEMTREC (within Australia) +(61)-290372994

CHEMTREC (from outside Australia) +1 703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Trade name: CarboSorb E

(Contd. of page 1)



Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02

GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

3-methoxypropylamine (100 %)

· Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Substances
- · CAS No. Description

5332-73-0 3-methoxypropylamine

- · Identification number(s)
- EC number: 226-241-3

AU



Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Trade name: CarboSorb E

(Contd. of page 2)

4 First Aid Measures

· General information:

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

· After inhalation:

Seek medical treatment in case of complaints.

Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Headache
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

· Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Trade name: CarboSorb E

(Contd. of page 3)

7 Handling and Storage

- · Handling:
- · Precautions for safe handling Work only in fume cupboard.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

EN-ISO 374

· Material of gloves

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

Breakthrough time > 480 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing



Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Trade name: CarboSorb E

(Contd. of page 4)

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Fluid
· Colour: Colourless
· Odour: Amine-like
· pH-value at 20 °C: 11.5

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Auto-ignition temperature:

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

Lower: 2.3 Vol %
 Upper: 12.3 Vol %
 Density at 20 °C: 0.873 g/cm³

· Solubility in / Miscibility with

• water: Fully miscible.

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 830 mg/kg (Rat)

5332-73-0 3-methoxypropylamine

Oral LD50 830 mg/kg (Rat)

- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation

Causes serious eye damage.

(Contd. on page 6)



Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Trade name: CarboSorb E

(Contd. of page 5)

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity:

No further relevant information available.

5332-73-0 3-methoxypropylamine

Inhalative EC50/48h 13.7 mg/l (Daphnia magna)

· Persistence and degradability

Easily eliminable from water.

Heavily biodegradable

- · Behaviour in environmental systems:
- · Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Must be specially treated adhering to official regulations.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · UN-Number
- · ADG, IMDG, IATA

· UN proper shipping name

· IMDG, IATA

2734

AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (3-methoxypropylamine)

(Contd. on page 7)



Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Trade name: CarboSorb E

	(Contd. of pag
· Transport hazard class(es)	
\cdot ADG	
· Class	8 (CF1) Corrosive substances.
· Label	8+3
· IMDG, IATA	
· Class	8 Corrosive substances.
	8+3
· Packing group	
· ADG, IMDG, IATA	I
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	883
· EMS Number:	F-E,S-C
· Transport in bulk according to Annex II of Mar	pol
and the IBC Code	Not applicable.
· UN "Model Regulation":	UN2734, AMINES, LIQUID, CORROSIV
· · · · · · · · · · · · · · · · · · ·	FLAMMABLE, N.O.S. (3-methoxypropylamine), 8 (3)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

Substance is listed.

Standard for the Uniform Scheduling of Medicines and Poisons

Substance is not listed.

· Australia: Priority Existing Chemicals

Substance is not listed.

· GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 8)



Version number 8 Revision: 04.12.2023 Printing date 04.12.2023

Trade name: CarboSorb E

(Contd. of page 7)

· Hazard pictograms







GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

3-methoxypropylamine (100 %)

· Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH)
- · Contact: SDS. Groningen@revvity.com
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 9)

Page 9/9



Safety Data Sheet according to WHS Regulations

Printing date 04.12.2023 Version number 8 Revision: 04.12.2023

Trade name: CarboSorb E

(Contd. of page 8)

Skin Sens. 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.