

Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: COUNT-OFF Liquid Concentrate
- · Article number: 6NE9427, 6NE9422
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Surface cleanser
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Revvity Health Sciences B.V.

Rigaweg 22

9723 TH Groningen

The Netherlands

Phone: 0031 50 5445900

www.revvity.com

· Further information obtainable from:

Quality Assurance, Environment, Safety & Health (QA/ESH)

SDS. Groningen@revvity.com

· 1.4 Emergency telephone number:

+31 50 5445971

CHEMTREC: +1 703-527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05

GHS09

- · Signal word Danger
- Hazard-determining components of labelling:

sodium hypochlorite, solution

Sodium hydroxide

Alkylsulfonate Steol

(Contd. on page 2)



Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

Trade name: COUNT-OFF Liquid Concentrate

(Contd. of page 1)

· Hazard statements

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture: consisting of the following components.

Dangerous components:		
CAS: 7681-52-9	sodium hypochlorite, solution	2.5-10%
EINECS: 231-668-3	♦ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
Index number: 017-011-00-1	4 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	
	ĔUH031	
	Specific concentration limit: $EUH031$: $C \ge 5$ %	
	Sodium hydroxide	0-2.5%
EINECS: 215-185-5	♦ Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 011-002-00-6	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ %	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	<i>Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %</i>	
	Alkylsulfonate Steol	0-2.5%
	♦ Flam. Liq. 3, H226	
	Eye Dam. 1, H318	
	Skin Irrit. 2, H315	
	Åquatic Chronic 3, H412	

· Non-dangerous components				
CAS: 7732-18-5	water, distilled, conductivity or of similar purity	80-100%		
EINECS: 231-791-2				
CAS: 6100-05-6	Potassiumcitrate	2.5-10%		
EINECS: 212-755-5				
CAS: 25086-29-7	2-pyrrolidinone, 1-ethynyl-, polymer with ethenylbenzene	0-2.5%		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

. 2)



Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

Trade name: COUNT-OFF Liquid Concentrate

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide

Fire-extinguishing powder

Water

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

GB



Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

Trade name: COUNT-OFF Liquid Concentrate

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

EN ISO 374-1/Type B

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.2 mm

Breakthrough time: > 120 minutes

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

Colour: Whitish
 Odour: Chlorine-like
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range
Undetermined.

Flash point:

pH at 20 °C (68 °F)

Undetermined.

Not applicable.

Solubility

• water: Not miscible or difficult to mix.

(Contd. on page 5)



Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

Trade name: COUNT-OFF Liquid Concentrate

	(Contd. of page
Density and/or relative density Density at 20 °C (68 °F):	1.075 g/cm³ (8.97088 lbs/gal)
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of heal	lth and
environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
· Information with regard to physical hazard	classes
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	nable

Void

Void

Void

Void

Void

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

gases in contact with water

· Oxidising liquids

· Oxidising solids

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 104,167 mg/kg (rat)

Skin corrosion/irritation

Causes severe skin burns and eye damage.

(Contd. on page 6)



Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

Trade name: COUNT-OFF Liquid Concentrate

(Contd. of page 5)

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

1760

(Contd. on page 7)



Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

Trade name: COUNT-OFF Liquid Concentrate

	(Contd. of page
· 14.2 UN proper shipping name · IMDG, IATA	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDI HYPOCHLORITE SOLUTION)
· 14.3 Transport hazard class(es)	
· ADR	
¥2>	
· Class	8 (C9) Corrosive substances.
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances.
	8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· 14.7 Maritime transport in bulk according to IM instruments	IO Not applicable.
· UN "Model Regulation":	UN1760, CORROSIVE LIQUID, N.O.S., 8, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors	
None of the ingredients is listed.	
· Regulated poisons	
None of the ingredients is listed.	
Reportable explosives precursors	
None of the ingredients is listed.	
· Reportable poisons	
7681-52-9 sodium hypochlorite, solution	Listed
1310-73-2 Sodium hydroxide	12% of total caustic alkalinit
<u>'</u>	(Contd. on page



Printing date 03.12.2023 Version number 6 (replaces version 5) Revision: 03.12.2023

Trade name: COUNT-OFF Liquid Concentrate

(Contd. of page 7)

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- *H400 Very toxic to aquatic life.*
- *H410 Very toxic to aquatic life with long lasting effects.*
- H412 Harmful to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.
- · Department issuing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH)
- · Contact: SDS. Groningen@revvity.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.