

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Toluene Radioactive LSC Standards
- · Product number:

6008400, 6008401A, 6008402A, 6008403A, 6008411A, 6008412A, 6008413A, 6008500A, 6008501A, 6008502A, 6008503A, 6008511A, 6008512A, 6008513A, 6018551A, 6018552A, 6018553A, 6018594A, 6018595A, 6018596A, 6018911A, 6018912A, 6018913A, 6018914A, 6018917A, 6018918A, 6018919A

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Revvity, Inc
  549 Albany Street
  Boston, MA 02118
- *Further information obtainable from:* US Technical Support 800-762-4000
- *1.4 Emergency telephone number: If inside USA, call CHEMTREC at 1-800-424-9300 If outside USA, call CHEMTREC at 1-703-527-3887*

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · 2.1.1 Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

*Repr. 2* H361d Suspected of damaging the unborn child.

STOT SE 3 H336 May cause drowsiness or dizziness.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

• 2.1.3 Additional information: For the wording of the relevant risk phrases refer to section 16.

### · 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008* The product is classified and labelled according to the CLP regulation.

• Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling: toluene* 

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H361d Suspected of damaging the unborn child.

H336 May cause drowsiness or dizziness.

(Contd. on page 2)

<sup>-</sup> EU

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

### Trade name: Toluene Radioactive LSC Standards

	(Contd. of page 1)
H373 May cau	se damage to organs through prolonged or repeated exposure.
H304 May be f	fatal if swallowed and enters airways.
· Precautionary s	tatements
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P303+P361+P.	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazar	ds
· Results of PBT	and vPvB assessment
	11

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

### **SECTION 3:** Composition/information on ingredients

### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
CAS: 108-88-3	toluene	75-100%			
EINECS: 203-625-9	🛞 Flam. Liq. 2, H225; 🚸 Repr. 2, H361d; STOT RE 2, H373; Asp.				
Index number: 601-021-00-3	♦ Flam. Liq. 2, H225; ♦ Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Skin Irrit. 2, H315; STOT SE 3, H336				
• Additional information: For the wording of the relevant risk phrases refer to section 16.					

### **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- $\cdot$  For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

EU -

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

### Trade name: Toluene Radioactive LSC Standards

• 5.3 Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

### **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and containers: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

108-88-3 toluene (75-100%)

IOELV Short-term value: 384 mg/m<sup>3</sup>, 100 ppm Long-term value: 192 mg/m<sup>3</sup>, 50 ppm Skin

### · 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

(Contd. of page 2)

EU

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

## Trade name: Toluene Radioactive LSC Standards

	(Contd. of page 3)
Individual protection measures, such as personal protective equipment	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing	
Wash hands before breaks and at the end of work.	
Store protective clothing separately.	
Avoid contact with the skin.	
Avoid contact with the eyes and skin.	
Respiratory protection:	
In case of brief exposure or low pollution use respiratory filter device. In case of	of intensive or longer exposure us
self-contained respiratory protective device.	
Suitable respiratory protective device recommended.	
Hand protection	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the subs Selection of the glove material on consideration of the penetration times, rates of <b>Material of gloves</b>	
The selection of the suitable gloves does not only depend on the material, but all varies from manufacturer to manufacturer. As the product is a preparation of of the glove material can not be calculated in advance and has therefore to be c <b>Penetration time of glove material</b>	several substances, the resistance checked prior to the application.
The exact break through time has to be found out by the manufacturer of th observed.	e protective gloves and has to be
Eye/face protection	

# SECTION 9: Physical and chemical properties

General Information		
Physical state	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	-95 °C	
Boiling point or initial boiling point and b	oiling range 110 °C	
Flammability	Highly flammable.	
Lower and upper explosion limit		
Lower:	1.2 Vol %	
Upper:	7 Vol %	
Flash point:	4 °C	
Auto-ignition temperature:	535 °C	
Decomposition temperature:	Not determined.	
pH	Not determined.	

 $(Contd. \ on \ page \ 5)$ 

EU –

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

Trade name: Toluene Radioactive LSC Standards

	(Contd. of page 4
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water at 15 °C:	0.5 g/l
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	29 hPa
Vapour pressure at 50 °C:	124 hPa
Density and/or relative density	
Density at 20 °C:	$0.86564 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health a	ınd
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
~ .	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	99.3 %
Solids content:	0.7%
Molecular weight	92.14 g/mol
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

Trade name: Toluene Radioactive LSC Standards

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Suspected of damaging the unborn child.
- · STOT-single exposure May cause drowsiness or dizziness.

• STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

• Aspiration hazard May be fatal if swallowed and enters airways.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

• 12.7 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

Must be specially treated adhering to official regulations.

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 7)

(Contd. of page 5)

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

(Contd. of page 6)

Trade name: Toluene Radioactive LSC Standards

**SECTION 14: Transport information** · 14.1 UN number or ID number UN1294 · ADR, IMDG, IATA · 14.2 UN proper shipping name 1294 TOLUENE mixture ·ADR **TOLUENE** mixture · IMDG, IATA · 14.3 Transport hazard class(es) · ADR, IMDG, IATA 3 Flammable liquids. Class · Label 3 · 14.4 Packing group · ADR, IMDG, IATA Π · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 · EMS Number: F-E, S-D· Stowage Category В • 14.7 Maritime transport in bulk according to IMO instruments Not applicable. • Transport/Additional information: ·ADR · Limited quantities (LQ) L• Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 2 • Tunnel restriction code D/E·IMDG · Limited quantities (LQ) lL• Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 1294 TOLUENE MIXTURE, 3, II · UN "Model Regulation":

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

(Contd. on page 8)

<sup>•</sup> EU

Printing date 28.03.2024

Version number 1

Revision: 18.05.2023

Trade name: Toluene Radioactive LSC Standards

(Contd. of page 7)

3

3

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 48

**DIRECTIVE 2011/65/EU** on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

108-88-3 toluene

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 toluene

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

The information provided in this safety data sheet is based on our current knowledge, and is believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be regarded as a warranty or specification of quality. All materials may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Revvity, Inc. cannot be held liable for any damage resulting from handling or contact with the product.

#### • Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1