

Trade name:

twinlite

Article number:

6066706	twinlite Firefly & Renilla Luciferase Reporter Gene Assay System 100 assay kit
6066709	twinlite Firefly & Renilla Luciferase Reporter Gene Assay System 1000 assay kit

122023 V1.0

6066706:

Composition		Hazards identification
0RT0331	Passive Lysis Solution	
0RT0301	firelite plus Reconstitution Buffer	
0RT0315	firelite plus Lyophilized Substrate	
0RT0351	renlite plus Buffer	GHS08, H373
0RT0361	renlite plus Substrate (50X)	GHS02, H225

6066709:

Composition		Hazards identification
0RT0335	Passive Lysis Solution	
0RT0306	firelite plus Reconstitution Buffer	
0RT0317	firelite plus Lyophilized Substrate	
0RT0355	renlite plus Buffer	GHS08, H373
0RT0364	renlite plus Substrate (50X)	GHS02, H225



Page 1/8

revvity

*

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2023

Reviewed on 12/11/2023

1 Identification
· Product identifier
· Trade name: renlite plus Buffer
• Article number: 0RT0351, 0RT0355 • Application of the substance / the mixture Laboratory chemicals
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Revvity Health Sciences B.V. Rigaweg 22 9723 TH Groningen The Netherlands Phone: 0031 50 5445900 www.revvity.com
 Information department: Quality Assurance, Environment, Safety & Health (QA/ESH) SDS.Groningen@revvity.com Emergency telephone number: +31 50 5445971 CHEMTREC (within U.S.A. and Canada) 1-800-424-9300 CHEMTREC (from outside U.S.A. and Canada) +1703-527-3887
2 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard
Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
GHS08
· Signal word Warning
 Hazard-determining components of labeling: Kalium jodide Hazard statements H373 May cause damage to organs through prolonged or repeated exposure. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards Results of PBT and vPvB assessment
• <i>PBT:</i> Not applicable.

(Contd. on page 2)

[–] ÚS -

revvry

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2023

Trade name: renlite plus Buffer

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

7681-11-0 K	alium jodide	0-2.5%
	Specific Target Organ Toxicity - Repeated Exposure 1, H372	
Non-Danger	ous components	
7732-18-5	water, distilled, conductivity or of similar purity	80-100%
7447-40-7	potassium chloride	2.5-10%
128446-35-5	(2-Hydroxypropyl)-β-cyclodextrin	2.5-10%
10102-17-7	Sodium thiosulphate pentahydrate	0-1%
125572-95-4	<i>trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraacetic acid monohydrate</i> () Skin Irritation 2, H315; Eye Irritation 2A, H319	0-1%
13472-36-1	pyrophosphate tetrasodium decahydrate	0-1%
1310-73-2	Sodium hydroxide Corrosive to Metals 1, H290; Skin Corrosion 1A, H314	0-<0.5%

4 First-aid measures

· Description of first aid measures

· General information: No special measures required.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

(Contd. of page 1)

Reviewed on 12/11/2023

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2023

Trade name: renlite plus Buffer

Reviewed on 12/11/2023

	(Contd. of page 2
Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawa	dust)
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
7681-11-0 Kalium jodide	1.3 mg/m ³
10102-17-7 Sodium thiosulphate pentahydrate	50 mg/m ³
13472-36-1 pyrophosphate tetrasodium decahydrate	8.6 mg/m ³
1310-73-2 Sodium hydroxide	0.5 mg/m
<i>PAC-2:</i>	
7681-11-0 Kalium jodide	15 mg/m ³
10102-17-7 Sodium thiosulphate pentahydrate	550 mg/m
13472-36-1 pyrophosphate tetrasodium decahydrate	96 mg/m ³
1310-73-2 Sodium hydroxide	$5 mg/m^3$
PAC-3:	•
7681-11-0 Kalium jodide	87 mg/m ³
10102-17-7 Sodium thiosulphate pentahydrate	3,300 mg/m ²
13472-36-1 pyrophosphate tetrasodium decahydrate	580 mg/m ³
1310-73-2 Sodium hydroxide	50 mg/m ³

7 Handling and storage

· Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 12/11/2023

Printing date 12/11/2023

Trade name: renlite plus Buffer

Control parameters Components with limit values that require monitoring at the workplace: 7681-11-0 Kalium jodide 7681-11-0 Kalium jodide 711 Long-term value: 0.01 ppm 743; Skin; *inhalation 744; Skin; *inhalation 755 755 755 755 755 755 755 755 755 75		ntd. of page 3)
7681-11-0 Kalium jodide TLV Long-term value: 0.01 ppm A4; Skin; *inhalation Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective equipment: Breathing equipment: Not required. Protection of hands: Wireler ruber, NBR Recommended thickness of the material: ≥ 0.1 mm Breakthrough time: > 120 minutes The success of the material of gloves and varies for manufacturer. Pretection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Exp protection: They protection: The selection: The selection: The selection: Display the seled goggles Body protection: The selection: Display the seled goggles	•	
TLV Long-term value: 0.01 ppm A4; Skin; *inhalation Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: \widetilde{vor} Protective gloves EN ISO 374-1/Type B Material of gloves Nitrile rubber, NBR Recommended thickness of the material: $\geq 0.1 mm$ Breaktion of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: \widetilde{vor} The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: \widetilde{vor} The sealed goggles Body protection: Protective work clothing	Components with limit values that require monitoring at the workplace:	
A4. Skin; *inhalation • Additional information: The lists that were valid during the creation were used as basis. • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Personal protective equipment: • General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. • Breathing equipment: Not required. • Protection of hands: • • • • • • • • • • • • • • • • • • •		
Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: i Protective gloves i Protective gloves EN ISO 374-1/Type B i Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.1 mm Breakthrough time: > 120 minutes The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: i Tightly sealed goggles i Body protection: Protective work clothing		
Personal protective equipment: General protective and hygicnic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: $\widehat{\mathbf{V}}$ $\widehat{\mathbf{V}}$ Protection of hands: $\widehat{\mathbf{V}}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ $\widehat{\mathbf{V}$ <	Additional information: The lists that were valid during the creation were used as basis.	
EN ISO 374-1/Type B Material of gloves Nitrile rubber, NBR Recommended thickness of the material: $\geq 0.1 \text{ mm}$ Breakthrough time: $\geq 120 \text{ minutes}$ The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing	• Personal protective equipment: • General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. • Breathing equipment: Not required.	
Material of gloves Nitrile rubber, NBR Recommended thickness of the material: $\geq 0.1 \text{ mm}$ Breakthrough time: $> 120 \text{ minutes}$ The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.Eye protection: Body protection:Tightly sealed goggles	Protective gloves	
• Body protection: Protective work clothing	Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.1 mm Breakthrough time: ≥ 120 minutes The selection of the suitable gloves does not only depend on the material, but also on further mark and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves an observed.	
Physical and chemical properties	Body protection: Protective work clothing	
	Physical and chemical properties	

Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	

Page 5/8

Printing date 12/11/2023

Reviewed on 12/11/2023

Trade name: renlite plus Buffer

		(Contd. of page 4
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	、	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 6)

[—] US



Printing date 12/11/2023

Reviewed on 12/11/2023

Trade name: renlite plus Buffer

(Contd. of page 5)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:	Not applicable.	

JS -

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2023

Reviewed on 12/11/2023

(Contd. of page 6)

Trade name: renlite plus Buffer

· Special precautions for user

Not applicable.

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· UN "Model Regulation":

Void

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
	F	ACTIVE
128446-35-5	(2-Hydroxypropyl)-β-cyclodextrin	ACTIVE
7681-11-0	Kalium jodide	ACTIVE

Hazardous Air Pollutants None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

⁻ US

revvi

Printing date 12/11/2023

Reviewed on 12/11/2023

Trade name: renlite plus Buffer

(Contd. of page 7) · Hazard pictograms · Signal word Warning · Hazard-determining components of labeling: Kalium jodide · Hazard statements H373 May cause damage to organs through prolonged or repeated exposure. · Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation. H372 Causes damage to organs through prolonged or repeated exposure. · Department issuing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) · Contact: SDS.Groningen@revvity.com • Date of preparation / last revision 12/11/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 * Data compared to the previous version altered.

Safety Data Sheet acc. to OSHA HCS

Printing date 10/13/2023

Reviewed on 10/13/2023

1 Identification · Product identifier • Trade name: renlite plus Substrate (50X) · Article number: 0RT0361, 0RT0364 · Application of the substance / the mixture Laboratory chemicals · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Revvity Health Sciences B.V. Rigaweg 22 9723 TH Groningen The Netherlands Phone: 0031 50 5445900 www.revvity.com · Information department: Quality Assurance, Environment, Safety & Health (QA/ESH) SDS.Groningen@revvity.com • Emergency telephone number: +31 50 5445971 CHEMTREC (within U.S.A. and Canada) 1-800-424-9300 CHEMTREC (from outside U.S.A. and Canada) +1703-527-3887 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 · Signal word Danger · Hazard statements H225 Highly flammable liquid and vapor. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235 Store in a well-ventilated place. Keep cool. • Other hazards · Results of PBT and vPvB assessment

• *PBT:* Not applicable.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/13/2023

Reviewed on 10/13/2023

🚯 Flammable Liquids 2, H225

Trade name: renlite plus Substrate (50X)

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

64-17-5 ethanol

56-81-5 Glycerol

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

• Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

• **PAC-1:**

56-81-5 Glycerol

· PAC-2:

56-81-5 Glycerol

180 mg/m³ (Contd. on page 3)

 45 mg/m^3

-US

(Contd. of page 1)

60-80%

20-40%

Reviewed on 10/13/2023

Printing date 10/13/2023

Trade name: renlite plus Substrate (50X)

· PAC-3:

56-81-5 Glycerol

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 Ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

EN ISO 374-1/Type B

· Material of gloves

Nitrile rubber, NBR Recommended thickness of the material: $\geq 0.1 \text{ mm}$

Breakthrough time: > 120 *minutes*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)

(Contd. of page 2)

 $1,100 \text{ mg/m}^3$

US

Safety Data Sheet acc. to OSHA HCS

Printing date 10/13/2023

Reviewed on 10/13/2023

(Contd. of page 3)

Trade name: renlite plus Substrate (50X)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information Appearance:	
Form:	Fluid
Color:	Yellow-brown
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	12 °C (53.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	400 °C (752 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	15.0 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.88 g/cm³ (7.3436 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/13/2023

Printing date 10/13/2023

Trade name: renlite plus Substrate (50X)

• Solvent content: VOC content:

60-80 %

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 6)

(Contd. of page 4)

1

Printing date 10/13/2023

Reviewed on 10/13/2023

Trade name: renlite plus Substrate (50X)

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADR, IMDG, IATA	UN1993
UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (vapour pressure 50°C not more than 110 kPa) (ETHANOL (ETH)
	ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETH)
IATA	ALCOHOL)) Flammable liquid, n.o.s. (Ethanol)
Transport hazard class(es)	
ADR	
V	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E, <u>S-E</u> B
Stowage Category	D
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 10/13/2023

Reviewed on 10/13/2023

Trade name: renlite plus Substrate (50X)

• Transport/Additional information:	(Contd. of page
· ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ETHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Sara
Section 355 (extremely hazardous substances): None of the ingredient is listed.
Section 313 (Specific toxic chemical listings): None of the ingredients is listed.
TSCA (Toxic Substances Control Act): 56-81-5 Glycerol
Hazardous Air Pollutants None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ethanol

· MAK (German Maximum Workplace Concentration)

64-17-5 ethanol

(Contd. on page 8)

ACTIVE

A3

5

⁻US

US

revvity

Safety Data Sheet acc. to OSHA HCS

Printing date 10/13/2023

Reviewed on 10/13/2023

Trade name: renlite plus Substrate (50X)

• * Data compared to the previous version altered.

	(Contd. of page 7
NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)
None of the ing	redients is listed.
GHS label elen	ents
The product is a	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogr	
· 1 3	
< (3)	
\checkmark	
GHS02	
Signal word Da	nger
Hazard stateme	
	ummable liquid and vapor.
Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit
- 505 - 1 501 - 1	water/shower.
P403+P235	Store in a well-ventilated place. Keep cool.
	v assessment: A Chemical Safety Assessment has not been carried out.
	n is based on our present knowledge. However, this shall not constitute a guarantee for an features and shall not establish a legally valid contractual relationship.
Relevant phras	25
	ummable liquid and vapor.
0.00	ALLELINATION COMPANY AND A CALLER CALLER COMPANY AND A CALLER C
Department iss	
	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH)
Contact: SDS.C	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com
Contact: SDS.C Date of prepare	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Groningen@revvity.com ution / last revision 10/13/2023
Contact: SDS.C Date of prepare Abbreviations of	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Groningen@revvity.com ution / last revision 10/13/2023 and acronyms:
Contact: SDS.C Date of prepare Abbreviations of ADR: Accord rela	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ution / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning th
Contact: SDS.C Date of prepare Abbreviations of ADR: Accord rela International Carrie	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning th age of Dangerous Goods by Road)
Contact: SDS.C Date of prepare Abbreviations of ADR: Accord rela International Carri IMDG: International	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ution / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning th
Contact: SDS.C Date of prepara Abbreviations a ADR: Accord rela International Carri IMDG: International IATA: International EINECS: European	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning th age of Dangerous Goods by Road) al Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances
Contact: SDS.C Date of prepara Abbreviations a ADR: Accord rela International Carri IMDG: International IATA: International EINECS: European ELINCS: European	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning th age of Dangerous Goods by Road) al Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances
Contact: SDS.C Date of prepard Abbreviations d ADR: Accord rela International Carrii IMDG: International EINECS: European ELINCS: European CAS: Chemical Abs	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning th age of Dangerous Goods by Road) al Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society)
Contact: SDS.C Date of prepard Abbreviations d ADR: Accord rela International Carrii IMDG: International IATA: International EINECS: European ELINCS: European CAS: Chemical Abs VOC: Volatile Orgo	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning th age of Dangerous Goods by Road) il Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances
Contact: SDS.C Date of prepare Abbreviations of ADR: Accord rela International Carri IMDG: International EATA: International EINECS: European CAS: Chemical Abs VOC: Volatile Orga PBT: Persistent, Biv vPvB: very Persiste	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com tition / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning the age of Dangerous Goods by Road) al Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) Inic Compounds (USA, EU) Daccumulative and Toxic Int and very Bioaccumulative
Contact: SDS.C Date of prepard Abbreviations of ADR: Accord rela International Carri IMDG: International ENECS: European ELINCS: European CAS: Chemical Abs VOC: Volatile Orga PBT: Persistent, Bid vPvB: very Persiste NIOSH: National In	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning the age of Dangerous Goods by Road) al Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) inic Compounds (USA, EU) paccumulative and Toxic nt and very Bioaccumulative istitute for Occupational Safety
Contact: SDS.C Date of prepara Abbreviations a ADR: Accord rela International Carri IMDG: International IATA: International EINECS: European CAS: Chemical Abs VOC: Volatile Orga PBT: Persistent, Bid VPVB: very Persiste NIOSH: National In OSHA: Occupation	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning the age of Dangerous Goods by Road) al Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) unic Compounds (USA, EU) paccumulative and Toxic nt and very Bioaccumulative istitute for Occupational Safety al Safety & Health
Contact: SDS.C Date of prepard Abbreviations of ADR: Accord rela International Carri IMDG: International IATA: International EINECS: European CAS: Chemical Abs VOC: Volatile Orga PBT: Persistent, Bid VVDSH: very Persiste NIOSH: National In OSHA: Occupation TLV: Threshold Lin	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 and acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning the age of Dangerous Goods by Road) al Maritime Code for Dangerous Goods Air Transport Association Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) unic Compounds (USA, EU) paccumulative and Toxic nt and very Bioaccumulative isstitute for Occupational Safety al Safety & Health uit Value
Contact: SDS.C Date of prepard Abbreviations of ADR: Accord rela International Carri IMDG: International EINECS: European CAS: Chemical Abs VOC: Volatile Orge PBT: Persistent, Bü vPvB: very Persiste NIOSH: National In OSHA: Occupation TLV: Threshold Lin PEL: Permissible E	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 (ind acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning the tage of Dangerous Goods by Road) al Maritime Code for Dangerous Goods <i>Air Transport Association</i> Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) unic Compounds (USA, EU) poaccumulative and Toxic nt and very Bioaccumulative Isstitute for Occupational Safety al Safety & Health mit Value xposure Limit
Contact: SDS.C Date of prepard Abbreviations d ADR: Accord rela International Carri IMDG: International EINECS: European ELINCS: European CAS: Chemical Abs VOC: Volatile Orge PBT: Persistent, Biv vPvB: very Persiste NIOSH: National In OSHA: Occupation TLV: Threshold Lin PEL: Permissible E REL: Recommended	uing SDS: Quality Assurance, Environment, Safety & Health (QA/ESH) Froningen@revvity.com ation / last revision 10/13/2023 (ind acronyms: tif au transport international des marchandises dangereuses par route (European Agreement Concerning the tage of Dangerous Goods by Road) al Maritime Code for Dangerous Goods <i>Air Transport Association</i> Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) unic Compounds (USA, EU) poaccumulative and Toxic nt and very Bioaccumulative Isstitute for Occupational Safety al Safety & Health mit Value xposure Limit