

Trade Name:

AlphaLISA SureFire® Ultra™ Detection Kit

Human and Mouse p-Rb (Thr821) Detection Kit



Article numbers:

ASBF-PRB-C500 ASBF-PRB-C10K ASBF-PRB-C50K ASBF-PRB-C-HV ASBF-PRB-C-L

Components and Hazard Identification in ALSU assay kits.

Vol / 100 point	Vol / 500 point	Vol / 10,000 point	Vol / 50,000 point	Hazard Identification	
1 x 0.3 mL	1 x 0.8 mL	1 x 10 mL	1 x 50 mL	N/A;	EUH208, EUH210
1 x 1.8 mL	1 x 3 mL	1 x 60 mL	1 x 300 mL	N/A;	EUH208, EUH210
1 x 12 mL	1 x 12 mL	4 x 60 mL	3 x 400 mL	< </td <td>GHS07; H319, EUH208</td>	GHS07; H319, EUH208
1 x 0.9 mL	1 x 1.5 mL	1 x 28 mL	1 x 140 mL	N/A;	EUH208, EUH210
1 x 0.9 mL	1 x 1.5 mL	1 x 28 mL	1 x 140 mL	N/A;	EUH208, EUH210
1 x 0.045mL	1 x 0.06 mL	1 x 1.1 mL	1 x 5.5 mL	N/A;	EUH208, EUH210
1 x 0.045mL	1 x 0.06 mL	1 x 1.1 mL	1 x 5.5 mL	(GHS07; H317
1 x 250uL	1 x 250uL	1 x 250uL	1 x 250uL	N/A;	EUH208, EUH210
	point 1 x 0.3 mL 1 x 1.8 mL 1 x 12 mL 1 x 0.9 mL 1 x 0.9 mL 1 x 0.045mL	point point 1 x 0.3 mL 1 x 0.8 mL 1 x 1.8 mL 1 x 3 mL 1 x 12 mL 1 x 12 mL 1 x 0.9 mL 1 x 1.5 mL 1 x 0.9 mL 1 x 1.5 mL 1 x 0.045mL 1 x 0.06 mL 1 x 0.045mL 1 x 0.06 mL	point point point 1 x 0.3 mL 1 x 0.8 mL 1 x 10 mL 1 x 1.8 mL 1 x 3 mL 1 x 60 mL 1 x 12 mL 4 x 60 mL 1 x 0.9 mL 1 x 1.5 mL 1 x 28 mL 1 x 0.9 mL 1 x 1.5 mL 1 x 28 mL 1 x 0.045mL 1 x 0.06 mL 1 x 1.1 mL 1 x 0.045mL 1 x 0.06 mL 1 x 1.1 mL	point point point point 1 x 0.3 mL 1 x 0.8 mL 1 x 10 mL 1 x 50 mL 1 x 1.8 mL 1 x 3 mL 1 x 60 mL 1 x 300 mL 1 x 12 mL 4 x 60 mL 3 x 400 mL 1 x 0.9 mL 1 x 1.5 mL 1 x 28 mL 1 x 140 mL 1 x 0.9 mL 1 x 1.5 mL 1 x 28 mL 1 x 140 mL 1 x 0.045mL 1 x 0.06 mL 1 x 1.1 mL 1 x 5.5 mL 1 x 0.045mL 1 x 0.06 mL 1 x 1.1 mL 1 x 5.5 mL	point point point point 1 x 0.3 mL 1 x 0.8 mL 1 x 10 mL 1 x 50 mL N/A; 1 x 1.8 mL 1 x 3 mL 1 x 60 mL 1 x 300 mL N/A; 1 x 12 mL 1 x 12 mL 4 x 60 mL 3 x 400 mL ♦ 1 x 0.9 mL 1 x 1.5 mL 1 x 28 mL 1 x 140 mL N/A; 1 x 0.9 mL 1 x 1.5 mL 1 x 28 mL 1 x 140 mL N/A; 1 x 0.045mL 1 x 0.06 mL 1 x 1.1 mL 1 x 5.5 mL N/A; 1 x 0.045mL 1 x 0.06 mL 1 x 1.1 mL 1 x 5.5 mL ♦

Components and Hazard Identification for Individual Sale items

*** = assay target name

Composition		Hazards identifi	
ALSU-AB-100ml ALSU-AB-10ml	Activation Buffer	()	GHS07; H319, EUH208
ALSU-ABB-100ml ALSU-ABB-10ml	Activation Buffer B	N/A;	EUH208, EUH210
ALSU-ABC-100ml ALSU-ABC-10ml	Activation Buffer C		GHS05; H318, EUH208
ALSU-DB-100ml ALSU-DB-10ml	Dilution Buffer	N/A;	EUH208, EUH210
ALSU-LB-100mL ALSU-LB-10mL	Lysis Buffer (5x)	1	GHS07; H319, EUH208
ALSU-LBB-100mL ALSU-LBB-10mL	Lysis Buffer B (5x) plus Supplement B (pack)	♦ ♦	GHS07; H319, EUH208 plus GHS07; H319, EUH208
ALSU-LBC-100mL ALSU-LBC-10mL	Lysis Buffer C (5x) plus Supplement C (Pack)		GHS07; H319, EUH208 plus GHS05; H318, EUH208
ALSU-***-A-L	Positive Control Lysate	N/A;	EUH208, EUH210
ALSU-ACAB-0.06mL ALSU-ACAB-1.2mL ALSU-ACAB-6mL	AlphaLISA® CaptSure ™ Acceptor Beads (2 mg/mL)	N/A;	EUH208, EUH210
ALSU-ASDB-0.06mL ALSU-ASDB-1.2mL ALSU-ASDB-6mL	Alpha Streptavidin Donor Beads (2 mg/mL)	N/A;	N/A;
ASBF-CS3DB-0.06mL ASBF-CS3DB-1.2mL ASBF-CS3DB-6mL	Alpha CaptSure™3 Donor Beads (2mg/ml)	()	GHS07; H317







Activation Buffer B - Ultra TGR BioSciences Pty Ltd (an Abcam Company)

Chemwatch: 5555-11 Version No: 4.1 Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Issue Date: **25/10/2022**Print Date: **21/09/2024**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name	Activation Buffer B - Ultra
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use.	
Uses advised against	No specific uses advised against are identified.	

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd (an Abcam Company)
Address	Unit 3-4, 31 George Street Thebarton SA 5031 Australia
Telephone	+61 08 7228 2141
Fax	Not Available
Website	www.tgrbiosciences.com
Email	ADE.info@abcam.com

1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone numbers	+61290372994 (Mon-Fri 8am to 5pm)	
Other emergency telephone numbers	+1703-527-3887/+31505445971	

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments [1]	Non hazardous
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Supplementary statement(s)

ouppiementary statement(s)	
EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Chemwatch: 5555-11 Page 2 of 10 Issue Date: 25/10/2022 Version No: 4.1 Print Date: 21/09/2024

Activation Buffer B - Ultra

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Material contains isothiazolinones, mixed.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	isothiazolinones. mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410 [2]	Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 Acute M factor: 100 Chronic M factor: 100	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:			lassification drawn from Regulation (EU) No 1272/2008 -	Annex VI; 3. Classification dra	awn from C&L * El

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

5.3. Advice for firefighters

Chemwatch: 5555-11 Page 3 of 10 Issue Date: 25/10/2022 Version No: 4.1 Print Date: 21/09/2024

Activation Buffer B - Ultra

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers.
, no Explosion natara	Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Fire and explosion protection	See section 5
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	Plastic tube or Plastic Bottle Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.		
Storage incompatibility	None known		
Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available		
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available		

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
isothiazolinones, mixed	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) *	0.00339 mg/L (Water (Fresh)) 0.00339 mg/L (Water - Intermittent release) 0.00339 mg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP)

Chemwatch: 5555-11 Page 4 of 10

Activation Buffer B - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

Version No: 4.1

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Activation Buffer B - Ultra	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
isothiazolinones, mixed	E	≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment







- Safety glasses with side shields
- Chemical goggles. Eye and face protection
 - Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

▶ Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice Personal hygiene is a key element of effective hand care.

Body protection

See Other protection below

Other protection

No special equipment needed when handling small quantities. OTHERWISE:

- Overalls.
- Barrier cream.
- Evewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable

^{*} Values for General Population

Page 5 of 10

Issue Date: 25/10/2022 Print Date: 21/09/2024 **Activation Buffer B - Ultra**

Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

Version No: 4.1

SECTION 10 Stability and reactivity

	La
10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.			
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).			
Chronic		duce chronic effects adverse to the health (as classified by EC Directives using		
	animal models); nevertheless exposure by all routes sho	ould be minimised as a matter of course.		
	TOXICITY	IRRITATION		
Activation Buffer B - Ultra	, , ,			
Activation Buffer B - Ultra	тохісіту	IRRITATION		
	TOXICITY Not Available	IRRITATION Not Available		
Activation Buffer B - Ultra	TOXICITY Not Available TOXICITY	IRRITATION Not Available IRRITATION		
	TOXICITY Not Available TOXICITY dermal (rat) LD50: >1008 mg/kg ^[1]	IRRITATION Not Available IRRITATION Eye: adverse effect observed (irreversible damage) ^[1]		

ISOTHIAZOLINONES, MIXED

The following information refers to contact allergens as a group and may not be specific to this product.

specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by nonprofessional users.

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehydereleasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it

Chemwatch: 5555-11 Page 6 of 10 Issue Date: 25/10/2022
Version No: 4.1 Print Date: 21/09/2024

Activation Buffer B - Ultra

disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

Activation Buffer B - Ultra & ISOTHIAZOLINONES, MIXED

No significant acute toxicological data identified in literature search.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

🗶 – Data either not available or does not fill the criteria for classification

✓ – Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

Not Available Test Duration (hr) 72h 48h	Not Available Species Algae or other aquatic plants Crustacea	Not Available Value 0.006mg/L	Not Available Source
72h	Algae or other aquatic plants	0.006mg/L	
	0 1 1		2
48h	Crustages		
	Crustacea	0.007mg/l	2
96h	Fish	0.129mg/l	2
96h	Algae or other aquatic plants	0.036mg/L	2
Cx) 48h	Algae or other aquatic plants	<0.001mg/L	2
rom 1. IUCLID Toxicity Data 2. Europe E	ECHA Registered Substances - Ecotoxicological Inform	nation - Aquatic Toxicity	/ 4. US EF
fi	ECx) 48h from 1. IUCLID Toxicity Data 2. Europe Batabase - Aquatic Toxicity Data 5. ECETO	ECx) 48h Algae or other aquatic plants from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Inforn tabase - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan)	5 1 1

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

12.5. Results of PBT and vPvB assessment

	P	В	Т	
Relevant available data	Not Available	Not Available	Not A	vailable
PBT	×	×	×	
vPvB	×	×	×	
PBT Criteria fulfilled?				No
vPvB			No	

Chemwatch: 5555-11 Page **7** of **10** Version No: 4.1

Activation Buffer B - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO

and transport (ADR): NOT RE	GULATED FOR TRANS	SPORT OF DANGEROUS GOODS	
14.1. UN number or ID number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard	Class	Not Applicable	
class(es)	Subsidiary Hazard	Not Applicable	
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Hazard identification ((Kemler) Not Applicable	
	Classification code	Not Applicable	
	Hazard Label	Not Applicable	
	Special provisions	Not Applicable	
	Limited quantity	Not Applicable	
	Tunnel Restriction Co	ode Not Applicable	

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
	ICAO/IATA Class	Not Applicable		
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
Class(es)	ERG Code Not Applicable			
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		Not Applicable	
	Cargo Only Maximum Qty / Pack		Not Applicable	
	structions	Not Applicable		
	Passenger and Cargo Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo Limited Qu	uantity Packing Instructions	Not Applicable	
	Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable	

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	lot Applicable	
14.3. Transport hazard class(es)	IMDG Class Not Applicable IMDG Subsidiary Hazard Not Applicable	
14.4. Packing group	Not Applicable	
14.5 Environmental hazard	Not Applicable	
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable	

Activation Buffer B - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

Limited Quantities Not Applicable

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
		Not Applicable Not Applicable	
14.6. Special precautions for user	Limited quantity	Not Applicable	
	Equipment required	Not Applicable	
	Fire cones number	Not Applicable	

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

mornation according to 2012/10/20 (Correct III).		
Seveso Category	Not Available	

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)	
Canada - DSL	Yes	
Canada - NDSL	No (isothiazolinones, mixed)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS Yes		
USA - TSCA	No (isothiazolinones, mixed)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (isothiazolinones, mixed)	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

Activation Buffer B - Ultra

Page 9 of 10 Issue Date: 25/10/2022 Print Date: 21/09/2024

SECTION 16 Other information

Version No: 4.1

Revision Date	25/10/2022
Initial Date	12/07/2022
Full text Risk and Hazard code	s
H301	Toxic if swallowed.
11040	

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	19/07/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility)

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AllC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
 ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure	
, EUH208	Calculation method	
, EUH210	Calculation method	

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

Chemwatch: **5555-11**Version No: **4.1**

Page 10 of 10

Activation Buffer B - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

TEL (+61 3) 9572 4700.



Dilution Buffer - Ultra TGR BioSciences Pty Ltd (an Abcam Company)

Chemwatch: **5555-18**Version No: **4.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **21/09/2024**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1	1	D٢	ho	 cŧ	ы	۵n	tifi	۵r

The Foundation of the Control of the		
Product name	Dilution Buffer - Ultra	
Chemical Name	Not Applicable	
Synonyms	Dilution Buffer A	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.	
Uses advised against	No specific uses advised against are identified.

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd (an Abcam Company)		
Address	Unit 3-4, 31 George Street Thebarton SA 5031 Australia		
Telephone	08 7228 2141		
Fax	Not Available		
Website	www.tgrbiosciences.com		
Email	ADE.info@abcam.com		

1.4. Emergency telephone number

= go,		
	Association / Organisation	Chemtrec Aus/North America/Revvity
	Emergency telephone numbers	+61290372994 (Mon-Fri 8am to 5pm)
	Other emergency telephone numbers	+1703-527-3887/+31505445971

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments [1]	Non hazardous
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Supplementary statement(s)

ouppromontally officerity	
EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Chemwatch: 5555-18 Page 2 of 9

Version No: 4.1

Dilution Buffer - Ultra

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Material contains isothiazolinones, mixed,

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	isothiazolinones, mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410 [2]	Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 Acute M factor: 100 Chronic M factor: 100	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:		1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties			

SECTION 4 First aid measures

4.1. Description of first aid measures

4.1. Description of first aid incasures				
Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.			
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.			
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 			
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 			

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

• foam.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid contamination with oxidising age

• Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Issue Date: 25/10/2022

Print Date: 21/09/2024

Chemwatch: 5555-18 Page 3 of 9
Version No: 4.1

Dilution Buffer - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

5.3. Advice for firefighters

Fire Fighting	 Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. 	
Major Spills	Minor hazard. ▶ Clear area of personnel. ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Control personal contact with the substance, by using protective equipment as required.	

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. 	
Fire and explosion protection	See section 5	
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. 	

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	Plastic tube or plastic bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.	
Storage incompatibility	▶ Avoid reaction with oxidising agents	
Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available	
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available	

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment			
isothiazolinones, mixed	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) *	0.00339 mg/L (Water (Fresh)) 0.00339 mg/L (Water - Intermittent release) 0.00339 mg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP)			

Chemwatch: 5555-18 Version No: 4.1

Dilution Buffer - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Dilution Buffer - Ultra	Not Available Not Available			Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
isothiazolinones, mixed	E ≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

Safety glasses with side shields

- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

▶ Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice Personal hygiene is a key element of effective hand care.

Body protection

See Other protection below No special equipment needed when handling small quantities.

Other protection

- OTHERWISE: Overalls.
- Barrier cream.
- Evewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable

^{*} Values for General Population

Page 5 of 9

Dilution Buffer - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

Version No: 4.1

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	Long-term exposure to the product is not thought to product animal models); nevertheless exposure by all routes sho	duce chronic effects adverse to the health (as classified by EC Directives using ould be minimised as a matter of course.	
Chronic Dilution Buffer - Ultra	animal models); nevertheless exposure by all routes sho	ould be minimised as a matter of course.	
	animal models); nevertheless exposure by all routes sho	ould be minimised as a matter of course. IRRITATION	
Dilution Buffer - Ultra	animal models); nevertheless exposure by all routes show that a show the show that a show	IRRITATION Not Available	
Dilution Buffer - Ultra	animal models); nevertheless exposure by all routes show the state of	IRRITATION Not Available IRRITATION	
	animal models); nevertheless exposure by all routes show that the second of the second	IRRITATION Not Available IRRITATION Eye: adverse effect observed (irreversible damage) ^[1]	

ISOTHIAZOLINONES, MIXED

The following information refers to contact allergens as a group and may not be specific to this product.

specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. No significant acute toxicological data identified in literature search.

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it

Chemwatch: **5555-18** Page **6** of **9**

Dilution Buffer - Ultra

disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic

Astima-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

Data either not available or does not fill the criteria for classification

Issue Date: 25/10/2022

Print Date: 21/09/2024

✓ – Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

Version No: 4.1

SECTION 12 Ecological information

12.1. Toxicity

	Test Duration (hr)	Species	Value	Source
Not Available	Not Available	Not Available	Not Available	Not Available
Endpoint	Test Duration (hr)	Species	Value	Source
EC50	72h	Algae or other aquatic plants	0.006mg/L	2
EC50	48h	Crustacea	0.007mg/l	2
LC50	96h	Fish	0.129mg/l	2
EC50	96h	Algae or other aquatic plants	0.036mg/L	2
NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Extracted from	IUCLID Toxicity Data 2. Europe E	: CHA Registered Substances - Ecotoxicological Inform	nation - Aquatic Toxicity	4. US EF
	Endpoint EC50 EC50 LC50 EC50 NOEC(ECx) Extracted from	Available Not Available Endpoint Test Duration (hr) EC50 72h EC50 48h LC50 96h EC50 96h NOEC(ECx) 48h Extracted from 1. IUCLID Toxicity Data 2. Europe E	Available Not Available	Available Not Available Not Available Available Endpoint Test Duration (hr) Species Value EC50 72h Algae or other aquatic plants 0.006mg/L EC50 48h Crustacea 0.007mg/l LC50 96h Fish 0.129mg/l EC50 96h Algae or other aquatic plants 0.036mg/L

12.2. Persistence and degradability

	•		
Ingredient		Persistence: Water/Soil	Persistence: Air
		No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

12.5. Results of PBT and vPvB assessment

	Р	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			No
vPvB			No

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

Chemwatch: 5555-18 Version No: 4.1

Dilution Buffer - Ultra

Page 7 of 9 Issue Date: 25/10/2022 Print Date: 21/09/2024

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.	UN number or ID number	Not Applicable			
14.2.	UN proper shipping name	Not Applicable			
14.3.	Transport hazard	Class	Not Appl	olicable	
	class(es)	Subsidiary Hazard	Not Appl	licable	
14.4.	Packing group	Not Applicable			
14.5.	Environmental hazard	Not Applicable			
		Hazard identification	(Kemler)	Not Applicable	
		Classification code		Not Applicable	
14.6.	Special precautions for	Hazard Label		Not Applicable	
user	Special provisions		Not Applicable		
	Limited quantity		Not Applicable		
	Tunnel Restriction C	ode	Not Applicable		

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN nu i	mber	Not Applicable			
14.2. UN pro name	oper shipping	Not Applicable			
440 =		ICAO/IATA Class	Not Applicable		
14.3. Transp class(e		ICAO / IATA Subsidiary Hazard	Not Applicable		
	,	ERG Code	Not Applicable		
14.4. Packin	ng group	Not Applicable			
14.5. Enviro	nmental hazard	Not Applicable			
		Special provisions		Not Applicable	
		Cargo Only Packing Instructions		Not Applicable	
		Cargo Only Maximum Qty / Pack		Not Applicable	
-	14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable	
usei		Passenger and Cargo Maximum Qty / Pack		Not Applicable	
		Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable	
		Passenger and Cargo Limited Ma	aximum Qty / Pack	Not Applicable	

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	IMDG Class Not Applicable IMDG Subsidiary Hazard Not Applicable			
14.4. Packing group	Not Applicable			
14.5 Environmental hazard	Not Applicable			
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable			

Chemwatch: 5555-18 Page 8 of 9

Dilution Buffer - Ultra

Version No: 4.1

Print Date: 21/09/2024

Issue Date: 25/10/2022

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	Not Applicable Not Applicable			
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Classification code	Not Applicable		
	Special provisions	Not Applicable		
14.6. Special precautions for user	Limited quantity	Not Applicable		
	Equipment required	Not Applicable		
	Fire cones number	Not Applicable		

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category	Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

National Inventory	Status			
Australia - AIIC / Australia Non- Industrial Use	o (isothiazolinones, mixed)			
Canada - DSL	Yes			
Canada - NDSL	No (isothiazolinones, mixed)			
China - IECSC	Yes			
Europe - EINEC / ELINCS / NLP	o (isothiazolinones, mixed)			
Japan - ENCS	s			
Korea - KECI	Yes			
New Zealand - NZIoC	Yes			
Philippines - PICCS	Yes			
USA - TSCA	No (isothiazolinones, mixed)			
Taiwan - TCSI	Yes			
Mexico - INSQ	No (isothiazolinones, mixed)			
Vietnam - NCI	Yes			
Russia - FBEPH	Yes			
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.			

SECTION 16 Other information

Dilution Buffer - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

Revision Date	25/10/2022
Initial Date	13/07/2022

Full text Risk and Hazard codes

H301	Toxic if swallowed.			
H310	n contact with skin.			
H314	ses severe skin burns and eye damage.			
H317	use an allergic skin reaction.			
H318	uses serious eye damage.			
H330	Fatal if inhaled.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	16/08/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists

- STEL: Short Term Exposure Limit
 TEEL: Temporary Emergency Exposure Limit,
 IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- ▶ OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- BEI: Biological Exposure IndexDNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List

- NDSL: Non-Domestic Substances List
 IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European Inventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ► NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Lysis Buffer (5X) - Ultra TGR BioSciences Pty Ltd (an Abcam Company)

Chemwatch: 5555-13 Version No: 9.1 Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Issue Date: **05/09/2024** Print Date: **21/09/2024** S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

THE FOUND TO STATE OF THE STATE		
Product name	Lysis Buffer (5X) - Ultra	
Chemical Name	Not Applicable	
Synonyms	Lysis Buffer (5X) A	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd (an Abcam Company)
Address	Unit 3-4, 31 George Street Thebarton SA 5031 Australia
Telephone	+61 08 7228 2141
Fax	Not Available
Website	www.tgrbiosciences.com
Email	ADE.info@abcam.com

1.4. Emergency telephone number

=e.ge.iee, terepriorie italiane.		
Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone numbers	+61290372994 (Mon-Fri 8am to 5pm)	
Other emergency telephone numbers	+1703-527-3887/+31505445971	

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments [1]	H319 - Serious Eye Damage/Eye Irritation Category 2	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

riazaru staternent(s)	
H319	Causes serious eye irritation.

Chemwatch: 5555-13 Version No: 9.1

Page 2 of 11 Lysis Buffer (5X) - Ultra

Issue Date: 05/09/2024 Print Date: 21/09/2024

EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.	
Precautionary statement(s) Pre	evention	
P280	Wear protective gloves, protective clothing, eye protection and face protection.	
P264	Wash all exposed external body areas thoroughly after handling.	
Precautionary statement(s) Re	sponse	
P305+P351+P338	51+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

Precautionary statement(s) Storage

P337+P313

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

 $\label{lem:material} \textit{Material contains p-tert-octylphenol ethoxylate, sodium fluoride, isothiazolinones, mixed.}$

If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

p-tert-octylphenol ethoxylate	Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation			
p-tert-octylphenol ethoxylate	ed in the Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation			
p-tert-octylphenol ethoxylate	Determined to have endocrine-disrupting properties according to Europe Regulation (EU) 528/2012, Europe Regulation (EU) 2017/2100, and Europe Regulation (EU) 2018/605			

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 9002-93-1 2.Not Available 3.Not Available 4.Not Available	<2.5	p-tert-octylphenol ethoxylate [e]	Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 2; H302, H315, H318, H411, EUH205 ^[1]	SCL: Not Available Acute M factor: Not Available Chronic M factor: Not Available	Not Available
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	isothiazolinones, mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410 [2]	Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 Acute M factor: 100 Chronic M factor: 100	Not Available
1. 7681-49-4 2.231-667-8 3.009-004-00-7 4.Not Available	>0.1	sodium fluoride *	Acute Toxicity (Oral) Category 3, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2; H301, H315, H319 [2]	SCL: Not Available Acute M factor: Not Available Chronic M factor: Not Available	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:			lassification drawn from Regulation (EU) No 1272/2008 - dentified as having endocrine disrupting properties	Annex VI; 3. Classification dra	awn from C&L * EU

SECTION 4 First aid measures

4.1. Description of first aid measures

If this product comes in contact with the eyes:

► Wash out immediately with fresh running water.

- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact

Eye Contact

- ▶ Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).

Chemwatch: 5555-13 Version No: 9.1

Lysis Buffer (5X) - Ultra

Issue Date: 05/09/2024 Page 3 of 11 Print Date: 21/09/2024

	▶ Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
5.3. Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

May emit corrosive fumes

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	Moderate hazard. ► Clear area of personnel and move upwind. ► Alert Fire Brigade and tell them location and nature of hazard. ► Wear breathing apparatus plus protective gloves.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1 Procautions for safe handling

7.1. Precautions for safe handling		
Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. 	
Fire and explosion protection	See section 5	
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. 	

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	Plastic Bottles Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	▶ Avoid reaction with oxidising agents

Chemwatch: 5555-13 Page 4 of 11 Version No: 9.1

Lysis Buffer (5X) - Ultra

Issue Date: 05/09/2024 Print Date: 21/09/2024

Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
isothiazolinones, mixed	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) *	0.00339 mg/L (Water (Fresh)) 0.00339 mg/L (Water - Intermittent release) 0.00339 mg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP)
sodium fluoride	Dermal 0.36 mg/kg bw/day (Systemic, Chronic) Inhalation 2.5 mg/m³ (Local, Chronic) Dermal 0.36 mg/kg bw/day (Systemic, Acute) Inhalation 2.5 mg/m³ (Systemic, Acute)	0.9 mg/L (Water (Fresh)) 11 mg/kg soil dw (Soil) 51 mg/L (STP)

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Netherlands Occupational Exposure Limits	sodium fluoride	Fluoriden, anorganisch en oplosbaar (als F)	Not Available	2 mg/m3	Not Available	А
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	sodium fluoride	Inorganic Fluorides	2.5 mg/m3	Not Available	Not Available	Skin

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
sodium fluoride	17 mg/m3	90 mg/m3	1,100 mg/m3

Ingredient	Original IDLH	Revised IDLH
p-tert-octylphenol ethoxylate	Not Available	Not Available
isothiazolinones, mixed	Not Available	Not Available
sodium fluoride	250 mg/m3	Not Available

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
p-tert-octylphenol ethoxylate	E	≤ 0.1 ppm
isothiazolinones, mixed	E	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields.
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

Skin protection

See Hand protection below

Hands/feet protection

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

Page 6 of 11 Issue Date: 05/09/2024 Print Date: 21/09/2024

SECTION 11 Toxicological information

Version No: 9.1

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Inhaled	Not normally a hazard due to non-volatile nature of product The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	The material has NOT been classified by EC Directives of corroborating animal or human evidence.	r other classification systems as "harmful by ingestion". This is because of the lack	
Skin Contact	Open cuts, abraded or irritated skin should not be expose	brasions or lesions, may produce systemic injury with harmful effects. Examine the	
Еуе	This material can cause eye irritation and damage in som	e persons.	
Chronic	Ample evidence from experiments exists that there is a suspicion this material directly reduces fertility. Based on experience with animal studies, exposure to the material may result in toxic effects to the development of the foetus, at levels which do not cause significant toxic effects to the mother. There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment.		
	TOXICITY	IRRITATION	
Lysis Buffer (5X) - Ultra	Not Available	Not Available	
	TOXICITY	IRRITATION	
p-tert-octylphenol ethoxylate	Oral (Rat) LD50: 1800 mg/kg ^[2]	Eye (rabbit): 1 mg - moderate	
		Skin (human): 2 mg/3d -I - mild	
	TOXICITY	IRRITATION 111	
isothiazolinones, mixed	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	
	Inhalation (Rat) LC50: 0.171 mg/l4h ^[1]	Skin: adverse effect observed (corrosive) ^[1]	
	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin: adverse effect observed (irritating)[1]	
	TOXICITY	IRRITATION	
a adium fluarida	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 20 mg/24h-moderate	
sodium fluoride	Oral (Rat) LD50: >25<2000 mg/kg ^[1]	Eye: adverse effect observed (irritating) ^[1]	
		Skin: no adverse effect observed (not irritating) $^{[1]}$	
Legend:	Nature obtained from Europe ECHA Registered Substation Specified data extracted from RTECS - Register of Toxic I	nces - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise Effect of chemical Substances	
P-TERT-OCTYLPHENOL ETHOXYLATE	Octoxynols: Octoxynols of various chain lengths as well as octoxynol salts and organic acids function in cosmetics either as surfactants-emulsifying agents, surfactants-cleansing agents, surfactant-solubilizing agents, or surfactants-hydrotropes in a wide variety of cosmetic products at concentrations ranging from 0.0008% to 25%, with most less than 5.0%. The octoxynols are chemically similar to nonoxynols. Long-chain nonoxynols (9 and above) were considered safe as used, whereas short-chain nonoxynols (8 and below) were considered safe as used in rinse-off products and safe at concentrations less than 5% in leave-on formulations. Acute exposure of hamsters to Octoxynol-9 by bronchopulmonary lavage produced pneumonia, pulmonary edema, and intra-alveolar hemorrhage. Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported. Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed.		
ISOTHIAZOLINONES, MIXED	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance. Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. No significant acute toxicological data identified in literature search. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations cont		
SODIUM FLUORIDE	The material may produce moderate eye irritation leading conjunctivitis.	to inflammation. Repeated or prolonged exposure to irritants may produce	
Lysis Buffer (5X) - Ultra & SODIUM FLUORIDE	The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.		
	•		

Chemwatch: 5555-13 Page 7 of 11 Version No: 9.1

Lysis Buffer (5X) - Ultra

Issue Date: 05/09/2024 Print Date: 21/09/2024

ISOTHIAZOLINONES, MIXED & SODIUM FLUORIDE

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	X	Reproductivity	×
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend: - Data either not available or does not fill the criteria for classification - Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

Many chemicals may mimic or interfere with the body s hormones, known as the endocrine system. Endocrine disruptors are chemicals that can interfere with endocrine (or hormonal) systems

Endocrine disruptors interfere with the synthesis, secretion, transport, binding, action, or elimination of natural hormones in the body. Any system in the body controlled by hormones can be derailed by hormone disruptors. Specifically, endocrine disruptors may be associated with the development of learning disabilities, deformations of the body various cancers and sexual development problems.

Endocrine disrupting chemicals cause adverse effects in animals. But limited scientific information exists on potential health problems in humans. Because people are typically exposed to multiple endocrine disruptors at the same time, assessing public health effects is difficult.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Lysis Buffer (5X) - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
p-tert-octylphenol ethoxylate	LC50	96h	Fish	>2.8<3.2mg/L	4
	EC50(ECx)	96h	Fish	3mg/L	5
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	LC50	96h	Fish	0.129mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	BCF	672h	Fish	<0.66	7
	EC50	72h	Algae or other aquatic plants	>121.8mg/L	4
sodium fluoride	EC50	48h	Crustacea	36.2mg/L	5
	LC50	96h	Fish	38-68mg/l	4
	EC50	96h	Algae or other aquatic plants	43mg/l	2
	NOEC(ECx)	2160h	Fish	3.1mg/l	4
Legend:	Ecotox databas		A Registered Substances - Ecotoxicological Inform quatic Hazard Assessment Data 6. NITE (Japan)		

DO NOT discharge into sewer or waterways.

12.2. Persistence and degradability

	· · · · · · · · · · · · · · · · · · ·		
Ingredient	Persistence: Water/Soil	Persistence: Air	
p-tert-octylphenol ethoxylate	HIGH	HIGH	
sodium fluoride	LOW	LOW	

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
p-tert-octylphenol ethoxylate	HIGH (LogKOW = 4.863)
sodium fluoride	LOW (BCF = 6.4)

Issue Date: **05/09/2024** Print Date: **21/09/2024**

Ingredient	Mobility
p-tert-octylphenol ethoxylate	LOW (Log KOC = 699.2)
sodium fluoride	LOW (Log KOC = 14.3)

12.5. Results of PBT and vPvB assessment

	Р	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			No
vPvB			No

12.6. Endocrine disrupting properties

The evidence linking adverse effects to endocrine disruptors is more compelling in the environment than it is in humans. Endocrine distruptors profoundly alter reproductive physiology of ecosystems and ultimately impact entire populations. Some endocrine-disrupting chemicals are slow to break-down in the environment. That characteristic makes them potentially hazardous over long periods of time. Some well established adverse effects of endocrine disruptors in various wildlife species include; eggshell-thinning, displayed of characteristics of the opposite sex and impaired reproductive development. Other adverse changes in wildlife species that have been suggested, but not proven include; reproductive abnormalities, immune dysfunction and skeletal deformaties.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.	
Waste treatment options	Not Available	
Sewage disposal options	Not Available	

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

and transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS			
14.1. UN number or ID number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Class Not App Subsidiary Hazard Not App		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Hazard identification (Kemler) Classification code Hazard Label Special provisions Limited quantity Tunnel Restriction Code	Not Applicable	

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
	ICAO/IATA Class	Not Applicable		
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
Class(es)	ERG Code	Not Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
14.6. Special precautions for user	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		Not Applicable	
	Cargo omy radiang menadanin			

Issue Date: 05/09/2024 Print Date: 21/09/2024

Passenger and Cargo Packing Instructions	Not Applicable
Passenger and Cargo Maximum Qty / Pack	Not Applicable
Passenger and Cargo Limited Quantity Packing Instructions	Not Applicable
Passenger and Cargo Limited Maximum Qty / Pack	Not Applicable

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	IMDG Class Not Applicable IMDG Subsidiary Hazard Not Applicable		
14.4. Packing group	Not Applicable		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable		

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Classification code	Not Applicable	
14.6. Special precautions for	Special provisions	Not Applicable	
user	Limited quantity	Not Applicable	
	Equipment required	Not Applicable	
	Fire cones number	Not Applicable	

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
p-tert-octylphenol ethoxylate	Not Available
isothiazolinones, mixed	Not Available
sodium fluoride	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
p-tert-octylphenol ethoxylate	Not Available
isothiazolinones, mixed	Not Available
sodium fluoride	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

EU REACH Regulation (EC) No 1907/2006 - Proposals to identify Substances of Very High Concern: Annex XV reports for commenting by Interested Parties previous consultation

Europe European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation

Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

sodium fluoride is found on the following regulatory lists

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)

Europe EC Inventory

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

Page 10 of 11 Issue Date: 05/09/2024 Print Date: 21/09/2024

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic Netherlands Occupational Exposure Limits

Additional Regulatory Information

Not Applicable

Version No: 9.1

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)	
Canada - DSL	Yes	
Canada - NDSL	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed; sodium fluoride)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed)	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	No (isothiazolinones, mixed)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed)	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	d: Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	05/09/2024
Initial Date	12/07/2022

Full text Risk and Hazard codes

H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H330	Fatal if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		

SDS Version Summary

Version	Date of Update	Sections Updated	
8.1	21/08/2024	Toxicological information - Acute Health (inhaled)	
9.1	05/09/2024	Identification of the substance / mixture and of the company / undertaking - Synonyms	

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

Version No: 9.1

Lysis Buffer (5X) - Ultra

Issue Date: 05/09/2024 Print Date: 21/09/2024

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ► IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- ▶ OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
 IECSC: Inventory of Existing Chemical Substance in China
- ► EINECS: European INventory of Existing Commercial chemical Substances
- ► ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
 NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure	
Serious Eye Damage/Eye Irritation Category 2, H319	Minimum classification	
FUH208	Calculation method	

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Reaction Buffer 1 - Ultra TGR BioSciences Pty Ltd (an Abcam Company)

Chemwatch: **5555-14**Version No: **4.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **21/09/2024**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1	1	Produ	ct Ida	ntifior
1	- 1 -	Produ	cr ioe	ntiller

The Found Meditine			
Product name	Reaction Buffer 1 - Ultra		
Chemical Name	Not Applicable		
Synonyms	Synonyms Reaction Buffer 1 - MPSU; Reaction Buffer 2 – Ultra; Reaction Buffer 2 & Reaction Buffer 3 - MPSU		
Chemical formula Not Applicable			
Other means of identification	ication Reaction Buffer 1 - MPSU, Reaction Buffer 2 - Ultra, Reaction Buffer 2 - MPSU, Reaction Buffer 3 - MPSU		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.	
Uses advised against	No specific uses advised against are identified.	

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd (an Abcam Company)	
Address	Unit 3-4, 31 George Street Thebarton SA 5031 Australia	
Telephone	+61 08 7228 2141	
Fax	Not Available	
Website	www.tgrbiosciences.com	
Email	ADE.info@abcam.com	

1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61290372994 (Mon-Fri 8am to 5pm)
Other emergency telephone numbers	+1703-527-3887/+31505445971

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments [1]	Non hazardous
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Supplementary statement(s)

ouppromontally officerity	
EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Chemwatch: 5555-14 Page 2 of 10 Issue Date: 25/10/2022
Version No: 4.1 Print Date: 21/09/2024

Reaction Buffer 1 - Ultra

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Material contains isothiazolinones, mixed.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments		SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	isothiazolinones. mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410 [2]	Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 Acute M factor: 100 Chronic M factor: 100	Not Available
		Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:	1. Classified by Chernwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties				

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

• foam.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Chemwatch: 5555-14 Page 3 of 10 Version No: 4.1

Reaction Buffer 1 - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

5.3. Advice for firefighters

Fire Fighting	 Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	Minor hazard. ▶ Clear area of personnel. ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Control personal contact with the substance, by using protective equipment as required.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Fire and explosion protection	See section 5
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	astic tube or plastic bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.		
Storage incompatibility	Avoid reaction with oxidising agents		
Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available		
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available		

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
isothiazolinones, mixed	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) *	0.00339 mg/L (Water (Fresh)) 0.00339 mg/L (Water - Intermittent release) 0.00339 mg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP)

Version No: 4.1

Reaction Buffer 1 - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Reaction Buffer 1 - Ultra	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	

Occupational Exposure Banding

	,	
Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
isothiazolinones, mixed	E	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into adverse health outcomes associated with exposure. The output of this p to a range of exposure concentrations that are expected to protect work	process is an occupational exposure band (OEB), which corresponds

8.2. Exposure controls

isothiazolinones, mixed

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Not Available

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment



Not Available







Eye and face protection

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

▶ Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice Personal hygiene is a key element of effective hand care.

Body protection

See Other protection below

Other protection

No special equipment needed when handling small quantities. OTHERWISE:

- Overalls.
- Barrier cream.
- Evewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable

^{*} Values for General Population

Version No: 4.1

Reaction Buffer 1 - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled		ffects or irritation of the respiratory tract (as classified by EC Directives using animal that exposure be kept to a minimum and that suitable control measures be used in a
Ingestion	The material has NOT been classified by EC Directives of corroborating animal or human evidence.	or other classification systems as "harmful by ingestion". This is because of the lack
Skin Contact		ffects or skin irritation following contact (as classified by EC Directives using animal that exposure be kept to a minimum and that suitable gloves be used in an
Eye	Although the liquid is not thought to be an irritant (as classifications) discomfort characterised by tearing or conjunctival rednermal statements.	ssified by EC Directives), direct contact with the eye may produce transient ess (as with windburn).
	Long-term exposure to the product is not thought to product	duce chronic effects adverse to the health (as classified by EC Directives using
Chronic	animal models); nevertheless exposure by all routes sho	
Reaction Buffer 1 - Ultra	animal models); nevertheless exposure by all routes sho	ould be minimised as a matter of course.
	animal models); nevertheless exposure by all routes sho	ould be minimised as a matter of course. IRRITATION
Reaction Buffer 1 - Ultra	animal models); nevertheless exposure by all routes show that a show the show that a show	IRRITATION Not Available
	animal models); nevertheless exposure by all routes show the state of	IRRITATION IRRITATION IRRITATION
Reaction Buffer 1 - Ultra	animal models); nevertheless exposure by all routes show that the second of the second	IRRITATION Not Available IRRITATION Eye: adverse effect observed (irreversible damage) ^[1]

ISOTHIAZOLINONES, MIXED

The following information refers to contact allergens as a group and may not be specific to this product.

specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by nonprofessional users. No significant acute toxicological data identified in literature search.

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehydereleasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it

Chemwatch: 5555-14 Page 6 of 10 Version No: 4.1

Issue Date: 25/10/2022 Print Date: 21/09/2024 Reaction Buffer 1 - Ultra

disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic

condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

- Data either not available or does not fill the criteria for classification

- Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

	Endpoint Test Duration (hr)		Species	Value	Source
Reaction Buffer 1 - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
	EC50	48h	Crustacea	0.007mg/l	2
isothiazolinones, mixed	LC50	96h	Fish	0.129mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:			CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan) -		

12.2. Persistence and degradability

	•		
Ingredient		Persistence: Water/Soil	Persistence: Air
		No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

12.5. Results of PBT and vPvB assessment

	P	В	Т	
Relevant available data	Not Available	Not Available	Not Available	
PBT	X	×	×	
PBT vPvB	×	×	×	
PBT Criteria fulfilled?			No	
vPvB			No	

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature

Chemwatch: 5555-14

Reaction Buffer 1 - Ultra

Page **7** of **10** Issue Date: 25/10/2022 Print Date: 21/09/2024

12.7. Other adverse effects

Version No: 4.1

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal	ckaging disposal Consult State Land Waste Management Authority for disposal.	
Waste treatment options	Waste treatment options Not Available	
Sewage disposal options	Not Available	

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.	UN number or ID number	Not Applicable	Not Applicable		
14.2.	UN proper shipping name	Not Applicable	Not Applicable		
14.3.	Transport hazard	Class	Not Appl	olicable	
class(es)	Subsidiary Hazard	Not Appl	licable		
14.4.	Packing group	Not Applicable			
14.5.	Environmental hazard	Not Applicable			
		Hazard identification	(Kemler)	Not Applicable	
		Classification code		Not Applicable	
14.6.	Special precautions for	Hazard Label		Not Applicable	
	user	Special provisions		Not Applicable	
		Limited quantity		Not Applicable	
	Tunnel Restriction C	ode	Not Applicable		

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN	number	Not Applicable			
14.2. UN nam	proper shipping ne	Not Applicable			
		ICAO/IATA Class	Not Applicable		
	nsport hazard ss(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
- Juli		ERG Code	Not Applicable		
14.4. Pac	king group	Not Applicable			
14.5. Env	rironmental hazard	Not Applicable			
		Special provisions		Not Applicable	
		Cargo Only Packing Instructions		Not Applicable	
		Cargo Only Maximum Qty / Pack		Not Applicable	
14.6. Spe use	ecial precautions for	Passenger and Cargo Packing Instructions		Not Applicable	
use	user	Passenger and Cargo Maximum Qty / Pack		Not Applicable	
		Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable	
		Passenger and Cargo Limited Ma	aximum Qty / Pack	Not Applicable	
				·	

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	IMDG Class Not Applicable IMDG Subsidiary Hazard Not Applicable		
14.4. Packing group	Not Applicable		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable		

Chemwatch: 5555-14 Version No: 4.1

Reaction Buffer 1 - Ultra

Page 8 of 10 Issue Date: 25/10/2022 Print Date: 21/09/2024

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	Not Applicable Not Applicable			
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Classification code	Not Applicable		
	Special provisions	Not Applicable		
14.6. Special precautions for user	Limited quantity	Not Applicable		
	Equipment required	Not Applicable		
	Fire cones number	Not Applicable		

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available		
	Seveso Category	Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)	
Canada - DSL	Yes	
Canada - NDSL	No (isothiazolinones, mixed)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	No (isothiazolinones, mixed)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (isothiazolinones, mixed)	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Version No: 4.1

Reaction Buffer 1 - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

Revision Date	25/10/2022
Initial Date	12/07/2022

Full text Risk and Hazard codes

H301	oxic if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	19/07/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists

- STEL: Short Term Exposure Limit
 TEEL: Temporary Emergency Exposure Limit,
 IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European Inventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ► NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure
, EUH208	Calculation method
, EUH210	Calculation method

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

Chemwatch: **5555-14**Version No: **4.1**

Page **10** of **10**

Reaction Buffer 1 - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

TEL (+61 3) 9572 4700.



AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) TGR BioSciences Pty Ltd (an Abcam Company)

Chemwatch: **5555-20**Version No: **3.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **21/09/2024**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1	1	Product Identifi	۵r

Product name	AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	
Chemical Name Not Applicable		
Synonyms	Alpha 615 CaptSure™ Acceptor Beads (2mg/mL) _ Multiplex; Alpha 545 CaptSure2™ Acceptor Beads (2mg/mL) _ Multiplex; Alpha 615 anti-p-AKT(1/2/3) (Ser473) (mlgG1) Acceptor Beads; Alpha 615 anti-p-ERK (mlgG1) Acceptor Beads	
Chemical formula	Chemical formula Not Applicable	
Other means of identification	Alpha 545 CaptSure2 Acceptor Beads (2mg/mL)_MPSU, Alpha 615 CaptSure Acceptor Beads (2mg/mL)_MPSU	

1.2. Relevant identified uses of the substance or mixture and uses advised against

<u> </u>		
Relevant identified u	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.	
Uses advised aga	nst No specific uses advised against are identified.	

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name TGR BioSciences Pty Ltd (an Abcam Company)		
Address	Unit 3-4, 31 George Street Thebarton SA 5031 Australia	
Telephone	+61 08 7228 2141	
Fax Not Available		
Website	www.tgrbiosciences.com	
Email	ADE.info@abcam.com	

1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61290372994 (Mon-Fri 8am to 5pm)
Other emergency telephone numbers	+1703-527-3887/+31505445971

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments [1]	Non hazardous
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

z.z. Laber elements			
Hazard pictogram(s)	Not Applicable		
Signal word	Not Applicable		

Hazard statement(s)

Not Applicable

Supplementary statement(s)

EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Chemwatch: **5555-20** Page **2** of **10**

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **21/09/2024**

Precautionary statement(s) Prevention

Not Applicable

Version No: 3.1

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Material contains isothiazolinones, mixed.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

. CAS No LEC No % Index No [weight]		Name Classification according to regulation (EC) No 1272/2008 [CLP] and amendments		SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	isothiazolinones. mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410 [2]	Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 Acute M factor: 100 Chronic M factor: 100	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:		•	lassification drawn from Regulation (EU) No 1272/2008 dentified as having endocrine disrupting properties	- Annex VI; 3. Classification dra	awn from C&L * El

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

5.3. Advice for firefighters

Fire Fighting

▶ Alert Fire Brigade and tell them location and nature of hazard.

Chemwatch: **5555-20** Page **3** of **10**

Version No: 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **21/09/2024**

	 Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

<u> </u>				
Minor Spills	 Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety glasses. Use dry clean up procedures and avoid generating dust. 			
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment and dust respirator. Prevent spillage from entering drains, sewers or water courses. 			

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Fire and explosion protection	See section 5
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	Brown tube or bottle. Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer.
Storage incompatibility	None known
Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment	
isothiazolinones, mixed	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) *	0.00339 mg/L (Water (Fresh)) 0.00339 mg/L (Water - Intermittent release) 0.00339 mg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP)	

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Chemwatch: 5555-20 Page 4 of 10 Issue Date: 25/10/2022 Version No: 3.1 Print Date: 21/09/2024

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Not Applicable

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
isothiazolinones, mixed	E ≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed

Hands/feet protection

when making a final choice. Personal hygiene is a key element of effective hand care.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- polychloroprene.
- nitrile rubber.
- butyl rubber

Body protection

See Other protection below

Other protection

No special equipment needed when handling small quantities. OTHERWISE:

Overalls.

- Barrier cream.
 - Evewash unit

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- · Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures
- · The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option)
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- · Try to avoid creating dust conditions.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	White Lyophilysed pellet.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available

Version No: 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **21/09/2024**

Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2	
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.	
10.3. Possibility of hazardous reactions	See section 7.2	
10.4. Conditions to avoid	See section 7.2	
10.5. Incompatible materials	See section 7.2	
10.6. Hazardous decomposition products	See section 5.3	

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.		
Ingestion	The material has NOT been classified by EC Directives or other classif of corroborating animal or human evidence.	fication systems as "harmful by ingestion". This is because of the lack	
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Eye	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung.		
AlphaLISA CaptSure™	TOXICITY	IRRITATION	
Acceptor Beads (2mg/mL)	Not Available	Not Available	
	TOXICITY	IRRITATION	
in athirmalian and an include	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	
isothiazolinones, mixed	Inhalation (Rat) LC50: 0.171 mg/l4h ^[1]	Skin: adverse effect observed (corrosive) ^[1]	
	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin: adverse effect observed (irritating) $^{[1]}$	
Legend:	Value obtained from Europe ECHA Registered Substances - Acute t specified data extracted from RTECS - Register of Toxic Effect of chen	•	

Chemwatch: **5555-20** Page **6** of **10**

Version No. 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **21/09/2024**

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users.

ISOTHIAZOLINONES, MIXED

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) & ISOTHIAZOLINONES, MIXED

No significant acute toxicological data identified in literature search.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

💢 – Data either not available or does not fill the criteria for classification

Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
	EC50	48h	Crustacea	0.007mg/l	2
isothiazolinones, mixed	LC50	96h	Fish	0.129mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:	Ecotox databas	,	Registered Substances - Ecotoxicological Informuatic Hazard Assessment Data 6. NITE (Japan) -	, ,	

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Chemwatch: **5555-20**Version No: **3.1**

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **21/09/2024**

Ingredient	Mobility	Mobility			
	No Data available for all ingred	No Data available for all ingredients			
2.5. Results of PBT and vi	PvB assessment				
	Р	В	Т		
Relevant available data	Not Available	Not Available Not Available Not Available			
PBT	×	x x x			
vPvB	×	x x x			
PBT Criteria fulfilled?					
vPvB					

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.	
Waste treatment options	Not Available	
Sewage disposal options	Not Available	

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	Class Not Applicable Subsidiary Hazard Not Applicable	
14.4. Packing group	Not Applicable	
14.5. Environmental haza	Not Applicable	
14.6. Special precautions for user	Hazard identification (Kemler) Not Applicable Classification code Not Applicable	
	Manager Manage	
	Special provisions Not Applicable	
	Limited quantity Not Applicable	
	Tunnel Restriction Code Not Applicable	

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

AIR transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS				
14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
	ICAO/IATA Class	Not Applicable		
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
Class(es)	ERG Code	Not Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		Not Applicable	
	Cargo Only Maximum Qty / Pack		Not Applicable	
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable	
usei	Passenger and Cargo Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo Limited Qu	antity Packing Instructions	Not Applicable	
	Passenger and Cargo Limited Ma	aximum Qty / Pack	Not Applicable	

Chemwatch: **5555-20**Version No: **3.1**

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **21/09/2024**

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard	IMDG Class	Not Applicable	
class(es)	IMDG Subsidiary Hazard	Not Applicable	
14.4. Packing group	Not Applicable		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number Not A	pplicable	
	Special provisions Not A	pplicable	
	Limited Quantities Not A	pplicable	
14.5 Environmental hazard 14.6. Special precautions for	Not Applicable EMS Number Not A Special provisions Not A	pplicable	

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Not Applicable		
Not Applicable		
Not Applicable Not Applicable		
Not Applicable		
Not Applicable		
Classification code	Not Applicable Not Applicable	
Limited quantity	Not Applicable Not Applicable	
Equipment required	Not Applicable	
Fire cones number	Not Applicable	
	Not Applicable Not Applicable Not Applicable Classification code Special provisions Limited quantity Equipment required	

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

_	
Seveso Category	Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

•	
National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)

Chemwatch: 5555-20

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Page 9 of 10 Issue Date: 25/10/2022 Print Date: 21/09/2024

National Inventory	Status
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Version No: 3.1

Revision Date	25/10/2022
Initial Date	13/07/2022

Full text Risk and Hazard codes

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility)

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act

Chemwatch: 5555-20 Page 10 of 10 Issue Date: 25/10/2022 Version No: 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Print Date: 21/09/2024

- TCSI: Taiwan Chemical Substance Inventory
 INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.



Alpha CaptSure™3 Donor Beads (2mg/ml) TGR BioSciences Pty Ltd (an Abcam Company)

Chemwatch: **7927-72**Version No: **2.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **20/02/2025**Print Date: **25/02/2025**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name	Alpha CaptSure™3 Donor Beads (2mg/ml)		
Chemical Name	Not Applicable		
Synonyms	Not Available		
Chemical formula	Not Applicable		
Other means of identification	Not Available		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research use only. Use according to manufacturer's directions.	
Uses advised against	No specific uses advised against are identified.	

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd (an Abcam Company)		
Address	Unit 3-4, 31 George Street Thebarton SA 5031 Australia		
Telephone	+61 08 7228 2141		
Fax	Not Available		
Website	www.tgrbiosciences.com		
Email	ADE.info@abcam.com		

1.4. Emergency telephone number

<u>-</u> 30.0) 10.0p.10.10 11		
Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone number(s)	+61290372994 (Mon-Fri 8am to 5pm)	
Other emergency telephone number(s)	+1703-527-3887/+31505445971	

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments [1]	1 · · · · · · · · · · · · · · · · · · ·	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

nazaru statemeni(s)			
H317	May cause an allergic skin reaction.		

Chemwatch: **7927-72** Page **2** of **10**

Version No: 2.1

Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: **20/02/2025**Print Date: **25/02/2025**

Not Applicable

Precautionary statement(s) Prevention

P280	Wear protective gloves and protective clothing.	
P261	Avoid breathing dust/fumes.	
P272	Contaminated work clothing should not be allowed out of the workplace.	

Precautionary statement(s) Response

P302+P352 IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Material contains isothiazolinones, mixed.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2. Not Available 3.613-167-00-5 4. Not Available	<0.01	isothiazolinones, mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410 [2]	Skin Corr. 1C; H314: $C \ge 0.6 \% \mid Skin Irrit. 2$; H315: $0.06 \% \le C < 0.6 \% \mid Eye$ Dam. 1; H318: $C \ge 0.6 \% \mid$ Eye Irrit. 2; H319: $0.06 \% \le C < 0.6 \% \mid Sensitisation$ (Skin) Category 1A; H317: $C \ge 0.0015 \% \mid M=100 \mid$ M=100 Acute M factor: 100 Chronic M factor: 100	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:		•	lassification drawn from Regulation (EU) No 1272/200 identified as having endocrine disrupting properties	8 - Annex VI; 3. Classification dr	awn from C&L * EU

SECTION 4 First aid measures

4.1. Description of first aid measures

411 Bookhalon of mot did modouros		
Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.	
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 	
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 	

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Version No: 2.1

Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: 20/02/2025 Print Date: 25/02/2025

5.1. Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

5.3. Advice for firefighters

Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Fire Fighting Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. • Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions). Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit Fire/Explosion Hazard will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion. Combustion products include: carbon monoxide (CO) carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material May emit corrosive fumes

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust.
Major Spills	Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

7.1. I recautions for safe flation	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions) Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame. Establish good housekeeping practices. Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.
Fire and explosion protection	See section 5
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers.

7.2. Conditions for safe storage, including any incompatibilities

	-,
Suitable container	 Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer.
Storage incompatibility	Avoid reaction with oxidising agents
Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available
Qualifying quantity (tonnes) of dangerous substances as	Not Available

Chemwatch: **7927-72** Page **4** of **10**

Version No: 2.1 Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: **20/02/2025**Print Date: **25/02/2025**

referred to in Article 3(10) for the application of

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
isothiazolinones, mixed	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) *	0.00339 mg/L (Water (Fresh)) 0.00339 mg/L (Water - Intermittent release) 0.00339 mg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP)

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	ingrealent	Material name	IWA	SIEL	reak	Notes
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Not Applicable						
Ingredient	Original IDLH			Revised IDLH		

8.2. Exposure controls

isothiazolinones, mixed

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Not Available

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment



In ava diant

Not Available





Meterial name





Eye and face protection

- Safety glasses with side shields
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

Skin protection

Hands/feet protection

See Hand protection below

.

- NOTE:

 The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
 - Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed

when making a final choice.
Personal hygiene is a key element of effective hand care.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- ▶ polychloroprene
- nitrile rubber.
- butyl rubber.

Body protection

See Other protection below

Other protection

- Overalls.
- P.V.C apron.Barrier cream.
- Skin cleansing cream.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- · Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- · Use approved positive flow mask if significant quantities of dust becomes airborne.

Chemwatch: **7927-72** Version No: 2.1

Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: 20/02/2025 Print Date: 25/02/2025

- · Try to avoid creating dust conditions.
 Class P2 particulate filters are used for protection against mechanically and thermally generated particulates or both. P2 is a respiratory filter rating under various international standards, Filters at least 94% of airborne particles Suitable for:
- $\cdot \ \text{Relatively small particles generated by mechanical processes eg. grinding, cutting, sanding, drilling, sawing.}$
- Sub-micron thermally generated particles e.g. welding fumes, fertilizer and bushfire smoke.

 Biologically active airborne particles under specified infection control applications e.g. viruses, bacteria, COVID-19, SARS

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	White Lyophilysed pellet.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

a) Acute Toxicity	Based on available data, the classification criteria are not met.
b) Skin Irritation/Corrosion	Based on available data, the classification criteria are not met.
c) Serious Eye Damage/Irritation	Based on available data, the classification criteria are not met.
d) Respiratory or Skin sensitisation	There is sufficient evidence to classify this material as sensitising to skin or the respiratory system
e) Mutagenicity	Based on available data, the classification criteria are not met.
f) Carcinogenicity	Based on available data, the classification criteria are not met.
g) Reproductivity	Based on available data, the classification criteria are not met.
h) STOT - Single Exposure	Based on available data, the classification criteria are not met.

Alpha CaptSure™3 Donor Beads (2mg/ml)

Page 6 of 10 Issue Date: 20/02/2025 Print Date: 25/02/2025

i) STOT - Repeated Exposure	Based on available data, the classification criteria are	not met.		
j) Aspiration Hazard	Based on available data, the classification criteria are			
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.			
Ingestion	The material has NOT been classified by EC Directive of corroborating animal or human evidence.	es or other classification systems as	"harmful by ingestion". This is because of the lack	
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Eye	Although the material is not thought to be an irritant (a discomfort characterised by tearing or conjunctival rec			
Chronic	Skin contact with the material is more likely to cause a Long term exposure to high dust concentrations may a micron penetrating and remaining in the lung.	·		
Alpha CaptSure™3 Donor	TOXICITY	IRRITATION		
Beads (2mg/ml)	Not Available	Not Available		
	TOXICITY	IRRITATION		
	dermal (rat) LD50: >1008 mg/kg ^[1]		ect observed (irreversible damage) ^[1]	
	Inhalation (Rat) LC50: 0.171 mg/l4h ^[1]	Skin (Human - wo		
isothiazolinones, mixed	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin (Human): 0.	,	
iootinazoniioneo, iinxea	Grai (Nat) EB30. 33 Hig/kg	Skin (Human): 0.		
	Skin: adverse effect observed (corrosive) ^[1]			
		Skin: adverse effe	ect observed (corrosive)[1]	
Legend:	Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To.	Skin: adverse efforts	ect observed (irritating) ^[1]	
Legend:	specified data extracted from RTECS - Register of To.	Skin: adverse efforts stances - Acute toxicity 2. Value obtained Effect of chemical Substances	ect observed (irritating) ^[1] ained from manufacturer's SDS. Unless otherwise	
Legend:	In light of potential adverse effects, and to ensure a habicocides has been established with the objective of enthis aim, it is required that risk assessment of biocidal the risk assessment of the biocidal products are the unapplications and thus the exposure of humans and the Humans may be exposed to biocidal products in differ intended for industrial sectors or professional uses on professional users. No significant acute toxicological of Formaldehyde generators (releasers) are often used and must be labelled with the warning sign "contains for releasing preservatives ensures that the level of free for disrupts metabolism to cause death of the organism. For causing cancers (nitrosamines) when used in formutation and the production of vesicles, scaling and thickening of the slashtma-like symptoms may continue for months or excondition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function teand the lack of minimal lymphocytic inflammation, with	Skin: adverse effects according to the products is carried out before they can be a substance of the products is carried out before they can be a controlled to the products is carried out before they can be a controlled to the products is carried out before they can be a controlled to the products in the products and the products is alwards and the products of the products o	ained from manufacturer's SDS. Unless otherwise largement, the EU regulatory framework for uman and animal health and the environment. To an be placed on the market. A central element in dosage, application method and amount of nice. Omestic settings. Many biocidal products are are commonly available for private use by non-norised concentration of free formaldehyde is 0.2% on exceeds 0.05%. The use of formaldehyde ys low but sufficient to inhibit microbial growth - it haldehyde generators can produce amines capable peated or prolonged exposure to irritants may uce on contact skin redness, swelling, the rial ends. This may be due to a non-allergic exposure to high levels of highly irritating lease in a non-atopic individual, with sudden onset the irritant. Other criteria for diagnosis of RADS perreactivity on methacholine challenge testing,	
	In light of potential adverse effects, and to ensure a habiccides has been established with the objective of enthis aim, it is required that risk assessment of biocidal the risk assessment of the biocidal products are the utapplications and thus the exposure of humans and the Humans may be exposed to biocidal products in differintended for industrial sectors or professional uses on professional users. No significant acute toxicological of Formaldehyde generators (releasers) are often used a and must be labelled with the warning sign "contains for releasing preservatives ensures that the level of free for disrupts metabolism to cause death of the organism. In of causing cancers (nitrosamines) when used in formuth material may be irritating to the eye, with prolonge produce conjunctivitis. The material may cause skin irritation after prolonged production of vesicles, scaling and thickening of the sl Asthma-like symptoms may continue for months or evecondition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function testing the stable production to the continuous function testing the symptoms within minutes to include a reversible airflow pattern on lung function testing the sum of the slight production the continuous function testing the sum of the slight production the continuous function testing the sum of the slight production the sum of the slight production the sum of the slight production that the sum of the slight production that the sum of the slight production that the sum of the slight production the slight production that the sum of the slight production that t	Skin: adverse effects according to the modern and suring a high level of protection of high products is carried out before they or citization instructions that defines the environment to the biocidal substant and the products is carried out before they or citization instructions that defines the environment to the biocidal substant and the products are the ways in both occupational and of lay, whereas other biocidal products a lata identified in literature search, as preservatives. The maximum authormaldehyde" where the concentration or allowed in the products is alwallowever there is a concern that formulations containing amines, and contact causing inflammation. Reformed (RADS) which can occur after the absence of previous airways dishours of a documented exposure to the mater one (RADS) which can occur after the absence of previous airways dishours of a documented exposure to sts, moderate to severe bronchial hy nout eosinophilia.	agement, the EU regulatory framework for uman and animal health and the environment. To an be placed on the market. A central element in dosage, application method and amount of noe. To an be placed on the market. A central element in dosage, application method and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and environment. To an environment. T	
ISOTHIAZOLINONES, MIXED Alpha CaptSure™3 Donor Beads (2mg/ml) &	In light of potential adverse effects, and to ensure a habicocides has been established with the objective of enthis aim, it is required that risk assessment of biocidal the risk assessment of the biocidal products are the unapplications and thus the exposure of humans and the Humans may be exposed to biocidal products in differ intended for industrial sectors or professional uses on professional users. No significant acute toxicological of Formaldehyde generators (releasers) are often used and must be labelled with the warning sign "contains in releasing preservatives ensures that the level of free from disrupts metabolism to cause death of the organism. For causing cancers (nitrosamines) when used in formuth material may be irritating to the eye, with prolonger produce conjunctivitis. The material may cause skin irritation after prolonged production of vesicles, scaling and thickening of the slandshma-like symptoms may continue for months or even condition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function teand the lack of minimal lymphocytic inflammation, with the following information refers to contact allergies a contact allergies quickly manifest themselves as conticontact eczema involves a cell-mediated (T lymphocytic).	Skin: adverse effects according to the modern and suring a high level of protection of high products is carried out before they or citization instructions that defines the environment to the biocidal substant and the products is carried out before they or citization instructions that defines the environment to the biocidal substant and the products are the ways in both occupational and of lay, whereas other biocidal products a lata identified in literature search, as preservatives. The maximum authormaldehyde" where the concentration or allowed in the products is alwallowever there is a concern that formulations containing amines, and contact causing inflammation. Reformed (RADS) which can occur after the absence of previous airways dishours of a documented exposure to the mater one (RADS) which can occur after the absence of previous airways dishours of a documented exposure to sts, moderate to severe bronchial hy nout eosinophilia.	agement, the EU regulatory framework for uman and animal health and the environment. To an be placed on the market. A central element in dosage, application method and amount of noe. To an be placed on the market. A central element in dosage, application method and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the market and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and amount of noe. To an be placed on the environment. To and environment. To an environment. T	
ISOTHIAZOLINONES, MIXED Alpha CaptSure™3 Donor Beads (2mg/ml) & ISOTHIAZOLINONES, MIXED	In light of potential adverse effects, and to ensure a habicocides has been established with the objective of enthis aim, it is required that risk assessment of biocidal the risk assessment of the biocidal products are the unapplications and thus the exposure of humans and the Humans may be exposed to biocidal products in differ intended for industrial sectors or professional uses on professional users. No significant acute toxicological of Formaldehyde generators (releasers) are often used and must be labelled with the warning sign "contains for releasing preservatives ensures that the level of free for disrupts metabolism to cause death of the organism. In of causing cancers (nitrosamines) when used in formutant may be irritating to the eye, with prolonge produce conjunctivitis. The material may be irritating to the eye, with prolonged production of vesicles, scaling and thickening of the slashtma-like symptoms may continue for months or excondition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function teand the lack of minimal lymphocytic inflammation, with the following information refers to contact allergens a Contact allergies quickly manifest themselves as cont contact eczema involves a cell-mediated (T lymphocy urticaria, involve antibody-mediated immune reactions).	Skin: adverse effects according to the products is carried out before they could be a contact causing a high level of protection of high products is carried out before they could be a contact causing a high level of protection of high products is carried out before they could be environment to the biocidal substant and ways in both occupational and dig, whereas other biocidal products a lata identified in literature search, as preservatives. The maximum authormaldehyde where the concentration ormaldehyde in the products is always always and contact causing inflammation. Reductions containing amines, and contact causing inflammation. Reform (RADS) which can occur after the absence of previous airways dishours of a documented exposure to sts, moderate to severe bronchial hy lout eosinophilia. Is a group and may not be specific to act eczema, more rarely as urticaria tes) immune reaction of the delayed in the products in the delayed in the products of the product	ained from manufacturer's SDS. Unless otherwise largement, the EU regulatory framework for uman and animal health and the environment. To an be placed on the market. A central element in dosage, application method and amount of nce. omestic settings. Many biocidal products are tre commonly available for private use by non-torised concentration of free formaldehyde is 0.2% on exceeds 0.05%. The use of formaldehyde-ys low but sufficient to inhibit microbial growth - it aldehyde generators can produce amines capable peated or prolonged exposure to irritants may uce on contact skin redness, swelling, the rial ends. This may be due to a non-allergic exposure to high levels of highly irritating sease in a non-atopic individual, with sudden onset the irritant. Other criteria for diagnosis of RADS perreactivity on methacholine challenge testing, of this product. or Quincke's oedema. The pathogenesis of type. Other allergic skin reactions, e.g. contact	
Alpha CaptSure™3 Donor Beads (2mg/ml) & ISOTHIAZOLINONES, MIXED	In light of potential adverse effects, and to ensure a habicocides has been established with the objective of enthis aim, it is required that risk assessment of biocidal the risk assessment of the biocidal products are the unapplications and thus the exposure of humans and the Humans may be exposed to biocidal products in differ intended for industrial sectors or professional uses on professional users. No significant acute toxicological of Formaldehyde generators (releasers) are often used and must be labelled with the warning sign "contains for releasing preservatives ensures that the level of free for disrupts metabolism to cause death of the organism. In of causing cancers (nitrosamines) when used in formutation from the material may be irritating to the eye, with prolonger produce conjunctivitis. The material may cause skin irritation after prolonged production of vesicles, scaling and thickening of the slashtma-like symptoms may continue for months or excondition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function teand the lack of minimal lymphocytic inflammation, with the following information refers to contact allergens a Contact allergies quickly manifest themselves as contact aczema involves a cell-mediated (T lymphocy urticaria, involve antibody-mediated immune reactions	Skin: adverse effects accordingly 2. Value obtained by the content of the products in a suring a high level of protection of high products is carried out before they or dilization instructions that defines the environment to the biocidal substant ent ways in both occupational and dily, whereas other biocidal products a lata identified in literature search, as preservatives. The maximum authormaldehyde" where the concentration or allowed in the products is alwallowever there is a concern that formulations containing amines, and contact causing inflammation. Reformed (RADS) which can occur after the absence of previous airways dishours of a documented exposure to the mater one (RADS) which can occur after the absence of previous airways dishours of a documented exposure to sts, moderate to severe bronchial hy nout eosinophilia.	ained from manufacturer's SDS. Unless otherwise largement, the EU regulatory framework for uman and animal health and the environment. To an be placed on the market. A central element in dosage, application method and amount of nice. Omestic settings. Many biocidal products are are commonly available for private use by non-norised concentration of free formaldehyde is 0.2% on exceeds 0.05%. The use of formaldehyde-ys low but sufficient to inhibit microbial growth - it haldehyde generators can produce amines capable peated or prolonged exposure to irritants may uce on contact skin redness, swelling, the rial ends. This may be due to a non-allergic exposure to high levels of highly irritating sease in a non-atopic individual, with sudden onset the irritant. Other criteria for diagnosis of RADS perreactivity on methacholine challenge testing, on Quincke's oedema. The pathogenesis of type. Other allergic skin reactions, e.g. contact	
Alpha CaptSure™3 Donor Beads (2mg/ml) & ISOTHIAZOLINONES, MIXED Acute Toxicity Skin Irritation/Corrosion Serious Eye	In light of potential adverse effects, and to ensure a habicoides has been established with the objective of enthis aim, it is required that risk assessment of biocidal the risk assessment of the biocidal products are the utapplications and thus the exposure of humans and the Humans may be exposed to biocidal products in differ intended for industrial sectors or professional uses on professional users. No significant acute toxicological of Formaldehyde generators (releasers) are often used a and must be labelled with the warning sign "contains freleasing preservatives ensures that the level of free fidisrupts metabolism to cause death of the organism. For causing cancers (nitrosamines) when used in formuther material may be irritating to the eye, with prolonge production of vesicles, scaling and thickening of the sl Asthma-like symptoms may continue for months or evecondition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function teand the lack of minimal lymphocytic inflammation, with The following information refers to contact allergens a Contact allergies quickly manifest themselves as conticontact eczema involves a cell-mediated (T lymphocy urticaria, involve antibody-mediated immune reactions	Skin: adverse effects accordingly a stances. Acute toxicity 2. Value obtains a stances of the control of the co	agement, the EU regulatory framework for uman and animal health and the environment. To can be placed on the market. A central element in dosage, application method and amount of noce. To commestic settings. Many biocidal products are use commonly available for private use by non-norised concentration of free formaldehyde is 0.2% on exceeds 0.05%. The use of formaldehyde is 0.2% on exceeds 0.05%. The use of formaldehyde is one exceeds 0.05%. The use of formaldehyde is 0.2% on exceeds 0.05%. The use of formaldehyde	

Legend:

- Data either not available or does not fill the criteria for classification Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

Chemwatch: **7927-72** Page **7** of **10**

Version No: 2.1 Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: **20/02/2025**Print Date: **25/02/2025**

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

Alaba CantSuraTM2 Danar	Endpoint	Test Duration (hr)	Species	Value	Source
Alpha CaptSure™3 Donor Beads (2mg/ml)	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
	LC50	96h	Fish	0.129mg/l	2
Legend:	Ecotox databas	,	CHA Registered Substances - Ecotoxicological Inform Aquatic Hazard Assessment Data 6. NITE (Japan)	, ,	

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

12.5. Results of PBT and vPvB assessment

	Р	В	Т	
Relevant available data	Not Available	Not Available	Not A	vailable
PBT	×	×	×	
vPvB	×	×	×	
PBT Criteria fulfilled?			No	
vPvB			No	

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

- ► Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- ▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Product / Packaging disposal
- ReductionReuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- ► DO NOT allow wash water from cleaning or process equipment to enter drains
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
 Where in doubt contact the responsible authority.

Waste treatment options Not Available

Sewage disposal options Not Available

SECTION 14 Transport information

Chemwatch: **7927-72**Version No: **2.1**

Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: **20/02/2025**Print Date: **25/02/2025**

·				
Marine Pollutant	NO			
Land transport (ADR): NOT RE	GULATED FOR TRAN	SPORT O	F DANGEROUS GOODS	
14.1. UN number or ID number	Not Applicable	Not Applicable		
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard	Class	Not Appli	cable	
class(es)	Subsidiary Hazard	Not Appli	cable	
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Hazard identification	(Kemler)	Not Applicable	
	Classification code		Not Applicable	
14.6. Special precautions for user	Hazard Label		Not Applicable	
	Special provisions		Not Applicable	
usui	Limited quantity		Not Applicable	
	Transport Category		Not Applicable	

Not Applicable

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Tunnel Restriction Code

Air transport (ICAO-IATA / DGR	J. NOT KEGOLATED FOR TRANS	SI OKT OF BANGEROOS	00000	
14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
	ICAO/IATA Class	Not Applicable		
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
01033(03)	ERG Code	Not Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		Not Applicable	
	Cargo Only Maximum Qty / Pack		Not Applicable	
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable	
	Passenger and Cargo Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable	
	Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable	

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard	IMDG Class	Not Applicable		
class(es)	IMDG Subsidiary Haz	Not Applicable		
14.4. Packing group	Not Applicable			
14.5 Environmental hazard	Not Applicable			
	EMS Number	Not Applicable		
14.6. Special precautions for user	Special provisions	Not Applicable		
	Limited Quantities	Not Applicable		
	Ziiiiloa Quaiililoo	Тест рриодия		

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable
14.2. UN proper shipping name	Not Applicable
14.3. Transport hazard class(es)	Not Applicable Not Applicable
14.4. Packing group	Not Applicable
14.5. Environmental hazard	Not Applicable
14.6. Special precautions for user	Classification code Not Applicable

Chemwatch: **7927-72**Version No: **2.1**

Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: **20/02/2025**Print Date: **25/02/2025**

Special provisions Not Applicable
Limited quantity Not Applicable
Equipment required Not Applicable
Fire cones number Not Applicable

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

	Not Available
--	---------------

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	20/02/2025
Initial Date	20/02/2025
Full text Risk and Hazard codes	
H301	Toxic if swallowed.
H310	Fatal in contact with skin.

H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.

Version No: 2.1

Alpha CaptSure™3 Donor Beads (2mg/ml)

Issue Date: **20/02/2025**Print Date: **25/02/2025**

H410

Very toxic to aquatic life with long lasting effects.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ▶ TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ► MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
- ▶ AllC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ► ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- ► INSQ: Inventario Nacional de Sustancias Químicas
- ▶ NCI: National Chemical Inventory
- ► FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure
Sensitisation (Skin) Category 1A. H317	Minimum classification

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Positive Control Lysate - Ultra TGR BioSciences Pty Ltd (an Abcam Company)

Chemwatch: **5555-32**Version No: **4.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **21/09/2024**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1	1 1	-	ro	du	cŧ	Id	ant	ifier

The Found Inches		
Product name	Positive Control Lysate - Ultra	
Chemical Name	Not Applicable	
Synonyms	Not Available	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

1.2. Relevant identified uses of the substance or mixture and uses advised against

	· · · · · · · · · · · · · · · · · · ·		
Relevant identified uses Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.			
Uses advised against	No specific uses advised against are identified.		

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	GR BioSciences Pty Ltd (an Abcam Company)		
Address	3-4, 31 George Street Thebarton SA 5031 Australia		
Telephone	08 7228 2141		
Fax	Not Available		
Website	www.tgrbiosciences.com		
Email	ADE.info@abcam.com		

1.4. Emergency telephone number

The Emolytical Colonial Colonia Colonial Colonia		
Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone numbers	+61290372994 (Mon-Fri 8am to 5pm)	
Other emergency telephone numbers	+1703-527-3887/+31505445971	

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments [1]	Non hazardous
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Supplementary statement(s)

ouppromontally officerity		
EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

Chemwatch: 5555-32 Page 2 of 10

Issue Date: 25/10/2022 Version No: 4.1 Print Date: 21/09/2024 **Positive Control Lysate - Ultra**

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Material contains p-tert-octylphenol ethoxylate, isothiazolinones, mixed.

2.3. Other hazards

p-tert-octylphenol ethoxylate Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation				
p-tert-octylphenol ethoxylate	District Listed in the Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation			
p-tert-octylphenol ethoxylate	Determined to have endocrine-disrupting properties according to Europe Regulation (EU) 528/2012, Europe Regulation (EU) 2017/2100, and Europe Regulation (EU) 2018/605			

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	isothiazolinones, mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410 [2]	Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 Acute M factor: 100 Chronic M factor: 100	Not Available
1. 9002-93-1 2.Not Available 3.Not Available 4.Not Available	>0.1	p-tert-octylphenol ethoxylate [e]	Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 2; H302, H315, H318, H411, EUH205 ^[1]	SCL: Not Available Acute M factor: Not Available Chronic M factor: Not Available	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties					

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.			
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.		
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 		
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 		

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Positive Control Lysate - Ultra

Issue Date: **25/10/2022** Print Date: **21/09/2024**

5.1. Extinguishing media

Version No: 4.1

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
5.3. Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety glasses. Use dry clean up procedures and avoid generating dust.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment and dust respirator. Prevent spillage from entering drains, sewers or water courses.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. 	
Fire and explosion protection	See section 5	
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. 	

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known
Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
isothiazolinones, mixed	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) *	0.00339 mg/L (Water (Fresh)) 0.00339 mg/L (Water - Intermittent release) 0.00339 mg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine))

Chemwatch: 5555-32 Page 4 of 10

Positive Control Lysate - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

Ingredient Exposure Pattern Worker Comparing	Ingredient	DNELs Exposure Pattern Worker	PNEのg/kg soil dw (Soil) Cอ๊ก parlin(ลำP)
--	------------	----------------------------------	---

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

Version No: 4.1

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Positive Control Lysate - Ultra	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	
p-tert-octylphenol ethoxylate	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
isothiazolinones, mixed	E	≤ 0.1 ppm	
p-tert-octylphenol ethoxylate	E	≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Hands/feet protection

Personal hygiene is a key element of effective hand care.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- polychloroprene
- nitrile rubber
- butyl rubber.

Body protection

See Other protection below No special equipment needed when handling small quantities.

Other protection

OTHERWISE:

- Overalls.
- Barrier cream. ▶ Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- · Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- · The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- . Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- · Try to avoid creating dust conditions

8.2.3. Environmental exposure controls

Chemwatch: **5555-32**Version No: **4.1**

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	White Lyophilysed pellet.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Positive Control Lysate -	TOXICITY	IRRITATION	
Chronic	animal models); nevertheless exposure by all routes	roduce chronic effects adverse to the health (as classified by EC Directives using should be minimised as a matter of course. cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.9	
Eye	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using anima models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Ingestion	The material has NOT been classified by EC Directiv of corroborating animal or human evidence.	es or other classification systems as "harmful by ingestion". This is because of the lac	
Inhaled	models). Nevertheless, good hygiene practice require occupational setting. Persons with impaired respiratory function, airway disdisability if excessive concentrations of particulate ar If prior damage to the circulatory or nervous systems	effects or irritation of the respiratory tract (as classified by EC Directives using animals that exposure be kept to a minimum and that suitable control measures be used in the eases and conditions such as emphysema or chronic bronchitis, may incur further a inhaled. The inhaled in the exposure or if kidney damage has been sustained, proper screenings should be the risk if handling and use of the material result in excessive exposures.	

Page 6 of 10 Issue Date: 25/10/2022 Chemwatch: 5555-32 Version No: 4.1 Print Date: 21/09/2024

Positive Control Lysate - Ultra

	Not Available	Not Available	
	TOXICITY	IRRITATION	
	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	
isothiazolinones, mixed	Inhalation (Rat) LC50: 0.171 mg/l4h ^[1]	Skin: adverse effect observed (corrosive) ^[1]	
	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin: adverse effect observed (irritating) ^[1]	
	TOXICITY	IRRITATION	
p-tert-octylphenol ethoxylate	Oral (Rat) LD50: 1800 mg/kg ^[2]	Eye (rabbit): 1 mg - moderate	
		Skin (human): 2 mg/3d -I - mild	
Legend:	Value obtained from Europe ECHA Registered Subst specified data extracted from RTECS - Register of Toxic	tances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise c Effect of chemical Substances	
ISOTHIAZOLINONES, MIXED	contact eczema involves a cell-mediated (T lymphocyte urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harn biocides has been established with the objective of ensuthis aim, it is required that risk assessment of biocidal products are the utili applications and thus the exposure of humans and the 4 Humans may be exposed to biocidal products in differer intended for industrial sectors or professional uses only, professional users. Formaldehyde generators (releasers) are often used as and must be labelled with the warning sign "contains for releasing preservatives ensures that the level of free for disrupts metabolism to cause death of the organism. Ho of causing cancers (nitrosamines) when used in formula The material may be irritating to the eye, with prolonged produce conjunctivitis. The material may cause skin irritation after prolonged or production of vesicles, scaling and thickening of the skir Asthma-like symptoms may continue for months or ever condition known as reactive airways dysfunction syndro compound. Main criteria for diagnosing RADS include the of persistent asthma-like symptoms within minutes to he include a reversible airflow pattern on lung function tests and the lack of minimal lymphocytic inflammation, witho	In tways in both occupational and domestic settings. Many biocidal products are whereas other biocidal products are commonly available for private use by non- preservatives. The maximum authorised concentration of free formaldehyde is 0.2% rmaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde- rmaldehyde in the products is always low but sufficient to inhibit microbial growth - it owever there is a concern that formaldehyde generators can produce amines capable ations containing amines. It contact causing inflammation. Repeated or prolonged exposure to irritants may are repeated exposure and may produce on contact skin redness, swelling, the number of the material ends. This may be due to a non-allergic of me (RADS) which can occur after exposure to high levels of highly irritating he absence of previous airways disease in a non-atopic individual, with sudden onset ours of a documented exposure to the irritant. Other criteria for diagnosis of RADS is, moderate to severe bronchial hyperreactivity on methacholine challenge testing,	
P-TERT-OCTYLPHENOL ETHOXYLATE	bronchopulmonary lavage produced pneumonia, pulmonary edema, and intra-alveolar hemorrhage. Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported. Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or		
Positive Control Lysate -	cancer. No adverse reproductive or developmental effec	AS WEIG ODSEIVEU.	

Positive Control Lysate Ultra & ISOTHIAZOLINONES, MIXED

No significant acute toxicological data identified in literature search.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

X - Data either not available or does not fill the criteria for classification – Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

Many chemicals may mimic or interfere with the body s hormones, known as the endocrine system. Endocrine disruptors are chemicals that can interfere with endocrine (or hormonal) systems.

Endocrine disruptors interfere with the synthesis, secretion, transport, binding, action, or elimination of natural hormones in the body. Any system in the body controlled by hormones can be derailed by hormone disruptors. Specifically, endocrine disruptors may be associated with the development of learning disabilities, deformations of the body various cancers and sexual development problems.

Endocrine disrupting chemicals cause adverse effects in animals. But limited scientific information exists on potential health problems in humans. Because people are typically exposed to multiple endocrine disruptors at the same time, assessing public health effects is difficult.

11.2.2. Other information

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

SECTION 12 Ecological information

12.1. Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Positive Control Lysate - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
	EC50	48h	Crustacea	0.007mg/l	2
isothiazolinones, mixed	LC50	96h	Fish	0.129mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
p-tert-octylphenol ethoxylate	LC50	96h	Fish	>2.8<3.2mg/L	4
	EC50(ECx)	96h	Fish	3mg/L	5
Legend:	Ecotox databas		ECHA Registered Substances - Ecotoxicological Infor C Aquatic Hazard Assessment Data 6. NITE (Japan)		

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
p-tert-octylphenol ethoxylate	HIGH	HIGH

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
p-tert-octylphenol ethoxylate	HIGH (LogKOW = 4.863)

12.4. Mobility in soil

Ingredient	Mobility
p-tert-octylphenol ethoxylate	LOW (Log KOC = 699.2)

12.5. Results of PBT and vPvB assessment

	Р	В	T	
Relevant available data	Not Available	Not Available	Not Available	
PBT	×	×	×	
vPvB	×	×	×	
PBT Criteria fulfilled?			No	
vPvB			No	

12.6. Endocrine disrupting properties

The evidence linking adverse effects to endocrine disruptors is more compelling in the environment than it is in humans. Endocrine distruptors profoundly alter reproductive physiology of ecosystems and ultimately impact entire populations. Some endocrine-disrupting chemicals are slow to break-down in the environment. That characteristic makes them potentially hazardous over long periods of time. Some well established adverse effects of endocrine disruptors in various wildlife species include; eggshell-thinning, displayed of characteristics of the opposite sex and impaired reproductive development. Other adverse changes in wildlife species that have been suggested, but not proven include; reproductive abnormalities, immune dysfunction and skeletal deformaties.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

on waste treatment methods		
Product / Packaging disposal Consult State Land Waste Management Authority for disposal.		
Waste treatment options	Waste treatment options Not Available	
Sewage disposal options	Not Available	

SECTION 14 Transport information

Labels Required

NO

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Chemwatch: **5555-32**Version No: **4.1**

Positive Control Lysate - Ultra

Issue Date: **25/10/2022** Print Date: **21/09/2024**

14.1.	UN number or ID				
	number UN proper shipping	Not Applicable			
	name				
	Transport hazard class(es)	Class Not Applicable Subsidiary Hazard Not Applicable			
14.4.	Packing group	Not Applicable			
	Environmental hazard	Not Applicable			
			alan) Nat Amaliantia		
		Hazard identification (Ken Classification code			
		Hazard Label	Not Applicable Not Applicable		
	Special precautions for user	Special provisions	Not Applicable		
		Limited quantity	Not Applicable		
		Tunnel Restriction Code	Not Applicable		
\ir tran	nsport (ICAO-IATA / DGF	R): NOT REGULATED FOR	TRANSPORT OF DANGEROUS	GOODS	
14.1.	UN number	Not Applicable			
	UN proper shipping name	Not Applicable			
		ICAO/IATA Class	Not Applicable		
	Transport hazard class(es)	ICAO / IATA Subsidiary Ha	azard Not Applicable		
	ciass(es)	ERG Code	Not Applicable		
14.4.	Packing group	Not Applicable			
	Environmental hazard	Not Applicable			
		Special provisions		Not Applicable	
		Special provisions		Not Applicable	
		Cargo Only Packing Instru	ections	Not Applicable	
		Cargo Only Packing Instru		Not Applicable	
	Special precautions for	Cargo Only Maximum Qty	/ / Pack	Not Applicable	
	Special precautions for user	Cargo Only Maximum Qty Passenger and Cargo Pa	r / Pack cking Instructions	Not Applicable Not Applicable	
		Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma	r / Pack cking Instructions ximum Qty / Pack	Not Applicable Not Applicable Not Applicable	
		Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Ma Passenger and Cargo Lim	r / Pack cking Instructions	Not Applicable Not Applicable	
	user	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim	r / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra	user ansport (IMDG-Code / G	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra 14.1.	user ansport (IMDG-Code / Go	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim GVSee): NOT REGULATED Not Applicable	r / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra 14.1. 14.2.	user ansport (IMDG-Code / G	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim	r / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra 14.1. 14.2.	ansport (IMDG-Code / Go UN number UN proper shipping	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim GVSee): NOT REGULATED Not Applicable	r / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra 14.1. 14.2.	ansport (IMDG-Code / Go UN number UN proper shipping name	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim GVSee): NOT REGULATED Not Applicable Not Applicable	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra 14.1. 14.2. 14.3.	ansport (IMDG-Code / Go UN number UN proper shipping name	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim GVSee): NOT REGULATED Not Applicable IMDG Class	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGER Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra 14.1. 14.2. 14.3.	ansport (IMDG-Code / Gr UN number UN proper shipping name Transport hazard class(es)	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Rovsee): NOT REGULATED Not Applicable Not Applicable IMDG Class IMDG Subsidiary Hazard	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGER Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
Sea tra 14.1. 14.2. 14.3.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es)	Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Material Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime GVSee): NOT REGULATED Not Applicable Not Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable Not Applicable	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGER Not Applicable Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
14.1. 14.2. 14.3. 14.4. 14.5 I	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Passenger and Cargo Lim ON Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGER Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
14.1. 14.2. 14.3. 14.4. 14.5 I	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Passenger and Cargo Lim ONLY See): NOT REGULATED Not Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable Not Applicable EMS Number Special provisions	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGER Not Applicable Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable	
14.1. 14.2. 14.3. 14.4. 14.5 I	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Passenger and Cargo Lim GVSee): NOT REGULATED Not Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable EMS Number Special provisions Not Limited Quantities Not	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGEI Not Applicable Not Applicable t Applicable t Applicable t Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5 I	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user	Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Material Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime GVSee): NOT REGULATED Not Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable EMS Number Special provisions Limited Quantities Not DN): NOT REGULATED FO	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGER Not Applicable Not Applicable t Applicable t Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5 I	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user waterways transport (A	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Passenger and Cargo Lim ON Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable EMS Number Special provisions Limited Quantities Not Applicable Not Applicable	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGEI Not Applicable Not Applicable t Applicable t Applicable t Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.6. 14.6. 14.1. 14.2.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user	Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Material Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime GVSee): NOT REGULATED Not Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable EMS Number Special provisions Limited Quantities Not DN): NOT REGULATED FO	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGEI Not Applicable Not Applicable t Applicable t Applicable t Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.6. 14.6. 14.1. 14.2. 14.3.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user waterways transport (A UN number UN proper shipping	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Passenger and Cargo Lim Rovsee): NOT REGULATED Not Applicable Not Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable EMS Number Special provisions Limited Quantities Not Not Applicable	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGEI Not Applicable Not Applicable t Applicable t Applicable t Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5 I 14.6.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user waterways transport (A UN number UN proper shipping name Transport hazard	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Passenger and Cargo Lim Rovsee): NOT REGULATED Not Applicable Not Applicable IMDG Class IMDG Subsidiary Hazard Not Applicable Not Applicable EMS Number Special provisions Limited Quantities Not Not Applicable	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGE Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5 I 14.6.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user waterways transport (A UN number UN proper shipping name Transport hazard class(es)	Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Material Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime Passenger and Cargo Lime Rowsenger and Cargo Maximum Rowsenger and Cargo Maximum Rowsenger and Cargo Lime Rowsenger and Cargo Maximum Rowsenger and Cargo Maximum Rowsenger and Cargo Lime Rowsenger and Cargo	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGE Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5 I 14.6. 14.1. 14.2. 14.3.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user waterways transport (A UN number UN proper shipping name Transport hazard class(es) Packing group	Cargo Only Maximum Qty Passenger and Cargo Pac Passenger and Cargo Ma Passenger and Cargo Lim Passenger and Cargo Lim Passenger and Cargo Lim Comparison of Cargo Lim Com	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGE Not Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5. I 14.2. 14.3. 14.4. 14.5. I 14.2. 14.3. 14.4. 14.5. I 14.5.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user waterways transport (A UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard	Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Material Passenger and Cargo Lime Row Applicable Not Applicable Not Applicable Not Applicable Not Applicable EMS Number Special provisions Limited Quantities Not Not Applicable	/ / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGEI Not Applicable Not Applicable t Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5 I 14.2. 14.3. 14.4. 14.5 I 14.6. 14.3. 14.4. 14.5. 14.4. 14.5. 14.6.	ansport (IMDG-Code / Ge UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user Waterways transport (A UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard	Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Material Passenger and Cargo Lime Row Applicable Not Applicable Not Applicable Not Applicable Not Applicable EMS Number Special provisions Limited Quantities Not Not Applicable	r / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGEI Not Applicable Not Applicable t Applicable t Applicable t Applicable of Applicable plicable of Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	
14.1. 14.2. 14.3. 14.4. 14.5 I 14.2. 14.3. 14.4. 14.5 I 14.6. 14.3. 14.4. 14.5. 14.4. 14.5. 14.6.	ansport (IMDG-Code / Go UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for user waterways transport (A UN number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard	Cargo Only Maximum Qty Passenger and Cargo Pace Passenger and Cargo Material Passenger and Cargo Lime Rowsenger and Cargo Maximum Rowsenger and Cargo Lime Rowsenger and Cargo Maximum Rowsenger and Cargo Lime Rowsenger and Cargo Maximum Rowsenger and Cargo Lime Rowsenger	r / Pack cking Instructions ximum Qty / Pack nited Quantity Packing Instructions nited Maximum Qty / Pack FOR TRANSPORT OF DANGER Not Applicable Not Applicable t Applicable t Applicable t Applicable of Applicable of Applicable of Applicable of Applicable	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable ROUS GOODS	

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **21/09/2024**

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available
p-tert-octylphenol ethoxylate	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available
p-tert-octylphenol ethoxylate	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

EU REACH Regulation (EC) No 1907/2006 - Proposals to identify Substances of Very High Concern: Annex XV reports for commenting by Interested Parties previous consultation

Europe European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation

Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category	Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)		
Canada - DSL	Yes		
Canada - NDSL	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	No (isothiazolinones, mixed)		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	25/10/2022	
Initial Date	19/07/2022	
Full text Risk and Hazard codes		
H301	Toxic if swallowed.	

H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	

Chemwatch: 5555-32 Version No: 4.1

Positive Control Lysate - Ultra

Issue Date: 25/10/2022 Print Date: 21/09/2024

H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	atal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	31/08/2022	Composition / information on ingredients - Ingredients
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Handling and storage - Storage (suitable container)

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- ► LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.