

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TAUROCHOLIC ACID, [3H(G)]-

· Product number: NET322, NET322000MC, NET322250UC

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· **Product category** PC21 Laboratory chemicals

· Application of the substance / the mixture Laboratory chemicals

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Revvity, Inc 549 Albany Street Boston, MA 02118

· Further information obtainable from:

US Technical Support 800-762-4000

· 1.4 Emergency telephone number:

If inside USA, call CHEMTREC at 1-800-424-9300 If outside USA, call CHEMTREC at 1-703-527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · 2.1.1 Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Acute Tox. 4 H332 Harmful if inhaled.

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

• 2.1.3 Additional information: For the wording of the relevant risk phrases refer to section 16.

- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS07

GHS08

· Signal word Danger

· Hazard-determining components of labelling: methanol

· Hazard statements

H225 Highly flammable liquid and vapour.

H332 Harmful if inhaled.

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210

smoking.

P241 *Use explosion-proof [electrical/ventilating/lighting] equipment.*

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. (Contd. on page 2)

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

Trade name: TAUROCHOLIC ACID, [3H(G)]-

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	ethanol	50-75%
EINECS: 200-578-6	l Flam. Liq. 2, H225	
Index number: 603-002-00-5		
CAS: 67-56-1	methanol	25-50%
EINECS: 200-659-6	 Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370 	
Index number: 603-001-00-X	Acute Tox. 3, H331; 🗞 ŠTOT SE 1, H370	
	Specific concentration limits: STOT SE 1; H370: C ≥ 10 %	
	STOT SE 2; H371: $3\% \le C < 10\%$	

[·] Additional information: For the wording of the relevant risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

Trade name: TAUROCHOLIC ACID, [3H(G)]-

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

67-56-1 methanol (25-50%)

IOELV Long-term value: 260 mg/m³, 200 ppm

Skin

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

Trade name: TAUROCHOLIC ACID, [3H(G)]-

(Contd. of page 3)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range 64 °C

· Flammability Highly flammable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 11 °C

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

• water: Fully miscible.

(Contd. on page 5)

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

Trade name: TAUROCHOLIC ACID, [3H(G)]-

	(Contd. of page
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	1100 determined.
Density at 20 °C:	0.78976g/cm^3
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health a	and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	•
· Organic solvents:	100.0 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ises
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

Trade name: TAUROCHOLIC ACID, [3H(G)]-

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

· LD/LC5	· LD/LC50 values relevant for classification:				
67-56-1	67-56-1 methanol				
Oral	LD50	5,628 mg/kg (rat)			
Dermal	LD50	15,800 mg/kg (rabbit)			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Causes damage to the central nervous system and the visual organs.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Must be specially treated adhering to official regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

FII

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

Trade name: TAUROCHOLIC ACID, [3H(G)]-

(Contd. of page 6)

ADK, IMDG, IATA 193 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL), METHANOL) IMDG	14.1 UN number or ID number	UN1002
ADR 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL), METHANOL) IMDG FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL), METHANOL) IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL, METHANOL) IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL), METHANOL) IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL, METHANOL) III IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL) IATA F	ADR, IMDG, IATA	UN1993
ALCOHOL), METHANOL) IATA IATA IACOHOL), METHANOL) IATA IACOHOL), METHANOL) IATA IACOHOL), METHANOL) IATA IACOHOL), METHANOL) IACOHOL) IACOH	1 1 11 0	1002 ELAMMARIE LIQUID, N.O.C. /ETILANOL /ETIL
IMDG FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL), METHANOL) IA3 Transport hazard class(es) ADR, IMDG, IATA Class 3 Flammable liquids. 3 I4.4 Packing group 3 ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. Not applicable liquids. 33 I4.4 Packing proup Warning: Flammable liquids. 33 I4.4 Special precautions for user Warning: Flammable liquids. 33 I4.5 Environmental hazards: Not applicable. II II II II II II II	ADK	
ALCOHOL), METHANOL) 1.4.3 Transport hazard class(es) ADR, IMDG, IATA Class Label 3 1.4.4 Packing group ADR, IMDG, IATA 1.4.5 Environmental hazards: 1.4.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 1.4.7 Maritime transport in bulk according to IMO instruments Not applicable. 1.4.7 Maritime transport in bulk according to IMO instruments Not applicable. 1.5 Excepted quantities (LQ) Excepted quantities (LQ) IL Transport Category 2 Tunnel restriction code IMDG Limited quantities (LQ) Aximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml	IMDG	
ADR, IMDG, IATA Class 3 Flammable liquids. 3 14.4 Packing group ADR, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Flammable liquids. 33 EMS Number: F-E,S-E Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) 1/2 Transport category 2 Tunnel restriction code 1/2 IMDG Limited quantities (LQ) 1L Excepted quantities (LQ) 1/2 Excepted		ALCOHOL), METHANOL)
Class Label Class Label 3 Flammable liquids. 3 14.4 Packing group ADR, IMDG, 1ATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Flammable liquids. 33 EMS Number: F-E,S-E Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category 1 L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantities (LQ) Excepted quantities (LQ) LIL Code: E2 Maximum net quantity per inner packaging: 30 ml	IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL, METHANOL)
Class 3 Flammable liquids. 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Flammable liquids. 33 EMS Number: F-E,S-E Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Transport/Additional information: ADR Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum let quantity per inner packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum quantity per inner packaging: 30 ml Maximum quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml	14.3 Transport hazard class(es)	
Label 3 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Code: E2 Maximum net quantity per outer packaging: 500 ml Tansport category 1 Tunnel restriction code D/E IMDG Limited quantities (LQ) 1L Excepted quantiti	ADR, IMDG, IATA	
Label 3 14.4 Packing group ADR, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L Code: E2 Maximum net quantity per outer packaging: 500 ml Amaximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml Maximum net quantity per inner packaging: 500 ml		
Label 3 14.4 Packing group ADR, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L Code: E2 Maximum net quantity per outer packaging: 500 ml Amaximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml Maximum net quantity per inner packaging: 500 ml		
Label 3 14.4 Packing group ADR, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L Code: E2 Maximum net quantity per outer packaging: 500 ml Excepted quantities (LQ) 1L Excepted quant	Class	3 Flammable liauids.
ADR, IMDĞ, IATA 11.5 Environmental hazards: 11.6 Special precautions for user Hazard identification number (Kemler code): 12.5 EMS Number: 13.6 Special precautions for user Hazard identification number (Kemler code): 13.7 F-E,S-E Stowage Category 13.7 Maritime transport in bulk according to IMO Instruments Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category 1 Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 1 L Excepted quantities (LQ) ILL Excepted quantities (LQ) ILL Excepted quantities (LQ) ILL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml		
ADR, IMDĞ, IATA 11.4.5 Environmental hazards: 11.4.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 11.7 Maritime transport in bulk according to IMO instruments Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category 11. Transport category 2 Tunnel restriction code IMDG Limited quantities (LQ) LIL Excepted quantities (LQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Limited quantities (LQ) LIL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Ada Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml	14.4 Packing group	
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IL Excepted quantities (LQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml The structure of the property		II
Hazard identification number (Kemler code): EMS Number: Stowage Category B 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) LIL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml D/E IMDG Limited quantities (LQ) LIL Excepted quantities (LQ) LIL Excepted quantities (LQ) Adminum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml	14.5 Environmental hazards:	Not applicable.
EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Stowage Category 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) IL Excepted quantities (LQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code Limited quantities (LQ) Limited quantities (LQ) Excepted quantities (LQ) Tunnel restriction code Limited quantities (LQ) Limited quantities (LQ) Excepted quantities (EQ) Adximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
instruments Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code Limited quantities (LQ) IL Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code Limited quantities (LQ) Limited quantities (LQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	_	
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code Limited quantities (LQ) IL Excepted quantities (LQ) IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Adaptive product packaging: 500 ml Adaptive product packaging: 30 ml Adaptive per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		Noi applicable.
Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		11
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Excepted quantities (EQ)	
Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		1 11 1 0 0
Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Transport category	. ,
Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		D/E
Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	1	
Maximum net quantity per outer packaging: 500 ml	Excepted quantities (EQ)	
. ,,		
	IIN "Model Regulation":	. ,

Printing date 13.02.2024 Version number 1 Revision: 18.05.2023

Trade name: TAUROCHOLIC ACID, [3H(G)]-

(Contd. of page 7)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H3 STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

P5c FLAMMABLE LIOUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 69
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information provided in this safety data sheet is based on our current knowledge, and is believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be regarded as a warranty or specification of quality. All materials may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Revvity, Inc. cannot be held liable for any damage resulting from handling or contact with the product.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1