revvity

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TRIOLEIN, [9,10-3H(N)]-

· Product number: NET431000MC, NET431001MC, NET431005MC

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category PC21 Laboratory chemicals

· Application of the substance / the mixture Laboratory chemicals

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Revvity, Inc 549 Albany Street Boston, MA 02118

• *Further information obtainable from:* US Technical Support 800-762-4000

• 1.4 Emergency telephone number: If inside USA, call CHEMTREC at 1-800-424-9300 If outside USA, call CHEMTREC at 1-703-527-3887

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

· 2.1.1 Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT SE 3 H336 May cause drowsiness or dizziness.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

• 2.1.3 Additional information: For the wording of the relevant risk phrases refer to section 16.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: toluene

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H361d Suspected of damaging the unborn child.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)

⁻ EU -

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

| | (Contd. of page 1) |
|-------------------|---|
| · Precautionary s | tatements |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. |
| P321 | Specific treatment (see on this label). |
| P331 | Do NOT induce vomiting. |
| P303+P361+P3 | 353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water |
| | [or shower]. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| | - |

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

| • Dangerous components. |
|-------------------------|
|-------------------------|

| | CAS: 64-17-5 | ethanol | 50-75% | |
|--|--|--|--------|--|
| | EINECS: 200-578-6 | 🛞 Flam. Liq. 2, H225 | | |
| | Index number: 603-002-00-5 | • | | |
| | CAS: 108-88-3 | toluene | 25-50% | |
| | EINECS: 203-625-9 | 🕐 Flam. Liq. 2, H225; 🚸 Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. | | |
| | Index number: 601-021-00-3 | 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336 | | |
| | Additional information. For the wording of the relevant risk phrases refer to section 16 | | | |

Additional information: For the wording of the relevant risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- *After eye contact: Rinse opened eye for several minutes under running water.*
- *After swallowing:* If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

EU

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

• 5.3 Advice for firefighters

• *Protective equipment:* Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and containers: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

108-88-3 toluene (25-50%)

IOELV Short-term value: 384 mg/m³, 100 ppm Long-term value: 192 mg/m³, 50 ppm Skin

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

(Contd. of page 2)

EU -

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

| | (Contd. of page |
|---|-----------------------|
| Individual protection measures, such as personal protective equipment | |
| General protective and hygienic measures: | |
| Keep away from foodstuffs, beverages and feed. | |
| Immediately remove all soiled and contaminated clothing | |
| Wash hands before breaks and at the end of work. | |
| Store protective clothing separately. | |
| Avoid contact with the skin. | |
| Avoid contact with the eyes and skin. | |
| Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive of | or longer exposure |
| self-contained respiratory protective device. | or longer exposure a |
| Suitable respiratory protective device recommended. | |
| Hand protection | |
| | |
| | |
| Protective gloves | |
| | |
| The glove material has to be impermeable and resistant to the product/ the substance/ the p. | reparation |
| Selection of the glove material on consideration of the penetration times, rates of diffusion of | |
| Material of gloves | |
| The selection of the suitable gloves does not only depend on the material, but also on furthe | er marks of quality a |
| varies from manufacturer to manufacturer. As the product is a preparation of several sub- | |
| of the glove material can not be calculated in advance and has therefore to be checked prior | r to the application. |
| Penetration time of glove material | |
| The exact break through time has to be found out by the manufacturer of the protective | gloves and has to |
| observed. | |
| Eye/face protection | |
| | |
| Tightly sealed goggles | |
| | |
| | |
| | |
| SECTION 9: Physical and chemical properties | |
| SECTION 7. Physical and chemical properties | |
| 9.1 Information on basic physical and chemical properties | |

| · Physical state | Fluid | |
|--|------------------------------------|--|
| · Colour: | According to product specification | |
| · Odour: | Characteristic | |
| Odour threshold: | Not determined. | |
| • Melting point/freezing point: | Undetermined. | |
| · Boiling point or initial boiling point and b | oiling range 78 °C | |
| · Flammability | Highly flammable. | |
| Lower and upper explosion limit | | |
| Lower: | 1.2 Vol % | |
| · Upper: | 15 Vol % | |
| Flash point: | 4 °C | |
| • Auto-ignition temperature: | 425 °C | |
| Decomposition temperature: | Not determined. | |
| · pH | Not determined. | |

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

| | (Contd. of page 4) |
|--|---|
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| Dynamic: | Not determined. |
| Solubility | |
| water: | Not miscible or difficult to mix. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure at 20 °C: | 59 hPa |
| Density and/or relative density | |
| Density at 20 °C: | 0.82803 g/cm^3 |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Fluid |
| Important information on protection of health a | Ind |
| environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. However, formation of |
| | explosive air/vapour mixtures are possible. |
| Solvent content: | |
| Organic solvents: | 100.0 % |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Highly flammable liquid and vapour. |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable ga | ses |
| in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

(Contd. of page 5)

Trade name: TRIOLEIN, [9,10-3H(N)]-

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Suspected of damaging the unborn child.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

Must be specially treated adhering to official regulations.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, IMDG, IATA

UN1993

(Contd. on page 7)

EU —

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

| ude name: TRIOLEIN, [9,10-3H(N)]- | |
|---|---|
| | (Contd. of page 6) |
| · 14.2 UN proper shipping name · ADR | 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL (ETHYL ALCOHOL)) |
| IMDG IATA | FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL (ETHYL ALCOHOL)) FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL) |
| 14.3 Transport hazard class(es) | ~ |
| ADR, IMDG, IATA | |
| | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| 14.4 Packing group ADR, IMDG, IATA | II |
| 14.5 Environmental hazards: Marine pollutant: | No |
| 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category | Warning: Flammable liquids. 33 F-E, <u>S-E</u> B |
| 14.7 Maritime transport in bulk according to IM instruments | 10 Not applicable. |
| Transport/Additional information: | |
| ADR Limited quantities (LQ) Excepted quantities (EQ) | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| Transport category Tunnel restriction code | 2 D/E |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL (ETHYL ALCOHOL)), 3, II |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

(Contd. on page 8)

⁻ EU -

Printing date 13.02.2024

Version number 1

Revision: 18.05.2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 48

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

108-88-3 toluene

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 toluene

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information provided in this safety data sheet is based on our current knowledge, and is believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be regarded as a warranty or specification of quality. All materials may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Revvity, Inc. cannot be held liable for any damage resulting from handling or contact with the product.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

(Contd. of page 7)

3

3