revvity

Safety Data Sheet acc. to OSHA HCS

Printing date 02/13/2024

Reviewed on 05/18/2023

1 Identification

- · Product identifier
- · Trade name: TRIOLEIN, [9,10-3H(N)]-
- · Product number: NET431000MC, NET431001MC, NET431005MC
- \cdot Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Revvity, Inc 549 Albany Street Boston, MA 02118

• Information department: US Technical Support 800-762-4000

Emergency telephone number: If inside USA, call CHEMTREC at 1-800-424-9300 If outside USA, call CHEMTREC at 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Skin Irritation 2	H315 Causes skin irritation.
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child
Specific Target Organ Toxicity - Single Exposure 3	H336 May cause drowsiness or dizziness.
Specific Target Organ Toxicity - Repeated Exposure 2	H373 May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard 1 • Additional information: For the wording of the listed 1	H304 May be fatal if swallowed and enters airways. H phrases refer to section 16.
Hazard pictograms	led according to the Globally Harmonized System (GHS).
 Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger 	
 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: 	
GHS02 GHS07 GHS08	
 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene 	
 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements Highly flammable liquid and vapor. Causes skin irritation. 	
 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Suspected of damaging fertility or the unborn child. 	
 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. 	
 GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: toluene Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Suspected of damaging fertility or the unborn child. 	

• **Precautionary statements** If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting.

(Contd. on page 2)

[—] US

Printing date 02/13/2024

Reviewed on 05/18/2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

(Contd. of page 1)

50-75%

25-50%

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:
 NFPA ratings (scale 0 - 4)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

64-17-5 ethanol

108-88-3 toluene

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: Water with full jet

· Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

US

Printing date 02/13/2024

Reviewed on 05/18/2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

	(Contd. of page 2)
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
• <i>Methods and material for containment and cleaning up:</i> Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,	anudust)
Dispose contaminated material as waste according to section 13.	sawaasi).
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
64-17-5 ethanol	1,800 ppm
108-88-3 toluene	67 ppm
• PAC-2:	
64-17-5 ethanol	3300* ppm
108-88-3 toluene	560 ppm
· PAC-3:	
64-17-5 ethanol	15000* ppm
108-88-3 toluene	3700* ppm
	I

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Storage class: 3
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol (50-75%)

PEL Long-term value: 1900 mg/m³, 1000 ppm

(Contd. on page 4)

⁻ US

Printing date 02/13/2024

Reviewed on 05/18/2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

DEL	(Contd. of page 3)
	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm A3
108-0	88-3 toluene (25-50%)
PEL	Long-term value: 200 ppm
	Ceiling limit value: 300; 500* ppm
	*10-min peak per 8-hr shift
REL	Short-term value: 560 mg/m^3 , 150 ppm
<i>TI</i> I I	Long-term value: 375 mg/m ³ , 100 ppm
ILV	Long-term value: 20 ppm BEI, OTO, A4
Ingre	edients with biological limit values:
-	88-3 toluene (25-50%)
	0.02 mg/L
	Medium: blood
	Time: prior to last shift of workweek
	Parameter: Toluene
	0.03 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Toluene
	0.3 mg/g creatinine
	Medium: urine
	Time: end of shift Parameter: o-Cresol with hydrolysis (background)
Perso Gene Keep Imme Wash Store Avoid Avoid Resp In ca SCB2 Suita	osure controls onal protective equipment: eral protective and hygienic measures: o away from food and beverages. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the skin. d contact with the skin. d contact with the eyes and skin. iratory protection: use of brief or low exposure use an approved cartridge filter. In case of intensive or longer exposure use 4. ble respiratory protective device recommended. ection of hands:
	Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation. ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
The s varie	erial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality and as from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance e glove material can not be calculated in advance and has therefore to be checked prior to the application. (Contd. on page 5)

Printing date 02/13/2024

Reviewed on 05/18/2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	According to product specification Characteristic
Odor: Odor threshold:	Not determined.
	N/A
pH-value:	IN/A
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	4 °C (39.2 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo
	mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.82803 g/cm ³ (6.90991 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	
Viscosity:	·
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. of page 4)

Printing date 02/13/2024

Reviewed on 05/18/2023

(Contd. of page 5)

Trade name: TRIOLEIN, [9,10-3H(N)]-

· Solvent content:
Organic solvents
VOC content:

100.0 % 99.99 %

• Other information

No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

108-88-3 toluene

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects: N/A
- Other information: N/A
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

US ·

3

Printing date 02/13/2024

Reviewed on 05/18/2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

• *Other adverse effects No further relevant information available.*

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADR, IMDG, IATA	UN1993
UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANC (ETHYL ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL (ETH) ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL)
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L

(Contd. of page 6)

Printing date 02/13/2024

Reviewed on 05/18/2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

	(Contd. of page
· ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANO (ETHYL ALCOHOL)), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

·Sara			
Section 355 (extremely hazardous substances):			
None of the ingredients is listed.			
· Section 313 (Specific toxic chemical listings):			
108-88-3 toluene			
• TSCA (Toxic Substances Control Act):			
64-17-5 ethanol	ACTIVE		
108-88-3 toluene	ACTIVE		
· Hazardous Air Pollutants			
108-88-3 toluene			
Proposition 65			
· Chemicals known to cause cancer:			
Radionuclide			
· Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for males:			
None of the ingredients is listed.			
· Chemicals known to cause developmental toxicity:			
108-88-3 toluene			
· Carcinogenic categories			
· EPA (Environmental Protection Agency)			
108-88-3 toluene	II		

• TLV (Threshold Limit Value)

64-17-5 ethanol

108-88-3 toluene

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 9)

A3

A4

US

Printing date 02/13/2024

Reviewed on 05/18/2023

Trade name: TRIOLEIN, [9,10-3H(N)]-

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 8)

16 Other information

The information provided in this safety data sheet is based on our current knowledge, and is believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be regarded as a warranty or specification of quality. All materials may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Revvity, Inc. cannot be held liable for any damage resulting from handling or contact with the product.

· Contact:

• Date of preparation / last revision 02/13/2024 · Abbreviations and acronvms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation - Category 2 Toxic to Reproduction 2: Reproductive toxicity - Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 Aspiration Hazard 1: Aspiration hazard – Category 1