# revvity

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/14/2024

Reviewed on 05/18/2023

## **1** Identification

- · Product identifier
- · Trade name: IVISense<sup>TM</sup> Cat K 680 FAST Fluorescent Probe
- · Product number: NEV11000, NEV11001
- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Revvity, Inc 549 Albany Street Boston, MA 02118

• *Information department:* US Technical Support 800-762-4000

· Emergency telephone number:

If inside USA, call CHEMTREC at 1-800-424-9300 If outside USA, call CHEMTREC at 1-703-527-3887 If inside USA, call CHEMTREC at 1-800-424-9300 If outside USA, call CHEMTREC at 1-703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Classification system:
- · NFPA ratings (scale 0 4)



# 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- Imaging Agent
- · Identification number(s) NA

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 2)

US •

Printing date 02/14/2024

Reviewed on 05/18/2023

Trade name: IVISense<sup>™</sup> Cat K 680 FAST Fluorescent Probe

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- **PAC-1**:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

## 7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class: 11
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 3)

#### (Contd. of page 1)

Printing date 02/14/2024

Reviewed on 05/18/2023

#### Trade name: IVISense<sup>™</sup> Cat K 680 FAST Fluorescent Probe

(Contd. of page 2)

· Control parameters

· Components with limit values that require monitoring at the workplace: Not required.

· Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Respiratory protection: Not required.
- · Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material The exact breach through time has to be found

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Not required.

# 9 Physical and chemical properties

Appearance: Form: Color:	Solid According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	20 N/A	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density Evaporation rate	Not applicable. Not applicable.	

Printing date 02/14/2024

Reviewed on 05/18/2023

Trade name: IVISense<sup>™</sup> Cat K 680 FAST Fluorescent Probe

		(Contd. of page 3
· Solubility in / Miscibility with		
Water at 200 °C (392 °F):	20 g/l	
· Partition coefficient (n-octanol/wa	nter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
VOC content:	0.00 %	
• Other information	No further relevant information available.	

#### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 5)

US

Printing date 02/14/2024

Reviewed on 05/18/2023

#### Trade name: IVISense<sup>™</sup> Cat K 680 FAST Fluorescent Probe

- · *Mobility in soil* No further relevant information available.
- Ecotoxical effects: N/A
- Other information: N/A
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- Waste treatment methods
- *Recommendation:* Smaller quantities can be disposed of with household waste. Must be specially treated adhering to official regulations.
- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADR, IMDG, IATA	not regulated
UN proper shipping name ADR, IMDG, IATA	not regulated
Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	not regulated
Packing group ADR, IMDG, IATA	not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Anna	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

## 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

(Contd. on page 6)

(Contd. of page 4)

US -

Printing date 02/14/2024

Reviewed on 05/18/2023

#### Trade name: IVISense<sup>™</sup> Cat K 680 FAST Fluorescent Probe

	(Contd. of pag
Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
TSCA (Toxic Substances Control Act):	
Substance is not listed.	
Hazardous Air Pollutants	
Substance is not listed.	
Proposition 65	
Chemicals known to cause cancer:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
Substance is not listed.	
TLV (Threshold Limit Value)	
Substance is not listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

#### 16 Other information

The information provided in this safety data sheet is based on our current knowledge, and is believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be regarded as a warranty or specification of quality. All materials may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Revvity, Inc. cannot be held liable for any damage resulting from handling or contact with the product.

· Department issuing SDS: EHS

· Contact:

Technical Support 800-762-4000

· Date of preparation / last revision 02/14/2024

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

*PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative* 

na very bioaccamaianve

(Contd. on page 7)

-US ---

Printing date 02/14/2024

Reviewed on 05/18/2023

#### Trade name: IVISense<sup>™</sup> Cat K 680 FAST Fluorescent Probe

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit (Contd. of page 6)