

Printing date 01.08.2024 Revision: 26.05.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- · Trade name: Thyroxine, ([1251]-T4), L-[1251]-
- · Product number:

NEX111100UC, NEX111000MC, NEX111X100UC, NEX111X500UC, NEX111H100UC, NEX111H250UC, NEX111H500UC

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

--

Supplier/Local:

Revvity Pty. Ltd

Building C, Level 2, Tenancy A,

211 Wellington Road

Mulgrave 3170, VIC Australia

• Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) 1(703)-527-3887

• Local Emergency Number CHEMTREC - (Within Australia) +(61)-290372994

Revvity, Inc

549 Albany Street

Boston, MA 02118

· Further information obtainable from:

US Technical Support

800-762-4000

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 2 H371 May cause damage to the central nervous system and the visual organs.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Additional information: For the wording of the relevant risk phrases refer to section 16.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms









GHS02

GHS05

GHS08

GHS07

· Signal word Danger

(Contd. on page 2)

Printing date 01.08.2024 Revision: 26.05.2023

Trade name: Thyroxine, ([1251]-T4), L-[1251]-

(Contd. of page 1)

· Hazard-determining components of labelling:

propan-1-ol (25-50 %)

methanol (2.5-10 %)

· Hazard statements

Highly flammable liquid and vapour.

Causes serious eye damage.

May cause damage to the central nervous system and the visual organs.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
	71-23-8	propan-1-ol	25-50%	
		🏇 Flam. Liq. 2, H225; 📀 Eye Dam. 1, H318; 🐠 Acute Tox. 4, H302; STOT SE 3, H336		
ſ		THE CONTRACTOR OF THE CONTRACT	2.5-10%	
		Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370		

[·] Additional information: For the wording of the relevant risk phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 3)

Printing date 01.08.2024 Revision: 26.05.2023

Trade name: Thyroxine, ([1251]-T4), L-[1251]-

(Contd. of page 2)

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace: 71-23-8 propan-1-ol (25-50%) WES Short-term value: 614 mg/m³, 250 ppm Long-term value: 492 mg/m³, 200 ppm Sk 67-56-1 methanol (2.5-10%) WES Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm

(Contd. on page 4)

Printing date 01.08.2024 Revision: 26.05.2023

Trade name: Thyroxine, ([1251]-T4), L-[1251]-

(Contd. of page 3)

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Fluid

• Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

· Change in condition

• Melting point/freezing point: Undetermined.

· Initial boiling point and boiling range: 64 °C · Flash point: 11 °C

· Flammability (solid, gas): Highly flammable.

· Auto-ignition temperature: 360 °C

• **Decomposition temperature:** Not determined.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

(Contd. on page 5)

Printing date 01.08.2024 Revision: 26.05.2023

Not determined.

Trade name: Thyroxine, ([125I]-T4), L-[125I]-

(Contd. of page 4)

· Explosion limits:

· Evaporation rate

Lower:
Upper:
Vapour pressure at 20 °C:
Density at 20 °C:
Relative density
Vapour density
Not determined.
Not determined.

· Solubility in / Miscibility with

• water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

· Solvent content:

Organic solvents: 47.0 %
Water: 52.7 %
Solids content: 0.2 %

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · **Possibility of hazardous reactions** No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:					
71-23-8	1-23-8 propan-1-ol					
Oral	LD50	1,870 mg/kg (rat)				
Dermal	LD50	5,040 mg/kg (rabbit)				

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause damage to the central nervous system and the visual organs.

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 01.08.2024 Revision: 26.05.2023

Trade name: Thyroxine, ([1251]-T4), L-[1251]-

(Contd. of page 5)

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number ADG, IMDG, IATA	UN1993
· UN proper shipping name · ADG	1993 FLAMMABLE LIQUID, N.O.S. (n-PROPANO (PROPYL ALCOHOL, NORMAL), METHANOL)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (n-PROPANOL (PROPY ALCOHOL, NORMAL), METHANOL)
Transport hazard class(es)	
· Class · Label	3 Flammable liquids. 3
C	<u>*</u>
· Label · Packing group	3

Printing date 01.08.2024 Revision: 26.05.2023

Trade name: Thyroxine, ([1251]-T4), L-[1251]-

	(Contd. of page
· EMS Number:	F-E,S-E
· Stowage Category	B
· Transport in bulk according to Annex II of	f Marpol
and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· <i>IMDG</i>	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (N-PROPANO
-	(PROPYL ALCOHOL, NORMAL), METHANOL), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

7732-18-5	Water	
71-23-8	propan-1-ol	
67-56-1	methanol	
127-09-3	sodium acetate	
Standard j	For the Uniform Scheduling of Medicines and Poisons	
	ronan-1-ol	S5, S6
71-23-8 p	οραπ-1-οι	55, 50
71-23-8 p. 67-56-1 m	•	S5, S6, S10

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms









GHS02

GHS05

GHS08 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling: propan-1-ol (25-50 %) methanol (2.5-10 %)

(Contd. on page 8)

Printing date 01.08.2024 Revision: 26.05.2023

Trade name: Thyroxine, ([1251]-T4), L-[1251]-

(Contd. of page 7)

· Hazard statements

Highly flammable liquid and vapour.

Causes serious eye damage.

May cause damage to the central nervous system and the visual organs.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this safety data sheet is based on our current knowledge, and is believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be regarded as a warranty or specification of quality. All materials may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Revvity, Inc. cannot be held liable for any damage resulting from handling or contact with the product.

Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H318 Causes serious eve damage.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H370 Causes damage to organs.

· Contact:

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3