

Printing date 02/20/2024 Reviewed on 05/18/2023

### 1 Identification

· Product identifier

· Trade name: Human BCL-2

· Product number: TRF1384S

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Revvity, Inc 549 Albany Street Boston, MA 02118

· Information department:

US Technical Support

800-762-4000

· Emergency telephone number:

If inside USA, call CHEMTREC at 1-800-424-9300 If outside USA, call CHEMTREC at 1-703-527-3887

### 2 Hazard(s) identification

· Classification of the substance or mixture

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.

Skin Corrosion 1C H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Additional information: For the wording of the listed H phrases refer to section 16.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS05

GHS06

GHS07 GHS09

- · Signal word Danger
- · Hazard-determining components of labeling:

Proclin-300

· Hazard statements

*Toxic if inhaled.* 

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dusts or mists.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	ents:			
1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	2.5-10%		
55965-84-9	Proclin-300	<1%		

#### 4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

*In case of irregular breathing or respiratory arrest provide artificial respiration.* 

· After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

(Contd. on page 3)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

(Contd. of page 2)

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m³
· PAC-2:	
1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m³
· PAC-3:	
1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	$790 \text{ mg/m}^3$

### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 6.1 D
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

(Contd. on page 4)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

(Contd. of page 3)

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief or low exposure use an approved cartridge filter. In case of intensive or longer exposure use SCBA.

Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

	ANIM ATTAM	an had	110 m	MINGIAM	and	ahami	ani	nuanaut	100
11111	ormation	() () () () ()		<i>L VSIC.UI</i>		CHEINI		1111 (111) (211)	w

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: N/A

Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:1,461 °C (34.661 °F)

· Flash point: Not applicable.

• Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.
 Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

(Contd. on page 5)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

		(Contd. of page	
· Vapor pressure:	Not determined.		
· Density:	Not determined.		
Relative density	Not determined.		
· Vapor density	Not determined.		
Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
· Solvent content:			
VOC content:	0.00 %		
Solids content:	19.6 %		
· Other information	No further relevant information available.		

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

(Contd. of page 5)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects: N/A
- · Remark: Very toxic for fish
- · Other information: N/A
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

· l	JN-	Numbei	•
-----	-----	--------	---

· ADR, IMDG, IATA UN1760

· UN proper shipping name

·ADR 1760 CORROSIVE LIQUID, N.O.S. (Proclin-300),

ENVIRONMENTALLY HAZARDOUS

· IMDG, IATA CORROSIVE LIQUID, N.O.S. (Proclin-300)

- · Transport hazard class(es)
- $\cdot ADR$



Class 8 Corrosive substances

(Contd. on page 7)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

	(Contd. of page
Label	8
IMDG, IATA	
Class Label	8 Corrosive substances 8
Packing group ADR, IMDG, IATA	III
Environmental hazards: Special marking (ADR):	Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Corrosive substances 80 F-A,S-B A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (PROCLIN-300), 8, 1 ENVIRONMENTALLY HAZARDOUS

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extre	mely hazardou:	s substances):
----------------------	----------------	----------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

9004-54-0 Dextran ACTIVE

(Contd. on page 8)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

	(Contd. of pag
9048-46-8 Bovine Serum Albumin	ACTI
7647-14-5 sodium chloride	ACTIV
1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	ACTIV
· Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

### 16 Other information

The information provided in this safety data sheet is based on our current knowledge, and is believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be regarded as a warranty or specification of quality. All materials may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Revvity, Inc. cannot be held liable for any damage resulting from handling or contact with the product.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Contact:
- · Date of preparation / last revision 02/20/2024
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

(Contd. on page 9)

Printing date 02/20/2024 Reviewed on 05/18/2023

Trade name: Human BCL-2

Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Corrosion 1C: Skin corrosion/irritation - Category 1C

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

(Contd. of page 8)