# Trade name:

# AlphaLISA<sup>®</sup> SureFire<sup>®</sup> Ultra<sup>™</sup> (ALSU) Assay Kits

# containing Activation Buffer C and Lysis Buffer



# Article numbers:

ALSU-PAURB-A10K ALSU-PAURB-A500 ALSU-PAURB-A50K ALSU-PAURB-A-HV ALSU-PAURB-A-L ALSU-PCDC6-A10K ALSU-PCDC6-A500 ALSU-PCDC6-A500 ALSU-PCDC6-A-HV ALSU-PCDC6-B10K ALSU-PCDC6-B500 ALSU-PCDC6-B-HV ALSU-PCDC6-B-L	ALSU-PDNA-A10K ALSU-PDNA-A500 ALSU-PDNA-A50K ALSU-PDNA-A-HV ALSU-PDDA1-A10K ALSU-PPDHA1-A10K ALSU-PPDHA1-A50K ALSU-PPDHA1-A-HV ALSU-PPDHA1-A-L ALSU-PRIP3-A10K ALSU-PRIP3-A500 ALSU-PRIP3-A50K ALSU-PRIP3-A-HV ALSU-PRIP3-A-L	ALSU-PST4-A10K ALSU-PST4-A500 ALSU-PST4-A50K ALSU-PST4-A-HV ALSU-PST4-A-L ALSU-PUBI-A10K ALSU-PUBI-A500 ALSU-PUBI-A-HV ALSU-PUBI-A-L ALSU-PVAV1-A10K ALSU-PVAV1-A50K ALSU-PVAV1-A-HV ALSU-PVAV1-A-L	ALSU-TCDC6-A10K ALSU-TCDC6-A500 ALSU-TCDC6-A50K ALSU-TCDC6-A-HV ALSU-TCDC6-A-L ALSU-TDNA-A10K ALSU-TDNA-A500 ALSU-TDNA-A50K ALSU-TDNA-A-HV ALSU-TDNA-B-L ALSU-TSM4-A10K ALSU-TSM4-A50K ALSU-TSM4-A-HV ALSU-TSM4-A-L	ALSU-TUBI-A10K ALSU-TUBI-A500 ALSU-TUBI-A50K ALSU-TUBI-A-HV ALSU-TUBI-A-L
---	--	---	--	---

# Components and Hazard Identification in ALSU assay kits.

Kit Components	Vol / 100 point	Vol / 500 point	Vol / 10,000 point	Vol / 50,000 point	Hazard Identification
Lysis Buffer (5X) - Ultra	1 x 12 mL	1 x 12 mL	4 x 60 mL	3 x 400 mL	GHS07; H319, EUH208
Activation Buffer C - Ultra	1 x 0.3 mL	1 x 0.8 mL	1 x 10 mL	1 x 50 mL	GHS05; H318, EUH208
Dilution Buffer - Ultra	1 x 1.8 mL	1 x 3 mL	1 x 60 mL	1 x 300 mL	N/A; EUH208, EUH210
Reaction Buffer 1 - Ultra	1 x 0.9 mL	1 x 1.5 mL	1 x 28 mL	1 x 140 mL	N/A; EUH208, EUH210
Reaction Buffer 2 - Ultra	1 x 0.9 mL	1 x 1.5 mL	1 x 28 mL	1 x 140 mL	N/A; EUH208, EUH210
AlphaLISA® CaptSure™ Acceptor Beads (2 mg/mL)	1 x 0.045mL	1 x 0.06 mL	1 x 1.1 mL	1 x 5.5 mL	N/A; EUH208, EUH210
Alpha Streptavidin Donor Beads (2 mg/mL)	1 x 0.045mL	1 x 0.06 mL	1 x 1.1 mL	1 x 5.5 mL	N/A;
Positive Control Lysate (lyophilized)	1 x 250uL	1 x 250uL	1 x 250uL	1 x 250uL	N/A; EUH208, EUH210





**Revvity, Inc.** 940 Winter Street Waltham, MA 02451 USA (800) 762-4000 www.revvity.com For a complete listing of our global offices, visit <u>www.revvity.com</u> Copyright ©2023, Revvity, Inc. All rights reserved.

# Components and Hazard Identification for Individual Sale items

Composition Hazards identification			
ALSU-AB-100ml ALSU-AB-10ml	Activation Buffer	() GHS07; H319, EUH208	
ALSU-ABB-100ml ALSU-ABB-10ml	Activation Buffer B	N/A; EUH208, EUH210	
ALSU-ABC-100ml ALSU-ABC-10ml	Activation Buffer C	GHS05; H318, EUH208	
ALSU-DB-100ml ALSU-DB-10ml	Dilution Buffer	N/A; EUH208, EUH210	
ALSU-LB-100mL ALSU-LB-10mL	Lysis Buffer (5x)	() GHS07; H319, EUH208	
ALSU-LBB-100mL ALSU-LBB-10mL	Lysis Buffer B (5x)	N/A; EUH208, EUH210	
ALSU-LBC-100mL ALSU-LBC-10mL	Lysis Buffer C (5x)	N/A; EUH208, EUH210	
ALSU-***-A-L	Positive Control Lysate	N/A; EUH208, EUH210	
ALSU-ACAB-0.06mL ALSU-ACAB-1.2mL ALSU-ACAB-6mL	AlphaLISA® CaptSure™ Acceptor Beads (2 mg/mL)	N/A; EUH208, EUH210	
ALSU-ASDB-0.06mL ALSU-ASDB-1.2mL ALSU-ASDB-6mL	Alpha Streptavidin Donor Beads (2 mg/mL)	N/A;	

\*\*\* = assay target name



(800) 762-4000

www.revvity.com

**Revvity, Inc.** 940 Winter Street Waltham, MA 02451 USA



For a complete listing of our global offices, visit <u>www.revvity.com</u> Copyright ©2023, Revvity, Inc. All rights reserved.



# Activation Buffer C - Ultra

# TGR BioSciences Pty Ltd.

Chemwatch: 5555-10 Version No: 4.1

Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: 25/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product Identifier

Product name	Activation Buffer C - Ultra
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

#### 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd.	
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia	
Telephone	+61 8 7228 2141	
Fax	Not Available	
Website	www.tgrbio.com	
Email	ADE.info@abcam.com	

#### 1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone numbers	+61 2 9037 2994	
Other emergency telephone numbers	+1 703 527 3887	

# **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments <sup>[1]</sup>	H318 - Serious Eye Damage/Eye Irritation Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

### 2.2. Label elements

Hazard pictogram(s)	
Signal word	Danger
Hazard statement(s)	
H318	Causes serious eye damage.
Supplementary statement(s)	
EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.

# Precautionary statement(s) Prevention

P280	Wear protective gloves, protective clothing, eye protection and face protection.		
Precautionary statement(s) Re	sponse		
P305+P351+P338	F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/physician/first aider.		
Precautionary statement(s) Sto	prage		
Not Applicable			
Precautionary statement(s) Dis	iposal		
P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.		
	1		

# 2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

# **SECTION 3 Composition / information on ingredients**

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 151-21-3 2.205-788-1 3.Not Available 4.Not Available	<10	sodium lauryl sulfate	Flammable Solids Category 1, Acute Toxicity (Oral, Dermal and Inhalation) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3; H228, H302+H312+H332, H315, H318, H335 <sup>[1]</sup>	Not Available	Not Available
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	0.01	<u>isothiazolinones,</u> mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 <sup>[2]</sup>	$\begin{array}{l} \mbox{Skin Corr. 1C; H314: C } \\ 0,6 \%   Skin Irrit. 2; \\ H315: 0,06 \% \leq C < 0,6 \\ \%   Eye Dam. 1; H318: C \\ \geq 0,6 \%   Eye Irrit. 2; \\ H319: 0,06 \% \leq C < 0,6 \\ \%   Skin Sens. 1A; \\ H317: C \geq 0,0015 \%   \\ M=100   M=100 \end{array}$	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:			Classification drawn from Regulation (EU) No 1272/2008 - A i identified as having endocrine disrupting properties	Annex VI; 3. Classification draw	/n from C&L * EU

# **SECTION 4 First aid measures**

# 4.1. Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Immediately hold eyelids apart and flush the eye continuously with running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.</li> <li>Transport to hospital or doctor without delay.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>		
Skin Contact	<ul> <li>If skin or hair contact occurs:</li> <li>Quickly but gently, wipe material off skin with a dry, clean cloth.</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.</li> <li>Transport to hospital, or doctor.</li> </ul>		
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>		
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>		

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5 Firefighting measures**

#### Activation Buffer C - Ultra

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

3. Advice for firefighters Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>
Fire/Explosion Hazard	<ul> <li>The material is not readily combustible under normal conditions.</li> <li>However, it will break down under fire conditions and the organic component may burn.</li> <li>Not considered to be a significant fire risk.</li> <li>Heat may cause expansion or decomposition with violent rupture of containers.</li> <li>Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) sulfur oxides (SOx) other pyrolysis products typical of burning organic material.</li> </ul>

#### **SECTION 6 Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

### 6.2. Environmental precautions

See section 12

## 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	Moderate hazard. <ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> </ul>

# 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

#### 7.1. Precautions for safe handling

Safe handling	<ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> </ul>
Fire and explosion protection	See section 5
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>

# 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Plastic tube or Plastic Bottle.</li> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	None known
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

7.3. Specific end use(s)

See section 1.2

#### 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment	
sodium lauryl sulfate	Dermal 0.625 mg/kg bw/day (Systemic, Chronic) Inhalation 1.102 mg/m <sup>3</sup> (Systemic, Chronic) Dermal 0.312 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.272 mg/m <sup>3</sup> (Systemic, Chronic) * Oral 0.156 mg/kg bw/day (Systemic, Chronic) *	0.012 mg/L (Water (Fresh)) 0.013 mg/L (Water - Intermittent release) 0.001 mg/L (Water (Marine)) 0.179 mg/kg sediment dw (Sediment (Fresh Water)) 0.018 mg/kg sediment dw (Sediment (Marine)) 0.028 mg/kg soil dw (Soil) 1.35 mg/L (STP)	
isothiazolinones, mixed	Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) *	<ul> <li>3.39 μg/L (Water (Fresh))</li> <li>3.39 μg/L (Water - Intermittent release)</li> <li>3.39 μg/L (Water (Marine))</li> <li>0.027 mg/kg sediment dw (Sediment (Fresh Water))</li> <li>0.027 mg/kg soil dw (Sediment (Marine))</li> <li>0.01 mg/kg soil dw (Soil)</li> <li>0.23 mg/L (STP)</li> </ul>	

\* Values for General Population

# Occupational Exposure Limits (OEL)

INGREDIENT DATA						
Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

# Not Applicable

### Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
sodium lauryl sulfate	3.9 mg/m3	43 mg/m3		260 mg/m3
Ingredient	Original IDLH		Revised IDLH	
sodium lauryl sulfate	Not Available		Not Available	
isothiazolinones, mixed	Not Available		Not Available	

#### Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
sodium lauryl sulfate	E	≤ 0.01 mg/m³	
isothiazolinones, mixed	E ≤ 0.1 ppm		
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

#### 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
8.2.2. Individual protection measures, such as personal protective equipment	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>NOTE:</li> <li>The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> <li>Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</li> <li>Personal hygiene is a key element of effective hand care.</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C apron.</li> <li>Barrier cream.</li> <li>Skin cleansing cream.</li> </ul>

# **Respiratory protection**

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

#### Activation Buffer C - Ultra

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
   The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

#### 8.2.3. Environmental exposure controls

See section 12

#### **SECTION 9** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

#### 9.2. Other information

Not Available

#### **SECTION 10 Stability and reactivity**

10.1.Reactivity	See section 7.2
10.2. Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

#### **SECTION 11 Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	Not normally a hazard due to non-volatile nature of product The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	Considered an unlikely route of entry in commercial/industrial environments The material is not thought to produce adverse health effects following ingestion (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum.
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage.
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

## Activation Buffer C - Ultra

	TOVIDITY	
Activation Buffer C - Ultra	TOXICITY Not Available	IRRITATION Not Available
	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (rabbit):100 mg/24 hr-moderate
sodium lauryl sulfate	Oral (Rat) LD50: 1288 mg/kg <sup>[2]</sup>	Eye: adverse effect observed (irritating) <sup>[1]</sup>
		Skin (human): 25 mg/24 hr - mild
		Skin: adverse effect observed $(irritating)^{[1]}$
	ΤΟΧΙΟΙΤΥ	IRRITATION
	dermal (rat) LD50: >1008 mg/kg <sup>[1]</sup>	Eye: adverse effect observed (irreversible damage) <sup>[1]</sup>
isothiazolinones, mixed	Inhalation(Rat) LC50: 0.171 mg/l4h <sup>[1]</sup>	Skin: adverse effect observed (corrosive) <sup>[1]</sup>
	Oral (Rat) LD50: 53 mg/kg <sup>[2]</sup>	Skin: adverse effect observed (irritating) <sup>[1]</sup>
Legend:	1. Value obtained from Europe ECHA Registered Subsi specified data extracted from RTECS - Register of Toxi	tances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless other c Effect of chemical Substances
ODIUM LAURYL SULFATE	(rabbit) 10: mg- Based on laboratory and animal testing, exposure to the Alkyl sulfates are irritating to the skin, harmful if swallow liver and excreted via urine. They produce dose-depend genetic defects. For alkyl sulfates; alkane sulfonates and alpha-olefin su Most chemicals of this category are not defined substar and/or biological pathways result in structurally similar to similar environmental behavior and essentially identical Acute toxicity: These substances are well absorbed after chemicals are distributed mainly to the liver.	nces, but mixtures of homologues with different alkyl side chains. Common physic preakdown products, and are, together with the surfactant properties, responsible hazard profiles with regard to human health. er ingestion; penetration through the skin is however, poor. After absorption, these y, hair standing up, decreased motor activity and breathing rate, and diarrhea.

ISOTHIAZOLINONES, MIXED         The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T)ymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.           In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and minal health and the environment. To this aim, its required that risk assessment of biocidal products is carried our before they can be placed on the market. A central element in the risk assessment of the biocidal products in certain to before they can be placed on the market. A central element in applications and thus the exposure of humans and the environment to the biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non- professional users. No significant acute toxicological data identified in literature search. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of the formaldehyde is graphical preservatives ensures that the level of free formaldehyde in the products is always ob but stifficant to inhibit mincipal growth i it disrupts metabolism to cause death of the organism. However there is a concent that formaldehyde generators can produce amines capable of causing cancers (nitricasmines) when used in formulations containing amines. The material may cause skin infration after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickeni	SODIUM LAURYL SULFATE	Most chemicals of this category are not defined subst and/or biological pathways result in structurally simila similar environmental behavior and essentially identic Acute toxicity: These substances are well absorbed a chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethan Poisoning from skin contact caused irritation, tremor,	r breakdown products, and are, toged al hazard profiles with regard to hum fiter ingestion; penetration through th rgy, hair standing up, decreased mote	her with the surfactant properties, responsible for an health. e skin is however, poor. After absorption, these or activity and breathing rate, and diarrhea.		
SODIUM LAURYL SULFATE & ISOTHIAZOLINONES, MIXED       condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.         Acute Toxicity       X         Serious Eye Damage/Irritation       X         Respiratory or Skin sensitisation       X	ISOTHIAZOLINONES, MIXED	Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and the exposure of humans and the environment to the biocidal substance. Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. No significant acute toxicological data identified in literature search. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde- releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or				
Skin Irritation/Corrosion     X     Reproductivity       Serious Eye Damage/Irritation     Image: Constraint of the series of the se		condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing,				
Serious Eye Damage/IrritationSTOT - Single ExposureRespiratory or Skin sensitisation×STOT - Repeated Exposure	Acute Toxicity	×	Carcinogenicity	×		
Damage/Irritation     STOT - Single Exposure       Respiratory or Skin sensitisation     X       STOT - Repeated Exposure     X	Skin Irritation/Corrosion	×	Reproductivity	×		
sensitisation		*	STOT - Single Exposure	×		
Mutagenicity 🗙 Aspiration Hazard 🗙		×	STOT - Repeated Exposure	×		
	Mutagenicity	×	Aspiration Hazard	×		

Legend: 🗙 – L

# Data either not available or does not fill the criteria for classification Data available to make classification

# 11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

# 11.2.2. Other information

See Section 11.1

#### **SECTION 12 Ecological information**

	Endpoint	Test Duration (hr)	Species	Value	Source
Activation Buffer C - Ultra	Not Available	Not Available	Not Available	Not Available	Not Availabl
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	EC50	72h	Algae or other aquatic plants	4.8mg/l	2
sodium lauryl sulfate	EC50	48h	Crustacea	0.939mg/l	1
	EC50	96h	Algae or other aquatic plants		4
	LC50	96h	Fish	0.59mg/l	4
	EC0(ECx)	72h	Algae or other aquatic plants	30mg/l	1
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	LC50	96h	Fish	0.129mg/l	2
in a this way in a second	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:	Extracted from	1. IUCLID Toxicity Data 2. Europe E	CHA Registered Substances - Ecotoxicological Inform	nation - Aquatic Toxicity	4. US E

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites. DO NOT discharge into sewer or waterways.

# 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium lauryl sulfate	HIGH	HIGH

# 12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
sodium lauryl sulfate	LOW (BCF = 7.15)

# 12.4. Mobility in soil

Ingredient	Mobility
sodium lauryl sulfate	LOW (KOC = 10220)

# 12.5. Results of PBT and vPvB assessment

	Р	В	т			
Relevant available data	Not Available	Not Available	Not Available			
PBT	×	×	×			
vPvB	×	×	×			
PBT Criteria fulfilled?	PBT Criteria fulfilled? No					
vPvB	No					

#### 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

#### 12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

# SECTION 13 Disposal considerations

#### 13.1. Waste treatment methods

Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.			
Waste treatment options	Not Available			
Sewage disposal options	Not Available			

#### **SECTION 14 Transport information**

# Labels Required

Marine Pollutant NO

#### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.	UN number or ID number	Not Applicable					
14.2	UN proper shipping name	Not Applicable	Not Applicable				
14.3.	Transport hazard class(es)	Class Subsidiary Hazard	Not Appl Not Appl				
14.4	Packing group	Not Applicable					
14.5	Environmental hazard	Not Applicable	Not Applicable				
		Hazard identification	(Kemler)	Not Applicable			
		Classification code		Not Applicable			
14.6	Special precautions for	Hazard Label		Not Applicable			
	user	Special provisions		Not Applicable			
		Limited quantity		Not Applicable			
	Tunnel Restriction Co	ode	Not Applicable				

# Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable				
14.2. UN proper shipping name	Not Applicable				
	ICAO/IATA Class	Not Applicable			
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable			
0.000(00)	ERG Code	Not Applicable			
14.4. Packing group	Not Applicable				
14.5. Environmental hazard	Not Applicable				
	Special provisions		Not Applicable		
	Cargo Only Packing Instructions		Not Applicable		
	Cargo Only Maximum Qty / Pack		Not Applicable		
14.6. Special precautions for user	Passenger and Cargo Packing In	structions	Not Applicable		
4301	Passenger and Cargo Maximum Qty / Pack		Not Applicable		
	Passenger and Cargo Limited Qu	antity Packing Instructions	Not Applicable		
	Passenger and Cargo Limited Ma	aximum Qty / Pack	Not Applicable		

# Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Haz	Not Applicable       zard       Not Applicable		
14.4. Packing group	Not Applicable	Not Applicable		
14.5 Environmental hazard	Not Applicable			
14.6. Special precautions for user	EMS Number Special provisions Limited Quantities	Not Applicable Not Applicable Not Applicable		

# Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	Not Applicable No	t Applicable
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Classification code	Not Applicable
	Special provisions	Not Applicable
	Limited quantity	Not Applicable
	Equipment required	Not Applicable
	Fire cones number	Not Applicable

# 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sodium lauryl sulfate	Not Available
isothiazolinones, mixed	Not Available

#### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
sodium lauryl sulfate	Not Available
isothiazolinones, mixed	Not Available

#### **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

#### sodium lauryl sulfate is found on the following regulatory lists

Europe EC Inventory

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

#### isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

#### Information according to 2012/18/EU (Seveso III):

Seveso Category	Not Available

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)
Japan - ENCS	No (isothiazolinones, mixed)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### **SECTION 16 Other information**

Revision Date	25/10/2022
Initial Date	12/07/2022

#### Full text Risk and Hazard codes

H228	Flammable solid.
H301	Toxic if swallowed.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Activation Buffer C - Ultra

H410 Very toxic to aquatic life with long lasting effects.

#### SDS Version Summary

Version	Date of Update	Sections Updated
3.1	19/07/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

- EN 166 Personal eye-protection
- EN 340 Protective clothing
- EN 374 Protective gloves against chemicals and micro-organisms
- EN 13832 Footwear protecting against chemicals
- EN 133 Respiratory protective devices

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



# TGR BioSciences Pty Ltd.

Chemwatch: 5555-18 Version No: 4.1

Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: 25/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product Identifier

Product name	Dilution Buffer - Ultra
Chemical Name	Not Applicable
Synonyms	Dilution Buffer A
Chemical formula	Not Applicable
Other means of identification	Not Available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

#### 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd.
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

#### 1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

# **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments <sup>[1]</sup>	Not Applicable
2.2. Label elements	
Hazard pictogram(s)	Not Applicable

Signal word Not Applicable

#### Hazard statement(s)

Not Applicable

#### Supplementary statement(s)

EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

# Not Applicable

Not Applicable

Precautionary statement(s) Storage

# Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

#### 2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

#### **SECTION 3 Composition / information on ingredients**

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

# 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	<u>isothiazolinones,</u> mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 <sup>[2]</sup>	$ \begin{array}{l} \mbox{Skin Corr. 1C; H314: C } \\ 0,6 \%   \mbox{Skin Irrit. 2;} \\ H315: 0,06 \% \leq C < 0,6 \\ \%   \mbox{Eye Dam. 1; H318: C} \\ \geq 0,6 \%   \mbox{Eye Irrit. 2;} \\ H319: 0,06 \% \leq C < 0,6 \\ \%   \mbox{Skin Sens. 1A; H317:} \\ C \geq 0,0015 \%   \mbox{M=100}   \\ \mbox{M=100} \\ \end{array} $	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:			Classification drawn from Regulation (EU) No 1272/2008 9 identified as having endocrine disrupting properties	Annex VI; 3. Classification drav	vn from C&L * EU

#### **SECTION 4 First aid measures**

#### 4.1. Description of first aid measures

•	
Eye Contact	<ul> <li>If this product comes in contact with eyes:</li> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5 Firefighting measures**

#### 5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

#### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
.3. Advice for firefighters	
Fire Fighting	<ul> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> <li>Do not approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> </ul>
Fire/Explosion Hazard	<ul> <li>The material is not readily combustible under normal conditions.</li> <li>However, it will break down under fire conditions and the organic component may burn.</li> <li>Not considered to be a significant fire risk.</li> <li>Heat may cause expansion or decomposition with violent rupture of containers.</li> </ul>

Decomposition may produce toxic fumes of:

carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

#### **SECTION 6 Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

#### 6.2. Environmental precautions

See section 12

#### 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	<ul> <li>Minor hazard.</li> <li>Clear area of personnel.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Control personal contact with the substance, by using protective equipment as required.</li> </ul>

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### SECTION 7 Handling and storage

# 7.1. Precautions for safe handling Safe handling • Limit all unnecessary personal contact. • Wear protective clothing when risk of exposure occurs. • Use in a well-ventilated area. • Avoid contact with incompatible materials. Fire and explosion protection See section 5 • Store in original containers. • Keep containers securely sealed. • Store in a cool, dry, well-ventilated area. • Store in a cool, dry, well-ventilated area. • Store away from incompatible materials and foodstuff containers.

#### 7.2. Conditions for safe storage, including any incompatibilities

	o, moraling any moonipalismeter
Suitable container	<ul> <li>Plastic tube or plastic bottle.</li> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	Avoid reaction with oxidising agents
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

# 7.3. Specific end use(s)

See section 1.2

#### **SECTION 8 Exposure controls / personal protection**

#### 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment	
isothiazolinones, mixed	Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) *	<ul> <li>3.39 μg/L (Water (Fresh))</li> <li>3.39 μg/L (Water - Intermittent release)</li> <li>3.39 μg/L (Water (Marine))</li> <li>0.027 mg/kg sediment dw (Sediment (Fresh Water))</li> <li>0.027 mg/kg soil dw (Sediment (Marine))</li> <li>0.01 mg/kg soil dw (Soil)</li> <li>0.23 mg/L (STP)</li> </ul>	

\* Values for General Population

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Not Applicable						
Emergency Limits						

Ingredient	TEEL-1	TEEL-2	TEEL-3

Ingredient	TEEL-1	TEEL-2		TEEL-3
Dilution Buffer - Ultra	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	
Occupational Exposure Bandin	g			
Ingredient	Occupational Exposure Band Rating		Occupational Expo	osure Band Limit
isothiazolinones, mixed	E		≤ 0.1 ppm	
Notes:		exposure. The output of this	process is an occupatio	r bands based on a chemical's potency and th onal exposure band (OEB), which correspond
2. Exposure controls				
8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering control can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.			
8.2.2. Individual protection measures, such as personal protective equipment				
Eye and face protection	<ul> <li>Safety glasses with side shields</li> <li>Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.</li> </ul>			
Skin protection	See Hand protection below			
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.			
Body protection	See Other protection below			
Other protection	No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Evewash unit.			

# Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Eyewash unit.

# 8.2.3. Environmental exposure controls

See section 12

# **SECTION 9** Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available

Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

# 9.2. Other information

Not Available

# SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

# **SECTION 11 Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled		ation of the respiratory tract (as classified by EC Directives using animal re be kept to a minimum and that suitable control measures be used in an
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other class of corroborating animal or human evidence.	ssification systems as "harmful by ingestion". This is because of the lack
Skin Contact	The material is not thought to produce adverse health effects or skir models). Nevertheless, good hygiene practice requires that exposur occupational setting.	n irritation following contact (as classified by EC Directives using animal re be kept to a minimum and that suitable gloves be used in an
Eye	Although the liquid is not thought to be an irritant (as classified by E discomfort characterised by tearing or conjunctival redness (as with	
Chronic	Long-term exposure to the product is not thought to produce chronic animal models); nevertheless exposure by all routes should be mini	
	тохісіту	IRRITATION
Dilution Buffer - Ultra	Not Available	Not Available
	τοχιςιτγ	IRRITATION
in this start was a size of	dermal (rat) LD50: >1008 mg/kg <sup>[1]</sup>	Eye: adverse effect observed (irreversible damage) $^{\left[ 1 ight] }$
isothiazolinones, mixed	Inhalation(Rat) LC50: 0.171 mg/l4h <sup>[1]</sup>	Skin: adverse effect observed (corrosive) <sup>[1]</sup>
	Oral (Rat) LD50: 53 mg/kg <sup>[2]</sup>	Skin: adverse effect observed (irritating) <sup>[1]</sup>
Legend:	<ol> <li>Value obtained from Europe ECHA Registered Substances - Acu specified data extracted from RTECS - Register of Toxic Effect of cl</li> </ol>	te toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise nemical Substances
ISOTHIAZOLINONES, MIXED	urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk biocides has been established with the objective of ensuring a high this aim, it is required that risk assessment of biocidal products is ca the risk assessment of the biocidal products are the utilization instru applications and thus the exposure of humans and the environment Humans may be exposed to biocidal products in different ways in bo intended for industrial sectors or professional uses only, whereas ot professional users. No significant acute toxicological data identified Formaldehyde generators (releasers) are often used as preservative and must be labelled with the warning sign "contains formaldehyde" releasing preservatives ensures that the level of free formaldehyde disrupts metabolism to cause death of the organism. However there of causing cancers (nitrosamines) when used in formulations contai The material may be irritating to the eye, with prolonged contact cau produce conjunctivitis. The material may cause skin irritation after prolonged or repeated e production of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or even years after condition known as reactive airways dysfunction syndrome (RADS) compound. Main criteria for diagnosing RADS include the absence of persistent asthma-like symptoms within minutes to hours of a doc	hore rarely as urticaria or Quincke's oedema. The pathogenesis of eaction of the delayed type. Other allergic skin reactions, e.g. contact assessment and management, the EU regulatory framework for level of protection of human and animal health and the environment. To arried out before they can be placed on the market. A central element in inctions that defines the dosage, application method and amount of to the biocidal substance. The occupational and domestic settings. Many biocidal products are her biocidal products are commonly available for private use by non- in literature search. es. The maximum authorised concentration of free formaldehyde is 0.2% where the concentration exceeds 0.05%. The use of formaldehyde is 0.2% where the concent formaldehyde generators can produce amines capable ning amines. using inflammation. Repeated or prolonged exposure to irritants may exposure and may produce on contact skin redness, swelling, the exposure to the material ends. This may be due to a non-allergic which can occur after exposure to highly irritating of previous airways disease in a non-atopic individual, with sudden onset sumented exposure to the irritant. Other criteria for diagnosis of RADS to severe bronchial hyperreactivity on methacholine challenge testing,

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×

Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

Data either not available or does not fill the criteria for classification
 Data available to make classification

#### 11.2 Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

#### **SECTION 12 Ecological information**

# 12.1. Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Dilution Buffer - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:	Ecotox databas	, j	CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan) -		

#### 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential	1
Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil	
Ingredient	Mobility
	No Data available for all ingredients

#### 12.5. Results of PBT and vPvB assessment

	P	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			No
vPvB			No

#### 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

### 12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

# **SECTION 13 Disposal considerations**

13.1. Waste treatment methods	
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.
Waste treatment options	Not Available
Sewage disposal options	Not Available

# **SECTION 14 Transport information**

#### Labels Required Marine Pollutant NO

#### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN number or ID number	Not Applicable		
UN proper shipping name	Not Applicable		
Transport hazard	Class	Not Appli	icable
class(es)	Subsidiary Hazard	Not Appli	icable
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
	Hazard identification	(Kemler)	Not Applicable
	Classification code		Not Applicable
Special precautions for	Hazard Label		Not Applicable
user	Special provisions		Not Applicable
	Limited quantity		Not Applicable
	Tunnel Restriction Co	ode	Not Applicable
	number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special precautions for	number     Not Applicable       UN proper shipping name     Not Applicable       Transport hazard class(es)     Class       Subsidiary Hazard     Subsidiary Hazard       Packing group     Not Applicable       Environmental hazard     Not Applicable       Special precautions for user     Hazard identification Classification code       Hazard Label     Special provisions       Limited quantity     Limited quantity	Not Applicable       UN proper shipping name     Not Applicable       Transport hazard class(es)     Class     Not Applicable       Packing group     Not Applicable       Packing group     Not Applicable       Environmental hazard     Not Applicable       Special precautions for user     Hazard identification (Kemler) Classification code

# Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	ICAO/IATA Class	Not Applicable		
	ICAO / IATA Subsidiary Hazard	Not Applicable		
01000(00)	ERG Code	Not Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		Not Applicable	
14.6. Special precautions for user	Cargo Only Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo Packing Instructions		Not Applicable	
	Passenger and Cargo Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable	
	Passenger and Cargo Limited Ma	aximum Qty / Pack	Not Applicable	

# Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	IMDG ClassNot ApplicableIMDG Subsidiary HazardNot Applicable		
14.4. Packing group	Not Applicable		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number Special provisions Limited Quantities	Not Applicable Not Applicable Not Applicable	

# Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Classification code	Not Applicable	
	Special provisions	Not Applicable	
	Limited quantity	Not Applicable	
	Equipment required	Not Applicable	
	Fire cones number	Not Applicable	

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group		
isothiazolinones, mixed	Not Available		
14.7.3. Transport in bulk in acc	ordance with the IGC Code		
Product name	Ship Type		
isothiazolinones, mixed	Not Available		

#### **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

# isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

#### Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

# 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)
Japan - ENCS	No (isothiazolinones, mixed)
Korea - KECI	Yes
New Zealand - NZloC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### **SECTION 16 Other information**

Revision Date	25/10/2022
Initial Date	13/07/2022

#### Full text Risk and Hazard codes

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
3.1	16/08/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eve-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

- EN 13832 Footwear protecting against chemicals EN 133 Respiratory protective devices

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
   PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



# TGR BioSciences Pty Ltd.

Chemwatch: 5555-13 Version No: 7.2

Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: 06/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product Identifier

Product name	Lysis Buffer (5X) - Ultra
Chemical Name	Not Applicable
Synonyms	Lysis Buffer (5X) A
Chemical formula	Not Applicable
Other means of identification	Not Available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

#### 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd.		
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia		
Telephone	+61 8 7228 2141		
Fax	Not Available		
Website	www.tgrbio.com		
Email	ADE.info@abcam.com		

#### 1.4. Emergency telephone number

• • •		
Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone numbers	+61 2 9037 2994	
Other emergency telephone numbers	+1 703 527 3887	

# **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments <sup>[1]</sup>	H319 - Serious Eye Damage/Eye Irritation Category 2	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

# 2.2. Label elements

Hazard pictogram(s)	
Signal word	Warning
Hazard statement(s)	
H319	Causes serious eye irritation.
Supplementary statement(s)	
EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.

#### Precautionary statement(s) Prevention

P280	Wear protective gloves, protective clothing, eye protection and face protection.	
P264	Wash all exposed external body areas thoroughly after handling.	

#### Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

#### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.		
2.3. Other hazards			
p-tert-octylphenol ethoxylate	Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation		
p-tert-octylphenol ethoxylate	Listed in the Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation		

Determined to have endocrine-disrupting properties according to Europe Regulation (EU) 528/2012, Europe Regulation (EU) 2017/2100, and Europe Regulation (EU) 2018/605

# **SECTION 3 Composition / information on ingredients**

p-tert-octylphenol ethoxylate

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 9002-93-1 2.Not Available 3.Not Available 4.Not Available	<2.5	Acute Toxicity (Oral) Category 4, Skin         p-tert-       Corrosion/Irritation Category 2, Serious Eye         octylphenol       Damage/Eye Irritation Category 1, Hazardous to the         ethoxylate [e]       Aquatic Environment Long-Term Hazard Category 2;         H302, H315, H318, H411, EUH205 <sup>[1]</sup>		Not Available	Not Available
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	i <u>sothiazolinones,</u> mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 <sup>[2]</sup>	$ \begin{array}{l} \mbox{Skin Corr. 1C; H314: C } \\ 0,6 \%   \mbox{Skin Irrit. 2;} \\ H315: 0,06 \% \leq C < 0,6 \\ \%   \mbox{Eye Dam. 1; H318: C} \\ \geq 0,6 \%   \mbox{Eye Irrit. 2;} \\ H319: 0,06 \% \leq C < 0,6 \\ \%   \mbox{Skin Sens. 1A; H317:} \\ C \geq 0,0015 \%   \mbox{M=100}   \\ \mbox{M=100} \\ \end{array} $	Not Available
1. 7681-49-4 2.231-667-8 3.009-004-00-7 4.Not Available	>0.1	sodium fluoride *	Acute Toxicity (Oral) Category 3, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2; H301, H315, H319 [2]	Not Available	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:		1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties			

# **SECTION 4 First aid measures**

Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### 4.2 Most important symptoms and effects, both acute and delayed See Section 11

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5 Firefighting measures**

# 5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

#### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
5.3. Advice for firefighters	
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>
Fire/Explosion Hazard	<ul> <li>The material is not readily combustible under normal conditions.</li> <li>However, it will break down under fire conditions and the organic component may burn.</li> <li>Not considered to be a significant fire risk.</li> <li>Heat may cause expansion or decomposition with violent rupture of containers.</li> <li>Decomposition may produce toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>

#### **SECTION 6 Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

# 6.2. Environmental precautions

See section 12

#### 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>	
Major Spills	Moderate hazard.  Clear area of personnel and move upwind.  Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves.	

## 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

# 7.1. Precautions for safe handling

Safe handling	<ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with moisture.</li> </ul>	
Fire and explosion protection	See section 5	
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>	

#### 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Plastic Bottles</li> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>	
Storage incompatibility	Avoid reaction with oxidising agents	
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available	
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available	

7.3. Specific end use(s)

See section 1.2

#### 8.1. Control parameters

8.1. Control parameters			
Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment           3.39 µg/L (Water (Fresh))           3.39 µg/L (Water - Intermittent release)           3.39 µg/L (Water (Marine))           0.027 mg/kg sediment dw (Sediment (Fresh Water))           0.027 mg/kg sediment dw (Sediment (Marine))           0.01 mg/kg soil dw (Soil)           0.23 mg/L (STP)	
isothiazolinones, mixed	Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) *		
sodium fluoride	Dermal 0.36 mg/kg bw/day (Systemic, Chronic) Inhalation 2.5 mg/m <sup>3</sup> (Local, Chronic) Dermal 0.36 mg/kg bw/day (Systemic, Acute) Inhalation 2.5 mg/m <sup>3</sup> (Systemic, Acute)	0.9 mg/L (Water (Fresh)) 11 mg/kg soil dw (Soil) 51 mg/L (STP)	

\* Values for General Population

# Occupational Exposure Limits (OEL)

INGREDIENT DATA						
Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Netherlands Occupational Exposure Limits	sodium fluoride	Fluoriden, anorganisch en oplosbaar (als F)	Not Available	2 mg/m3	Not Available	А
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	sodium fluoride	Inorganic Fluorides	2.5 mg/m3	Not Available	Not Available	Skin

# Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
sodium fluoride	17 mg/m3	90 mg/m3		1,100 mg/m3
Ingredient	Original IDLH		Revised IDLH	
p-tert-octylphenol ethoxylate	Not Available		Not Available	
isothiazolinones, mixed	Not Available		Not Available	
sodium fluoride	250 mg/m3		Not Available	

#### Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating Occupational Exposure Band Limit		
p-tert-octylphenol ethoxylate	E ≤ 0.1 ppm		
isothiazolinones, mixed	E ≤ 0.1 ppm		
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the		

Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

#### 8.2. Exposure controls

-	
8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
8.2.2. Individual protection measures, such as personal protective equipment	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</li> <li>Personal hygiene is a key element of effective hand care.</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C apron.</li> <li>Barrier cream.</li> <li>Skin cleansing cream.</li> </ul>

# **Respiratory protection**

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

• Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

#### 8.2.3. Environmental exposure controls

See section 12

# **SECTION 9** Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance	Liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Fliysical state			
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

#### 9.2. Other information

Not Available

# **SECTION 10 Stability and reactivity**

10.1.Reactivity	See section 7.2
10.2. Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

# **SECTION 11 Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in a occupational setting.		
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Eye	This material can cause eye irritation and damage in some persons.		
Chronic	Ample evidence from experiments exists that there is a suspicion this material directly reduces fertility. Based on experience with animal studies, exposure to the material may result in toxic effects to the development of the foetus, at levels which do not cause significant toxic effects to the mother. There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment.		
Lysis Buffer (5X) - Ultra	тохісітү	IRRITATION	
	Not Available	Not Available	

	TOXICITY	IRRITATION
p-tert-octylphenol ethoxylate	Oral (Rat) LD50: 1800 mg/kg <sup>[2]</sup>	Eye (rabbit): 1 mg - moderate
		Skin (human): 2 mg/3d -I - mild
	ΤΟΧΙCITY	IRRITATION
isothiazolinones, mixed	dermal (rat) LD50: >1008 mg/kg <sup>[1]</sup>	Eye: adverse effect observed (irreversible damage) <sup>[1]</sup>
	Inhalation(Rat) LC50: 0.171 mg/l4h <sup>[1]</sup> Skin: adverse effect observed (corrosive) <sup>[1]</sup>	
	Oral (Rat) LD50: 53 mg/kg <sup>[2]</sup>	Skin: adverse effect observed (irritating) <sup>[1]</sup>
	ΤΟΧΙΟΙΤΥ	IRRITATION
sodium fluoride	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (rabbit): 20 mg/24h-moderate
	Oral (Rat) LD50: >25<2000 mg/kg <sup>[1]</sup>	
Legend:	1. Value obtained from Europe ECHA Registered Subst specified data extracted from RTECS - Register of Toxic	ances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherw

P-TERT-OCTVLPHEND P-TERT-OCTVLPHEND Cotoxynols of various chain lengths as well as octoxynol salts and organic acids function in cosmetics either as surfactants-dualing agents, or surfactants-hydrotopes in a wide variety of cosmetic product concentrations response of harding to conserve produce conserve produces and sale as used, whereas short-chain nonxynols (8 and below) were considered sale as used, whereas short-chain nonxynols (9 and above) were considered sale as used, whereas short-chain nonxynols (9 and above) were considered sale as used, whereas short-chain nonxynols (9 and above) were considered sale as used, whereas short-chain nonxynols (9 and below) were considered sale as used, whereas short-chain nonxynols (9 and below) were considered sale as used, whereas short-chain nonxynols (9 and below) were considered sale as used, whereas short-chain nonxynols (9 and below) were considered sale as used, whereas short-chain nonxynols (9 and below) were considered sale as used, whereas short-chain ecopystale short as used welcan Harding and the seposition of the transfer to the sole short welcan set whereas the sole short welcan set with the shift of the sole short the sole welcan set welcan set welcan the sole short welcan set welcan the sole short welcan set welcan set and the sole sole sole as used and may not be specific to this product. Contact allergies quickly manifest themselves as contact accerna, more rarely as uticaria or Quincke's oedema. The pathogenesis contact eccerna, involves an ellocidal products in a shart site sole welcan be for short welcan be proved on the market seeses more that a seesement of the blocidal products in and the revinoming a high level of prediction of human and animal health and the environ the sale satisfies. And to ensure a harmonised risk assessment of nonmany and animal bealt with the objective of naturing a high level of prediction of human and harmal health and the environ the sale sole as the set defines the dosage, application methods and annomulti sale. The s			
ISOTHIAZOLINONES, MIXED       Contact allergies quickly manifest themselves as contact exerma, more rarely as utricaria or Quincke's oedema. The pathogenesis or uticaria, involves an eliberaded (T lymphocytes) immune reaction of the delayed type. Other allergics kin reactions, e.g., or uticaria, involve antibody-mediated immune reactions.         In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environm this aim, it is required that risk assessment of the biocidal products is carried out before they can be placed on the market. A central ele the risk assessment of the biocidal products in different ways in boto occupational and domestic settings. Many biocidal products in different ways in boto occupational and domestic settings. Many biocidal products in used as preservatives. The maximum authorised concentration of free formaldehyde and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde and must be labelled with the varing sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde and must be labelled with the varing sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde are conjunctivitis. The material may be irritating to the eye, with prolonged or repeated exposure and may produce on ontact skin redness, swelling, the products is calways low but sufficient to inhibit microbial graducts in the allering of reasing anteers". The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce onout	cts at g-chain used in ents and udies of alcohol		
SODIOW FLOOKIDE       conjunctivitis.         Lysis Buffer (5X) - Ultra & SODIUM FLUORIDE       The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.         ISOTHIAZOLINONES, MIXED & SODIUM FLUORIDE       Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergenerity condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudd of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge to and the lack of minimal lymphocytic inflammation, without eosinophilia.         Acute Toxicity       X	ontact or ment. To ement in of are onon- e is 0.2% yde- rowth - it s capable may		
Lysis Burrer (sX) - Uitra & SODIUM FLUORIDE       NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.         ISOTHIAZOLINONES, MIXED & SODIUM FLUORIDE       Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allerge condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudd of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge to and the lack of minimal lymphocytic inflammation, without eosinophilia.         Acute Toxicity       X	e		
ISOTHIAZOLINONES, MIXED       condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudd of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge to and the lack of minimal lymphocytic inflammation, without eosinophilia.         Acute Toxicity       X	NOT classifiable as to its carcinogenicity to humans.		
	den onset RADS		
Serious Eye Damage/Irritation			
Respiratory or Skin sensitisation X STOT - Repeated Exposure X			
Mutagenicity X Aspiration Hazard X			

# 11.2 Information on other hazards

# 11.2.1. Endocrine disrupting properties

Many chemicals may mimic or interfere with the body s hormones, known as the endocrine system. Endocrine disruptors are chemicals that can interfere with endocrine (or hormonal) systems.

Endocrine disruptors interfere with the synthesis, secretion, transport, binding, action, or elimination of natural hormones in the body. Any system in the body controlled by hormones can be derailed by hormone disruptors. Specifically, endocrine disruptors may be associated with the development of learning disabilities, deformations of the body various cancers and sexual development problems.

Endocrine disrupting chemicals cause adverse effects in animals. But limited scientific information exists on potential health problems in humans. Because people are typically exposed to multiple endocrine disruptors at the same time, assessing public health effects is difficult.

#### 11.2.2. Other information

See Section 11.1

#### **SECTION 12 Ecological information**

#### 12.1. Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Lysis Buffer (5X) - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
-tert-octylphenol ethoxylate	EC50(ECx)	96h	Fish	3mg/L	5
	LC50	96h	Fish	>2.8<3.2mg/l	4
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
iaathiazalinanaa miyad	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	BCF	672h	Fish	<0.66	7
	EC50	72h	Algae or other aquatic plants	>121.8mg/L	4
sodium fluoride	EC50	48h	Crustacea	36.2mg/L	5
	EC50	96h	Algae or other aquatic plants	43mg/l	2
	LC50	96h	Fish	38-68mg/l	4
	NOEC(ECx)	2160h	Fish	3.1mg/l	4
Legend:	Ecotox databa	,	HA Registered Substances - Ecotoxicological Inforr Aquatic Hazard Assessment Data 6. NITE (Japan)	, , ,	

DO NOT discharge into sewer or waterways

#### 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
p-tert-octylphenol ethoxylate	HIGH	HIGH
sodium fluoride	LOW	LOW

#### 12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
p-tert-octylphenol ethoxylate	HIGH (LogKOW = 4.863)
sodium fluoride	LOW (BCF = 6.4)

#### 12.4. Mobility in soil

Ingredient	Mobility
p-tert-octylphenol ethoxylate	LOW (KOC = 699.2)
sodium fluoride	LOW (KOC = 14.3)

#### 12.5. Results of PBT and vPvB assessment

	Р	В	т	
Relevant available data	Not Available	Not Available	Not Available	
PBT	×	×	×	
vPvB	×	×	×	
PBT Criteria fulfilled? No				
vPvB	No			

#### 12.6. Endocrine disrupting properties

The evidence linking adverse effects to endocrine disruptors is more compelling in the environment than it is in humans. Endocrine distruptors profoundly alter reproductive physiology of ecosystems and ultimately impact entire populations. Some endocrine-disrupting chemicals are slow to break-down in the environment. That characteristic makes them potentially hazardous over long periods of time. Some well established adverse effects of endocrine disruptors in various wildlife species include; eggshell-thinning, displayed of characteristics of the opposite sex and impaired reproductive development. Other adverse changes in wildlife species that have been suggested, but not proven include; reproductive abnormalities, immune dysfunction and skeletal deformaties.

No evidence of ozone depleting properties were found in the current literature.

#### **SECTION 13 Disposal considerations**

13.1. Waste treatment methods	
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.
Waste treatment options	Not Available
Sewage disposal options	Not Available

#### **SECTION 14 Transport information**

#### Labels Required

Marine Pollutant NO

#### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.	UN number or ID number	Not Applicable		
14.2.	UN proper shipping name	Not Applicable		
14.3.	Transport hazard	Class	Not Appli	cable
class(es)	Subsidiary Hazard	Not Appli	cable	
14.4.	Packing group	Not Applicable		
14.5.	Environmental hazard	Not Applicable		
	Hazard identification	(Kemler)	Not Applicable	
	Classification code		Not Applicable	
14.6.	Special precautions for	Hazard Label		Not Applicable
	user	Special provisions		Not Applicable
		Limited quantity		Not Applicable
		Tunnel Restriction C	ode	Not Applicable

# Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable				
14.2. UN proper shipping name	Not Applicable				
	ICAO/IATA Class	Not Applicable			
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable			
Class(65)	ERG Code Not Applicable				
14.4. Packing group	Not Applicable				
14.5. Environmental hazard	Not Applicable				
	Special provisions		Not Applicable		
	Cargo Only Packing Instructions		Not Applicable		
	Cargo Only Maximum Qty / Pack		Not Applicable		
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable		
	Passenger and Cargo Maximum Qty / Pack		Not Applicable		
	Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable		
	Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable		

# Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	IMDG ClassNot ApplicableIMDG Subsidiary HazardNot Applicable		
14.4. Packing group	Not Applicable		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	Special provisions	Not Applicable Not Applicable	

# Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	

14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	Not Applicable No	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable	Not Applicable		
14.5. Environmental hazard	Not Applicable			
14.6. Special precautions for user	Classification code Special provisions Limited quantity Equipment required Fire cones number	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable		

#### 14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

# 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
p-tert-octylphenol ethoxylate	Not Available
isothiazolinones, mixed	Not Available
sodium fluoride	Not Available

#### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
p-tert-octylphenol ethoxylate	Not Available
isothiazolinones, mixed	Not Available
sodium fluoride	Not Available

#### **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

#### p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

EU REACH Regulation (EC) No 1907/2006 - Proposals to identify Substances of Very High Concern: Annex XV reports for commenting by Interested Parties previous consultation

Europe European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation

#### isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

#### sodium fluoride is found on the following regulatory lists

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)

Europe EC Inventory

- European Union European Inventory of Existing Commercial Chemical Substances (EINECS)
- European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures Annex VI

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic Netherlands Occupational Exposure Limits

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

#### Information according to 2012/18/EU (Seveso III):

Seveso Category	Not Available
-----------------	---------------

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **National Inventory Status**

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	lo (isothiazolinones, mixed)	
Canada - DSL	Yes	
Canada - NDSL	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed; sodium fluoride)	
China - IECSC	és	
Europe - EINEC / ELINCS / NLP	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed)	
Japan - ENCS	No (isothiazolinones, mixed)	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	

### Page 10 of 11

# Lysis Buffer (5X) - Ultra

National Inventory	Status
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### **SECTION 16 Other information**

Revision Date	06/10/2022
Initial Date	12/07/2022

#### Full text Risk and Hazard codes

H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

#### SDS Version Summary

Version	Date of Update	Sections Updated
7.1	06/10/2022	Disposal considerations - Disposal
7.2	25/10/2022	Disposal considerations - Disposal, Identification of the substance / mixture and of the company / undertaking - Synonyms

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

- EN 166 Personal eve-protection
- EN 340 Protective clothing
- EN 374 Protective gloves against chemicals and micro-organisms
- EN 13832 Footwear protecting against chemicals
- EN 133 Respiratory protective devices

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals

- PICCS: Philippine Inventory of Chemicals and Chemical Substances
   TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
   FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.



# **Reaction Buffer 1 - Ultra**

# TGR BioSciences Pty Ltd.

Chemwatch: 5555-14 Version No: 4.1

Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022** Print Date: **02/11/2023** S.REACH.NLD.EN.E

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product Identifier

Product name	Reaction Buffer 1 - Ultra	
Chemical Name	Not Applicable	
Synonyms	Reaction Buffer 1 - MPSU; Reaction Buffer 2 – Ultra; Reaction Buffer 2 & Reaction Buffer 3 - MPSU	
Chemical formula	Not Applicable	
Other means of identification	Reaction Buffer 1 - MPSU, Reaction Buffer 2 - Ultra, Reaction Buffer 2 - MPSU, Reaction Buffer 3 - MPSU	

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.			
Uses advised against	No specific uses advised against are identified.			

#### 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd.		
Address	an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia		
Telephone	61 8 7228 2141		
Fax	Not Available		
Website	www.tgrbio.com		
Email	ADE.info@abcam.com		

#### 1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity		
Emergency telephone numbers	+61 2 9037 2994		
Other emergency telephone numbers	+1 703 527 3887		

# **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments <sup>[1]</sup>	Not Applicable
2.2. Label elements	
Hazard pictogram(s)	Not Applicable

Signal word Not Applicable

#### Hazard statement(s)

Not Applicable

#### Supplementary statement(s)

EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210         Safety data sheet available on request.	

#### Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

# Not Applicable

Not Applicable

Precautionary statement(s) Storage

# Precautionary statement(s) Disposal

P5

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

#### 2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

#### **SECTION 3 Composition / information on ingredients**

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

## 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	<u>isothiazolinones,</u> mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 <sup>[2]</sup>	$ \begin{array}{l} \mbox{Skin Corr. 1C; H314: C} \geq \\ 0,6 \% \mid \mbox{Skin Irrit. 2;} \\ \mbox{H315: } 0,06 \% \leq \mbox{C} < 0,6 \\ \% \mid \mbox{Eye Dam. 1; H318: C} \\ \geq 0,6 \% \mid \mbox{Eye Irrit. 2;} \\ \mbox{H319: } 0,06 \% \leq \mbox{C} < 0,6 \\ \% \mid \mbox{Skin Sens. 1A; H317:} \\ \mbox{C} \geq 0,0015 \% \mid \mbox{M=100} \mid \\ \mbox{M=100} \end{array} $	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties				

#### **SECTION 4 First aid measures**

#### 4.1. Description of first aid measures

····				
Eye Contact	<ul> <li>If this product comes in contact with eyes:</li> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>			
Skin Contact	<ul> <li>If skin or hair contact occurs:</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>			
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>			
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>			

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5 Firefighting measures**

#### 5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

#### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	ty Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result		
5.3. Advice for firefighters			
So: Advice for inteligiters	Use water delivered as a fine spray to control fire and cool adjacent area.		
Fire Fighting	boo water demoted as a mini sparty to control me and contragacent area.     boo not approach containers suspected to be hot.		
	Cold fire exposed containers with water spray from a protected location.		
	<ul> <li>Cost me exposed containers spray non a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> </ul>		
Fire/Explosion Hazard	The material is not readily combustible under normal conditions.		
	However, it will break down under fire conditions and the organic component may burn.		
	Not considered to be a significant fire risk.		
	Heat may cause expansion or decomposition with violent rupture of containers.		

Decomposition may produce toxic fumes of:

#### **Reaction Buffer 1 - Ultra**

carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

#### **SECTION 6 Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures See section 8

# 6.2. Environmental precautions

See section 12

#### 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	<ul> <li>Minor hazard.</li> <li>Clear area of personnel.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Control personal contact with the substance, by using protective equipment as required.</li> </ul>

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### SECTION 7 Handling and storage

# 7.1. Precautions for safe handling Safe handling • Limit all unnecessary personal contact. • Wear protective clothing when risk of exposure occurs. • Use in a well-ventilated area. • Avoid contact with incompatible materials. Fire and explosion protection See section 5 • Store in original containers. • Keep containers securely sealed. • Store in a cool, dry, well-ventilated area. • Store in a cool, dry, well-ventilated area. • Store away from incompatible materials and foodstuff containers.

#### 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	Plastic tube or plastic bottle.            Polyethylene or polypropylene container.            Packing as recommended by manufacturer.            Check all containers are clearly labelled and free from leaks.		
Storage incompatibility	Avoid reaction with oxidising agents		
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available		
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available		

# 7.3. Specific end use(s)

See section 1.2

#### SECTION 8 Exposure controls / personal protection

#### 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
isothiazolinones, mixed	Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) *	<ul> <li>3.39 μg/L (Water (Fresh))</li> <li>3.39 μg/L (Water - Intermittent release)</li> <li>3.39 μg/L (Water (Marine))</li> <li>0.027 mg/kg sediment dw (Sediment (Fresh Water))</li> <li>0.027 mg/kg soil dw (Sediment (Marine))</li> <li>0.01 mg/kg soil dw (Soil)</li> <li>0.23 mg/L (STP)</li> </ul>

\* Values for General Population

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Not Applicable						
Emergency Limits						

**Reaction Buffer 1 - Ultra** 

Ingredient	TEEL-1	TEEL-2		TEEL-3
Reaction Buffer 1 - Ultra	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	
Occupational Exposure Banding	g			
Ingredient	Occupational Exposure Band Rating		Occupational Expo	sure Band Limit
isothiazolinones, mixed	E		≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and t adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspond to a range of exposure concentrations that are expected to protect worker health.			
2. Exposure controls				
8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering control can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.			
8.2.2. Individual protection measures, such as personal protective equipment				
Eye and face protection	<ul> <li>Safety glasses with side shields</li> <li>Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.</li> </ul>			
Skin protection	See Hand protection below			
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.			
Body protection	See Other protection below			
Other protection	No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Eyewash unit.			

# Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

# 8.2.3. Environmental exposure controls

See section 12

# **SECTION 9** Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available

#### **Reaction Buffer 1 - Ultra**

Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

#### 9.2. Other information

Not Available

#### **SECTION 10 Stability and reactivity**

10.1.Reactivity	See section 7.2	
10.2. Chemical stability	roduct is considered stable and hazardous polymerisation will not occur.	
10.3. Possibility of hazardous reactions	See section 7.2	
10.4. Conditions to avoid	See section 7.2	
10.5. Incompatible materials	See section 7.2	
10.6. Hazardous decomposition products	See section 5.3	

#### **SECTION 11 Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.					
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.					
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.					
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).					
Chronic	Long-term exposure to the product is not thought to produce chronic animal models); nevertheless exposure by all routes should be minim					
	τοχιςιτγ	IRRITATION				
Reaction Buffer 1 - Ultra	Not Available	Not Available				
	тохісіту	IRRITATION				
	dermal (rat) LD50: >1008 mg/kg <sup>[1]</sup>	Eye: adverse effect observed (irreversible damage) <sup>[1]</sup>				
isothiazolinones, mixed	Inhalation(Rat) LC50: 0.171 mg/l4h <sup>[1]</sup>	Skin: adverse effect observed (corrosive) <sup>[1]</sup>				
	Oral (Rat) LD50: 53 mg/kg <sup>[2]</sup>	Skin: adverse effect observed (irritating) <sup>[1]</sup>				
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acut specified data extracted from RTECS - Register of Toxic Effect of ch	te toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise				
ISOTHIAZOLINONES, MIXED	urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk biocides has been established with the objective of ensuring a high I this aim, it is required that risk assessment of biocidal products is ca the risk assessment of the biocidal products are the utilization instru applications and thus the exposure of humans and the environment Humans may be exposed to biocidal products in different ways in bo intended for industrial sectors or professional uses only, whereas oth professional users. No significant acute toxicological data identified i Formaldehyde generators (releasers) are often used as preservative and must be labelled with the warning sign "contains formaldehyde" releasing preservatives ensures that the level of free formaldehyde i disrupts metabolism to cause death of the organism. However there of causing cancers (nitrosamines) when used in formulations contain The material may be irritating to the eye, with prolonged contact cau produce conjunctivitis. The material may cause skin irritation after prolonged or repeated ex production of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or even years after condition known as reactive airways dysfunction syndrome (RADS) compound. Main criteria for diagnosing RADS include the absence of presistent asthma-like symptoms within minutes to hours of a doc	hore rarely as urticaria or Quincke's oedema. The pathogenesis of eaction of the delayed type. Other allergic skin reactions, e.g. contact assessment and management, the EU regulatory framework for level of protection of human and animal health and the environment. To arried out before they can be placed on the market. A central element in inctions that defines the dosage, application method and amount of to the biocidal substance. The biocidal substance. The maximum authorised concentration of free formaldehyde is 0.2% where the concentration exceeds 0.05%. The use of formaldehyde is 0.2% where the concentration exceeds 0.05%. The use of formaldehyde- in the products is always low but sufficient to inhibit microbial growth - it is a concern that formaldehyde generators can produce amines capable ning amines. using inflammation. Repeated or prolonged exposure to irritants may apposure and may produce on contact skin redness, swelling, the exposure to the material ends. This may be due to a non-allergic which can occur after exposure to highly irritating of previous airways disease in a non-atopic individual, with sudden onset sumented exposure to the irritant. Other criteria for diagnosis of RADS to severe bronchial hyperreactivity on methacholine challenge testing,				

Acute ToxicityXSkin Irritation/CorrosionXSerious Eye<br/>Damage/IrritationXSerious Eye<br/>Damage/IrritationXSerious Eye<br/>Damage/IrritationXSerious Eye<br/>Damage/IrritationXSerious Eye<br/>Damage/IrritationX

#### **Reaction Buffer 1 - Ultra**

Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×	
Mutagenicity	×	Aspiration Hazard	×	
		Legend: X – Data either not available or does not fill the criteria for classificatio – Data available to make classification		

#### 11.2 Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

#### 11.2.2. Other information

See Section 11.1

### **SECTION 12 Ecological information**

#### 12.1. Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source	
Reaction Buffer 1 - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available	
	Endpoint	Test Duration (hr)	Species	Value	Source	
	LC50	96h	Fish	0.129mg/l	2	
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2	
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2	
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2	
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2	
Legend:	Ecotox databas	, , , , , , , , , , , , , , , , , , ,	CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan)			

#### 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

12.3. Bioaccumulative potentia	1
Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil	
Ingredient	Mobility
	No Data available for all ingredients

#### 12.5. Results of PBT and vPvB assessment

	Р	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			No
vPvB			No

#### 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

#### 12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

#### **SECTION 13 Disposal considerations**

13.1. Waste treatment methods	6
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.
Waste treatment options	Not Available
Sewage disposal options	Not Available

#### **SECTION 14 Transport information**

### Labels Required Marine Pollutant NO

### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number	Not Applicable						
14.2. UN proper shipping name	Not Applicable						
14.3. Transport hazard class(es)	Class Subsidiary Hazard	Not Appl Not Appl					
14.4. Packing group	Not Applicable	Not Applicable					
14.5. Environmental hazard	Not Applicable						
	Hazard identification	(Kemler)	Not Applicable				
	Classification code		Not Applicable				
14.6. Special precautions for user	Hazard Label		Not Applicable				
	Special provisions		Not Applicable				
	Limited quantity		Not Applicable				
	Tunnel Restriction Co	ode	Not Applicable				

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable				
14.2. UN proper shipping name	Not Applicable				
	ICAO/IATA Class	Not Applicable			
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	lazard Not Applicable			
01005(00)	ERG Code	Not Applicable			
14.4. Packing group	Not Applicable				
14.5. Environmental hazard	Not Applicable				
	Special provisions		Not Applicable		
	Cargo Only Packing Instructions		Not Applicable		
	Cargo Only Maximum Qty / Pack		Not Applicable		
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable		
	Passenger and Cargo Maximum Qty / Pack		Not Applicable		
	Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable		
	Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable		

### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Haza	Not Applicable       ard     Not Applicable
14.4. Packing group	Not Applicable	
14.5 Environmental hazard	Not Applicable	
14.6. Special precautions for user	Special provisions	Not Applicable Not Applicable Not Applicable

### Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable	Not Applicable	
14.3. Transport hazard class(es)	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Classification code Special provisions Limited quantity Equipment required Fire cones number	Not Applicable       Not Applicable       Not Applicable       Not Applicable       Not Applicable	

#### **Reaction Buffer 1 - Ultra**

#### 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available
14.7.3. Transport in bulk in acc	ordance with the IGC Code
Product name	Ship Type
isothiazolinones, mixed	Not Available

#### **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

#### isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

#### Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)
Japan - ENCS	No (isothiazolinones, mixed)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### **SECTION 16 Other information**

Revision Date	25/10/2022
Initial Date	12/07/2022

#### Full text Risk and Hazard codes

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
3.1	19/07/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms

end of SDS

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eve-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

- EN 13832 Footwear protecting against chemicals EN 133 Respiratory protective devices

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
   PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard
- OSF: Odour Safety Factor NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



### TGR BioSciences Pty Ltd.

Chemwatch: 5555-20

Version No: **3.1** Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Issue Date: 25/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

#### SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product Identifier

Product name	AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)
Chemical Name	Not Applicable
Synonyms	Alpha 615 CaptSure™ Acceptor Beads (2mg/mL) _ Multiplex; Alpha 545 CaptSure2™ Acceptor Beads (2mg/mL)_ Multiplex; Alpha 615 anti- p-AKT(1/2/3) (Ser473) (mIgG1) Acceptor Beads; Alpha 615 anti-p-ERK (mIgG1) Acceptor Beads
Chemical formula	Not Applicable
Other means of identification	Alpha 545 CaptSure2 Acceptor Beads (2mg/mL)_MPSU, Alpha 615 CaptSure Acceptor Beads (2mg/mL)_MPSU

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

#### 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd.
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

#### 1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

#### **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments <sup>[1]</sup>	Not Applicable
--	----------------

#### 2.2. Label elements

Hazard pictogram(s)

s) Not Applicable

#### Signal word Not Applicable

#### Hazard statement(s)

Not Applicable

#### Supplementary statement(s)

EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### Precautionary statement(s) Prevention

Not Applicable

#### Issue Date: 25/10/2022 Print Date: 02/11/2023

#### AlphaLISA CaptSure<sup>™</sup> Acceptor Beads (2mg/mL)

Precautionary statement(s) Response
Not Applicable
Precautionary statement(s) Storage

#### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

#### 2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

#### SECTION 3 Composition / information on ingredients

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

### 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	i <u>sothiazolinones,</u> mixed	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 <sup>[2]</sup>	$ \begin{array}{l} \mbox{Skin Corr. 1C; H314: C } \\ 0,6 \%   \mbox{Skin Irrit. 2;} \\ H315: 0,06 \% \leq C < 0,6 \\ \%   \mbox{Eye Dam. 1; H318: C} \\ \\ \geq 0,6 \%   \mbox{Eye Irrit. 2;} \\ H319: 0,06 \% \leq C < 0,6 \\ \%   \mbox{Skin Sens. 1A; H317:} \\ C \geq 0,0015 \%   \mbox{M=100}   \\ \mbox{M=100} \\ \end{array} $	Not Available
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend:		1. Classified by Chernwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties			

#### **SECTION 4 First aid measures**

#### 4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes: <ul> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5 Firefighting measures**

#### 5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
  Use extinguishing media suitable for surrounding area.
- · Ose exanguishing media suitable for surrounding ar

#### 5.2. Special hazards arising from the substrate or mixture

#### Fire Incompatibility None known.

#### 5.3. Advice for firefighters

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> </ul>

#### **SECTION 6 Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

#### 6.2. Environmental precautions

See section 12

#### 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid contact with skin and eyes.</li> <li>Wear impervious gloves and safety glasses.</li> <li>Use dry clean up procedures and avoid generating dust.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Control personal contact with the substance, by using protective equipment and dust respirator.</li> <li>Prevent spillage from entering drains, sewers or water courses.</li> </ul>

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 Handling and storage**

#### 7.1. Precautions for safe handling

7.1.1 recautions for sale nation		
Safe handling	<ul> <li>Limit all unnecessary personal contact.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with incompatible materials.</li> </ul>	
Fire and explosion protection	See section 5	
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry area protected from environmental extremes.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>	

#### 7.2. Conditions for safe storage, including any incompatibilities

	o, moraling any moonipalismeteo
Suitable container	<ul> <li>Brown tube or bottle.</li> <li>Lined metal can, lined metal pail/ can.</li> <li>Plastic pail.</li> <li>Polyliner drum.</li> <li>Packing as recommended by manufacturer.</li> </ul>
Storage incompatibility	None known
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

#### 7.3. Specific end use(s)

See section 1.2

#### **SECTION 8 Exposure controls / personal protection**

#### 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
isothiazolinones, mixed	Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) *	<ul> <li>3.39 μg/L (Water (Fresh))</li> <li>3.39 μg/L (Water - Intermittent release)</li> <li>3.39 μg/L (Water (Marine))</li> <li>0.027 mg/kg sediment dw (Sediment (Fresh Water))</li> <li>0.027 mg/kg sediment dw (Sediment (Marine))</li> <li>0.01 mg/kg soil dw (Soil)</li> <li>0.23 mg/L (STP)</li> </ul>

\* Values for General Population

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Not Applicable						
Emergency Limits						
1	TEEL 4		TEEL 6		TEELA	

Ingredient	TEEL-1	TEEL-2		TEEL-3
AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Not Available	Not Available		Not Available
Ingredient	Original IDLH	LH Revised IDLH		

Ingredient	Original IDLH Revised IDLH				
isothiazolinones, mixed	Not Available Not Available				
Occupational Exposure Bandin	9				
Ingredient	Occupational Exposure Band Rating Occupational Exposure Band Limit				
isothiazolinones, mixed	E	≤ 0.1 ppm			
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.				
.2. Exposure controls					
8.2.1. Appropriate engineering controls					
8.2.2. Individual protection measures, such as personal protective equipment					
Eye and face protection	<ul> <li>Safety glasses with side shields</li> <li>Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.</li> </ul>				
Skin protection	See Hand protection below				
Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.				
Body protection	See Other protection below				
Other protection	No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Eyewash unit.				

#### **Respiratory protection**

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

• Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

· Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

#### 8.2.3. Environmental exposure controls

See section 12

#### **SECTION 9** Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance White Lyophilysed pellet.

rippearanee			
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and	Not Available	Molecular weight (g/mol)	Not Applicable

### AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

boiling range (°C)			
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

#### **SECTION 10 Stability and reactivity**

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

### **SECTION 11 Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled		r if kidney damage has been sustained, proper screenings should be
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other class of corroborating animal or human evidence.	sification systems as "harmful by ingestion". This is because of the lack
Skin Contact	The material is not thought to produce adverse health effects or skin models). Nevertheless, good hygiene practice requires that exposure occupational setting.	irritation following contact (as classified by EC Directives using animal be kept to a minimum and that suitable gloves be used in an
Eye	Although the material is not thought to be an irritant (as classified by discomfort characterised by tearing or conjunctival redness (as with v	
	Long-term exposure to the product is not thought to produce chronic	
Chronic	animal models); nevertheless exposure by all routes should be minim Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung.	nised as a matter of course. in lung function i.e. pneumoconiosis, caused by particles less than 0.5
	Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung.	in lung function i.e. pneumoconiosis, caused by particles less than 0.5
Chronic AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Long term exposure to high dust concentrations may cause changes	
AlphaLISA CaptSure™	Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung.	in lung function i.e. pneumoconiosis, caused by particles less than 0.5 IRRITATION
AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung.           TOXICITY           Not Available	in lung function i.e. pneumoconiosis, caused by particles less than 0.5 IRRITATION Not Available
AlphaLISA CaptSure™	Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung.           TOXICITY           Not Available           TOXICITY	in lung function i.e. pneumoconiosis, caused by particles less than 0.5  IRRITATION Not Available IRRITATION
AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Long term exposure to high dust concentrations may cause changes micron penetrating and remaining in the lung.           TOXICITY           Not Available           TOXICITY           dermal (rat) LD50: >1008 mg/kg <sup>[1]</sup>	in lung function i.e. pneumoconiosis, caused by particles less than 0.5 IRRITATION Not Available IRRITATION Eye: adverse effect observed (irreversible damage) <sup>[1]</sup>

	-
ISOTHIAZOLINONES, MIXED	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance. Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-

	releasing preservatives ensures that the level of free disrupts metabolism to cause death of the organism. of causing cancers (nitrosamines) when used in form The material may be irritating to the eye, with prolong produce conjunctivitis. The material may cause skin irritation after prolonger production of vesicles, scaling and thickening of the Asthma-like symptoms may continue for months or e condition known as reactive airways dysfunction sym compound. Main criteria for diagnosing RADS includ of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function to and the lack of minimal lymphocytic inflammation, wi	However there is a concern that for nulations containing amines. ged contact causing inflammation. R d or repeated exposure and may pro- skin. even years after exposure to the mat drome (RADS) which can occur afte e the absence of previous airways d o hours of a documented exposure to ests, moderate to severe bronchial h	maldehyde generators can produce amines capable epeated or prolonged exposure to irritants may duce on contact skin redness, swelling, the erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating isease in a non-atopic individual, with sudden onset o the irritant. Other criteria for diagnosis of RADS	
AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) & ISOTHIAZOLINONES, MIXED	No significant acute toxicological data identified in lite	No significant acute toxicological data identified in literature search.		
Acute Toxicity	×	Carcinogenicity	×	
Skin Irritation/Corrosion	×	Reproductivity	×	
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×	
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×	
Mutagenicity	×	Aspiration Hazard	×	

# Legend: X – Data either not available or does not fill the criteria for classification - Data available to make classification

#### 11.2 Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

#### 11.2.2. Other information

See Section 11.1

#### **SECTION 12 Ecological information**

#### 12.1. Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
in this set in success where d	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:	Ecotox databas	, , , , , , , , , , , , , , , , , , ,	A Registered Substances - Ecotoxicological Inform quatic Hazard Assessment Data 6. NITE (Japan) ·		

#### 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients
12.3. Bioaccumulative potentia	I	

Ingredient	Bioaccumulation
	No Data available for all ingredients

#### 12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

#### 12.5. Results of PBT and vPvB assessment

	Р	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			No
vPvB			No

#### 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

#### 12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

#### **SECTION 13 Disposal considerations**

	13.1. Waste treatment methods	
Product / Packaging disposal Consult State Land Waste Management Authority for disposal.	nt Authority for disposal.	Product / Packaging disposal
Waste treatment options Not Available		Waste treatment options
Sewage disposal options Not Available		Sewage disposal options

#### **SECTION 14 Transport information**

# Marine Pollutant NO

#### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.	UN number or ID number	Not Applicable			
14.2.	UN proper shipping name	Not Applicable	Not Applicable		
14.3.	Transport hazard class(es)		lot Applicable		
14.4.	Packing group	Not Applicable			
14.5.	Environmental hazard	Not Applicable			
	. Special precautions for user	Hazard identification (Ken	emler) Not Applicable		
		Classification code	Not Applicable		
14.6.		Hazard Label	Not Applicable		
		Special provisions	Not Applicable		
		Limited quantity	Not Applicable		
		Tunnel Restriction Code	Not Applicable		

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number		Not Applicable			
14.2. UN proper sh name	nipping	Not Applicable			
14.3. Transport ha	onort borord	ICAO/IATA Class Not Applicable			
class(es)	Luiu	ICAO / IATA Subsidiary Hazard	Not Applicable		
		ERG Code	Not Applicable		
14.4. Packing grou	р	Not Applicable	Not Applicable		
14.5. Environment	al hazard	Not Applicable			
	. Special precautions for user	Special provisions		Not Applicable	
		Cargo Only Packing Instructions		Not Applicable	
		Cargo Only Maximum Qty / Pack		Not Applicable	
		Passenger and Cargo Packing Instructions		Not Applicable	
		Passenger and Cargo Maximum Qty / Pack		Not Applicable	
		Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable	
		Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable	

#### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	Not Applicable		
14.2. UN proper shipping name	Not Applicable	Not Applicable		
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Ha	Not Applicable       zard       Not Applicable		
14.4. Packing group	Not Applicable			
14.5 Environmental hazard	Not Applicable			
14.6. Special precautions for user	EMS Number	Not Applicable		
	Special provisions	Not Applicable		
	Limited Quantities	Not Applicable		

#### Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for	Classification code Special provisions	Not Applicable Not Applicable	
user	Limited quantity	Not Applicable	
	Equipment required	Not Applicable	
	Fire cones number	Not Applicable	

#### 14.7. Maritime transport in bulk according to IMO instruments

#### 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

#### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

#### **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

#### isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

#### Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **National Inventory Status**

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)	
Canada - DSL	Yes	
Canada - NDSL	No (isothiazolinones, mixed)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)	
Japan - ENCS	No (isothiazolinones, mixed)	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	No (isothiazolinones, mixed)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (isothiazolinones, mixed)	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

#### **SECTION 16 Other information**

Revision Date	25/10/2022
Initial Date	13/07/2022

#### Full text Risk and Hazard codes

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### SDS Version Summary

Version	Date of Update	Sections Updated
3.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility)

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

- EN 374 Protective gloves against chemicals and micro-organisms
- EN 13832 Footwear protecting against chemicals
- EN 133 Respiratory protective devices

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IACC International Agency for Research on Cancer
   ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act.
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

#### This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



### TGR BioSciences Pty Ltd.

Chemwatch: 5555-08 Version No: 4.1

Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: 25/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

#### SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product Identifier

Product name	Alpha Streptavidin Donor Beads (2mg/mL)		
Chemical Name	Not Applicable		
Synonyms	Not Available		
Chemical formula	Not Applicable		
Other means of identification	Not Available		

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

#### 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	GR BioSciences Pty Ltd.	
Address	Address (an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia	
Telephone	+61 8 7228 2141	
Fax	Fax Not Available	
Website	Website www.tgrbio.com	
Email	ADE.info@abcam.com	

#### 1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

#### **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments <sup>[1]</sup>	Not Applicable	
2.2. Label elements		
Hazard pictogram(s)	Not Applicable	

Signal word

rd Not Applicable

#### Hazard statement(s)

Not Applicable

#### Supplementary statement(s)

Not Applicable

#### Precautionary statement(s) Prevention Not Applicable

Precautionary statement(s) Response

Not Applicable

#### Precautionary statement(s) Storage

#### Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

#### 2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

#### **SECTION 3 Composition / information on ingredients**

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M- Factor	Nanoform Particle Characteristics
Not Available	100	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available
Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L IOELVs available; [e] Substance identified as having endocrine disrupting properties			drawn from C&L * EU		

#### **SECTION 4 First aid measures**

#### 4.1. Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with eyes:</li> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact       If skin or hair contact occurs:         Flush skin and hair with running water (and soap if available).         Seek medical attention in event of irritation.	
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5 Firefighting measures**

#### 5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam

#### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility None known. 5.3. Advice for firefighters Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Fire Fighting Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk Heat may cause expansion or decomposition with violent rupture of containers. Fire/Explosion Hazard Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material.

#### **SECTION 6 Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures See section 8

#### 6.2. Environmental precautions

See section 12

#### 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	<ul> <li>Minor hazard.</li> <li>Clear area of personnel.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Control personal contact with the substance, by using protective equipment as required.</li> </ul>

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 Handling and storage**

7.1. Precautions for safe handling		
Safe handling	<ul> <li>Limit all unnecessary personal contact.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with incompatible materials.</li> </ul>	
Fire and explosion protection	See section 5	
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>	

#### 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Brown tube or brown bottle.</li> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	None known
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

7.3. Specific end use(s)

See section 1.2

#### **SECTION 8 Exposure controls / personal protection**

#### 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
Not Available	Not Available	Not Available

\* Values for General Population

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

Emergency Limits					
Ingredient	TEEL-1	TEEL-2		TEEL-3	
Alpha Streptavidin Donor Beads (2mg/mL)	Not Available	Not Available		Not Available	
Ingredient	Original IDLH		Revised IDLH		
Alpha Streptavidin Donor Beads (2mg/mL)	Not Available		Not Available		

#### 8.2. Exposure controls

8.2.1. Appropriate engineering controls Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

	Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
8.2.2. Individual protection measures, such as personal protective equipment	
<ul> <li>Safety glasses with side shields</li> <li>Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy d describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include lense absorption and adsorption for the class of chemicals in use and an account of injury experience.</li> </ul>	
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Eyewash unit.

#### 8.2.3. Environmental exposure controls

See section 12

#### **SECTION 9** Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Blue liquid; mixes with water.				
Physical state	Liquid	Relative density (Water = 1)	Not Available		
Odour	Not Available	Partition coefficient n- octanol / water	Not Available		
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable		
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available		
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available		
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable		
Flash point (°C)	Not Applicable	Taste	Not Available		
Evaporation rate	Not Available	Explosive properties	Not Available		
Flammability	Not Applicable	Oxidising properties	Not Available		
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available		
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available		
Vapour pressure (kPa)	Not Available	Gas group	Not Available		
Solubility in water	Miscible	pH as a solution (1%)	Not Available		
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available		
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available		
Particle Size	Not Available				

#### 9.2. Other information

Not Available

#### **SECTION 10 Stability and reactivity**

10.1.Reactivity	See section 7.2			
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.			
10.3. Possibility of hazardous reactions	rdous See section 7.2			
10.4. Conditions to avoid	See section 7.2			
10.5. Incompatible materials	See section 7.2			
10.6. Hazardous decomposition products	See section 5.3			

**SECTION 11 Toxicological information** 

14.4. Information on boostd als	and a defined in Demulation (EC) No. 4072/2002			
Inhaled	Not normally a hazard due to non-volatile nature of product The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.			
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classif of corroborating animal or human evidence.	ication systems as "harmful by ingestion". This is because of the lack		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).			
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.			
Alpha Streptavidin Donor	ΤΟΧΙΟΙΤΥ	IRRITATION		
Beads (2mg/mL)	Not Available	Not Available		
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwis specified data extracted from RTECS - Register of Toxic Effect of chemical Substances			
Alpha Streptavidin Donor				

Alpha Streptavidin Donor Beads (2mg/mL)	No significant acute toxicological data identified in literature search.				
Acute Toxicity	×	Carcinogenicity	×		
Skin Irritation/Corrosion	×	Reproductivity	×		
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×		
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×		
Mutagenicity	×	Aspiration Hazard	×		
			t available or does not fill the criteria for classification to make classification		

#### 11.2 Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

#### 11.2.2. Other information

See Section 11.1

#### **SECTION 12 Ecological information**

12.1.	Toxicity
-------	----------

Aluba Streutevidin Dener	Endpoint	Test Duration (hr)	Species	Value	Source
Alpha Streptavidin Donor Beads (2mg/mL)	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Ecotox databa		tered Substances - Ecotoxicological Information - A azard Assessment Data 6. NITE (Japan) - Biocond		

#### 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

### 12.3. Bioaccumulative potential

Ingredient	gredient Bioaccumulation				
	No Data available for all ingredients				
12.4. Mobility in soil					
Ingredient	Mobility				

## 12.5. Results of PBT and vPvB assessment

No Data available for all ingredients

	P	В	т		
Relevant available data	Not Available	Not Available	Not Available		
РВТ	×	×	×		
vPvB	×	×	×		
PBT Criteria fulfilled? No					
vPvB	No				

#### 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

#### 12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

#### **SECTION 13 Disposal considerations**

13.1. Waste treatment methods				
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.			
Waste treatment options	Not Available			
Sewage disposal options	Not Available			

#### **SECTION 14 Transport information**

#### Labels Required

Marine Pollutant NO

### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1.	UN number or ID number	Not Applicable		
14.2.	UN proper shipping name	Not Applicable		
14.3.	Transport hazard	Class	Not Appl	licable
	class(es)	Subsidiary Hazard	Not Appl	licable
14.4.	Packing group	Not Applicable		
14.5.	Environmental hazard	Not Applicable		
		Hazard identification	(Kemler)	Not Applicable
		Classification code		Not Applicable
14.6.	Special precautions for	Hazard Label		Not Applicable
	user	Special provisions		Not Applicable
		Limited quantity		Not Applicable
		Tunnel Restriction C	ode	Not Applicable

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	Not Applicable			
14.2. UN proper shippin name	9 Not Applicable	Not Applicable			
	ICAO/IATA Class	Not Applicable			
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable			
	ERG Code	Not Applicable			
14.4. Packing group	Not Applicable				
14.5. Environmental ha	zard Not Applicable	Not Applicable			
	Special provisions	Special provisions			
	Cargo Only Packing Instruction	Cargo Only Packing Instructions			
		Cargo Only Maximum Qty / Pack			
14.6. Special precaution user	Passenger and Cargo Packing	Passenger and Cargo Packing Instructions			
	Passenger and Cargo Maximur	Passenger and Cargo Maximum Qty / Pack			
	Passenger and Cargo Limited (	Quantity Packing Instructions	Not Applicable		
	Passenger and Cargo Limited	/laximum Qty / Pack	Not Applicable		

### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Hazard	Not Applicable Not Applicable
14.4. Packing group	Not Applicable	
14.5 Environmental hazard	Not Applicable	
14.6. Special precautions for user	EMS Number Not	Applicable

Special provisionsNot ApplicableLimited QuantitiesNot Applicable

#### Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. UN proper shipping name	Not Applicable	
14.3. Transport hazard class(es)	Not Applicable Not	t Applicable
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Classification code	Not Applicable
	Special provisions	Not Applicable
	Limited quantity	Not Applicable
	Equipment required	Not Applicable
	Fire cones number	Not Applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

#### 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

14.7.3. Transport in bulk in accordance with	the IGC Code

Product name Ship Type

#### **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

#### Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **National Inventory Status**

National Inventory Status	
National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	Not Available
Canada - DSL	Not Available
Canada - NDSL	Not Available
China - IECSC	Not Available
Europe - EINEC / ELINCS / NLP	Not Available
Japan - ENCS	Not Available
Korea - KECI	Not Available
New Zealand - NZIoC	Not Available
Philippines - PICCS	Not Available
USA - TSCA	Not Available
Taiwan - TCSI	Not Available
Mexico - INSQ	Not Available
Vietnam - NCI	Not Available
Russia - FBEPH	Not Available
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### **SECTION 16 Other information**

Revision Date	25/10/2022
Initial Date	12/07/2022

#### Issue Date: 25/10/2022 Print Date: 02/11/2023

end of SDS

#### Alpha Streptavidin Donor Beads (2mg/mL)

Version	Date of Update	Sections Updated
3.1	16/08/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility)

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

- EN 166 Personal eye-protection
- EN 340 Protective clothing
- EN 374 Protective gloves against chemicals and micro-organisms
- EN 13832 Footwear protecting against chemicals EN 133 Respiratory protective devices

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
   FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.



### TGR BioSciences Pty Ltd.

Chemwatch: 5555-32

Version No: **4.1** Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Issue Date: 25/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

### SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product Identifier

Product name	Positive Control Lysate - Ultra
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

#### 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	TGR BioSciences Pty Ltd.
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

#### 1.4. Emergency telephone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

#### **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments <sup>[1]</sup>	Not Applicable
2.2. Label elements	
Hazard pictogram(s)	Not Applicable

Signal word Not Applicable

#### Hazard statement(s)

Not Applicable

#### Supplementary statement(s)

EUH208	Contains CMIT/MIT 3:1. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

### Not Applicable

Not Applicable

#### Precautionary statement(s) Storage

### Precautionary statement(s) Disposal

P501	<b>P501</b> Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.				
2.3. Other hazards					
p-tert-octylphenol ethoxylate	Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation				
p-tert-octylphenol ethoxylate	Listed in the Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation				
p-tert-octylphenol ethoxylate	Determined to have endocrine-disrupting properties according to Europe Regulation (EU) 528/2012, Europe Regulation (EU) 2017/2100, and Europe Regulation (EU) 2018/605				

#### **SECTION 3 Composition / information on ingredients**

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics	
1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available	<0.01	<u>isothiazolinones,</u> <u>mixed</u>	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 <sup>[2]</sup>		Not Available	
1. 9002-93-1 2.Not Available 3.Not Available 4.Not Available	>0.1	p-tert- octylphenol ethoxylate <sup>[e]</sup>	Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 2; H302, H315, H318, H411, EUH205 <sup>[1]</sup>	Not Available	Not Available	
Not Available	balance	Ingredients determined not to be hazardous	Not Applicable	Not Applicable	Not Available	
Legend:		1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties				

#### **SECTION 4 First aid measures**

#### 4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes: <ul> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 Firefighting measures**

#### 5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

#### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

## 5.3. Advice for firefighters

- Fire Fighting Alert Fire Brigade and tell them location and nature of hazard.
  - Wear breathing apparatus plus protective gloves in the event of a fire.
    Prevent, by any means available, spillage from entering drains or water courses.

	Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> </ul>

#### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

#### 6.2. Environmental precautions

See section 12

#### 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid contact with skin and eyes.</li> <li>Wear impervious gloves and safety glasses.</li> <li>Use dry clean up procedures and avoid generating dust.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Control personal contact with the substance, by using protective equipment and dust respirator.</li> <li>Prevent spillage from entering drains, sewers or water courses.</li> </ul>

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 Handling and storage**

7.1. Precautions for safe handling				
Safe handling	<ul> <li>Limit all unnecessary personal contact.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with incompatible materials.</li> </ul>			
Fire and explosion protection	See section 5			
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry area protected from environmental extremes.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>			

#### 7.2. Conditions for safe storage, including any incompatibilities

-	
Suitable container	<ul> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	None known
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

#### 7.3. Specific end use(s)

See section 1.2

#### **SECTION 8 Exposure controls / personal protection**

#### 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment		
isothiazolinones, mixed	Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m <sup>3</sup> (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m <sup>3</sup> (Local, Acute) *	<ul> <li>3.39 μg/L (Water (Fresh))</li> <li>3.39 μg/L (Water - Intermittent release)</li> <li>3.39 μg/L (Water (Marine))</li> <li>0.027 mg/kg sediment dw (Sediment (Fresh Water))</li> <li>0.027 mg/kg sediment dw (Sediment (Marine))</li> <li>0.01 mg/kg soil dw (Soil)</li> <li>0.23 mg/L (STP)</li> </ul>		

\* Values for General Population

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

#### Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3		
Positive Control Lysate - Ultra	Not Available	Not Available		Not Available		
Ingredient	Original IDLH		Revised IDLH			
isothiazolinones, mixed	Not Available		Not Available			
p-tert-octylphenol ethoxylate	Not Available		Not Available			
Occupational Exposure Banding						
Ingredient	Occupational Exposure Band Rating		Occupational Expo	sure Band Limit		
isothiazolinones, mixed	E		≤ 0.1 ppm			
p-tert-octylphenol ethoxylate	E		≤ 0.1 ppm			
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.					

#### 8.2. Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. 8.2.1. Appropriate The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. engineering controls Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. 8.2.2. Individual protection measures, such as personal protective equipment Safety glasses with side shields Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Eye and face protection Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Skin protection See Hand protection below The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Hands/feet protection Personal hygiene is a key element of effective hand care. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. polychloroprene. nitrile rubber. butyl rubber. Body protection See Other protection below No special equipment needed when handling small quantities. OTHERWISE: Other protection Overalls. Barrier cream. Eyewash unit.

#### **Respiratory protection**

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

• Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

· Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

#### 8.2.3. Environmental exposure controls

See section 12

#### **SECTION 9** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	White Lyophilysed pellet.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable

pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

#### 9.2. Other information

Not Available

#### **SECTION 10 Stability and reactivity**

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

### **SECTION 11 Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.		
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Eye	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung.		
Positive Control Lysate -	ΤΟΧΙCΙΤΥ	IRRITATION	
Ultra	Not Available	Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
	dermal (rat) LD50: >1008 mg/kg <sup>[1]</sup>	Eye: adverse effect observed (irreversible damage) <sup>[1]</sup>	
isothiazolinones, mixed	Inhalation(Rat) LC50: 0.171 mg/l4h <sup>[1]</sup>	Skin: adverse effect observed (corrosive) <sup>[1]</sup>	
	Oral (Rat) LD50: 53 mg/kg <sup>[2]</sup>	Skin: adverse effect observed (irritating) <sup>[1]</sup>	
		IRRITATION	
	TOXICITY	IRRITATION	
p-tert-octylphenol ethoxylate	TOXICITY Oral (Rat) LD50: 1800 mg/kg <sup>[2]</sup>	Eye (rabbit): 1 mg - moderate	
p-tert-octylphenol ethoxylate			

	Contact allergies quickly manifest themselves as concontact eczema involves a cell-mediated (T lymphodurticaria, involve antibody-mediated immune reaction In light of potential adverse effects, and to ensure a biocides has been established with the objective of ethis aim, it is required that risk assessment of biocida the risk assessment of the biocidal products are the applications and thus the exposure of humans and t Humans may be exposed to biocidal products are the thread for industrial sectors or professional users. Formaldehyde generators (releasers) are often used and must be labelled with the warning sign "contains releasing preservatives ensures that the level of free disrupts metabolism to cause death of the organism of causing cancers (nitrosamines) when used in form The material may cause skin irritation after prolonge production of vesicles, scaling and thickening of the Asthma-like symptoms may continue for months or a condition known as reactive airways dysfunction sym compound. Main criteria for diagnosing RADS includ of persistent asthma-like symptoms within minutes the include a reversible airflow pattern on lung function of and the lack of minimal lymphocytic inflammation, w	cytes) immune reaction of the delayers, harmonised risk assessment and ma ensuring a high level of protection of al products is carried out before they utilization instructions that defines th he environment to the biocidal subst. erent ways in both occupational and only, whereas other biocidal products d as preservatives. The maximum au s formaldehyde" where the concentra e formaldehyde" where the concentra nulations containing amines. Iged contact causing inflammation. R ad or repeated exposure and may pro- skin. even years after exposure to the mate dorme (RADS) which can occur afte de the absence of previous airways d o hours of a documented exposure to tests, moderate to severe bronchial h	d type. Other allergic skin reactions, e.g. contact inagement, the EU regulatory framework for human and animal health and the environment. To can be placed on the market. A central element in e dosage, application method and amount of ance. domestic settings. Many biocidal products are are commonly available for private use by non- thorised concentration of free formaldehyde is 0.2% tion exceeds 0.05%. The use of formaldehyde- ays low but sufficient to inhibit microbial growth - it maldehyde generators can produce amines capable epeated or prolonged exposure to irritants may duce on contact skin redness, swelling, the erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating isease in a non-atopic individual, with sudden onset o the irritant. Other criteria for diagnosis of RADS
P-TERT-OCTYLPHENOL ETHOXYLATE	Octoxynols: Octoxynols of various chain lengths as well as octoxynol salts and organic acids function in cosmetics either as surfactants-emulsifying agents, surfactants-cleansing agents, surfactant-solubilizing agents, or surfactants-hydrotropes in a wide variety of cosmetic products at concentrations ranging from 0.0008% to 25%, with most less than 5.0%. The octoxynols are chemically similar to nonoxynols. Long-chain nonoxynols (9 and above) were considered safe as used, whereas short-chain nonoxynols (8 and below) were considered safe as used in rinse-off products and safe at concentrations less than 5% in leave-on formulations. Acute exposure of hamsters to Octoxynol-9 by bronchopulmonary lavage produced pneumonia, pulmonary edema, and intra-alveolar hemorrhage. Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported. Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed.		
Positive Control Lysate - Ultra & ISOTHIAZOLINONES, MIXED	No significant acute toxicological data identified in literature search.		
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
Respiratory or Skin sensitisation		Aspiration Hazard	

11.2 Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Many chemicals may mimic or interfere with the body s hormones, known as the endocrine system. Endocrine disruptors are chemicals that can interfere with endocrine (or hormonal) systems.

Endocrine disruptors interfere with the synthesis, secretion, transport, binding, action, or elimination of natural hormones in the body. Any system in the body controlled by hormones can be derailed by hormone disruptors. Specifically, endocrine disruptors may be associated with the development of learning disabilities, deformations of the body various cancers and sexual development problems.

Endocrine disrupting chemicals cause adverse effects in animals. But limited scientific information exists on potential health problems in humans. Because people are typically exposed to multiple endocrine disruptors at the same time, assessing public health effects is difficult.

#### 11.2.2. Other information

See Section 11.1

#### **SECTION 12 Ecological information**

	Endpoint	Test Duration (hr)	Species	Value	Source
Positive Control Lysate - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
isothiazolinones, mixed	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
ert-octylphenol ethoxylate	Endpoint	Test Duration (hr)	Species	Value	Source

Continued...

	EC50(ECx)	96h	Fish	3mg/L	5
	LC50	96h	Fish	>2.8<3.2mg/l	4
Legend:		1. IUCLID Toxicity Data 2. Europe ECHA Regist e - Aquatic Toxicity Data 5. ECETOC Aquatic Ha			

(Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
p-tert-octylphenol ethoxylate	HIGH	HIGH
12.3. Bioaccumulative potential		

Ingredient	Bioaccumulation
p-tert-octylphenol ethoxylate	HIGH (LogKOW = 4.863)
12.4. Mobility in soil	

Ingredient	Mobility
p-tert-octylphenol ethoxylate	LOW (KOC = 699.2)

#### 12.5. Results of PBT and vPvB assessment

	P	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			No
vPvB			No

#### 12.6. Endocrine disrupting properties

The evidence linking adverse effects to endocrine disruptors is more compelling in the environment than it is in humans. Endocrine distruptors profoundly alter reproductive physiology of ecosystems and ultimately impact entire populations. Some endocrine-disrupting chemicals are slow to break-down in the environment. That characteristic makes them potentially hazardous over long periods of time. Some well established adverse effects of endocrine disruptors in various wildlife species include; eggshell-thinning, displayed of characteristics of the opposite sex and impaired reproductive development. Other adverse changes in wildlife species that have been suggested, but not proven include; reproductive abnormalities, immune dysfunction and skeletal deformaties.

#### 12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

#### **SECTION 13 Disposal considerations**

13.1. Waste treatment methods		
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.	
Waste treatment options	Not Available	
Sewage disposal options	Not Available	

#### **SECTION 14 Transport information**

#### Labels Required

	·
Marine Pollutant	NO

#### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number	Not Applicable					
14.2. UN proper shipping name	Not Applicable					
14.3. Transport hazard	Class	Not Applic	ble			
class(es)	Subsidiary Hazard	Not Applic	ble			
14.4. Packing group	Not Applicable					
14.5. Environmental hazard	Not Applicable					
	Hazard identification	(Kemler)	Not Applicable			
	Classification code		Not Applicable			
14.6. Special precautions for user	Hazard Label		Not Applicable			
	Special provisions		Not Applicable			
	Limited quantity		Not Applicable			
	Tunnel Restriction Co	ode	Not Applicable			

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.2. UN proper shipping name	Not Applicable			
	ICAO/IATA Class	Not Applicable		
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
0.000(00)	ERG Code	Not Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		Not Applicable	
	Cargo Only Maximum Qty / Pack	Not Applicable		
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable	
	Passenger and Cargo Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable	
	Passenger and Cargo Limited Ma	aximum Qty / Pack	Not Applicable	

#### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable				
14.2. UN proper shipping name	Not Applicable	Not Applicable			
14.3. Transport hazard	IMDG Class	Not Applicable			
class(es)	IMDG Subsidiary Hazar	d Not Applicable			
14.4. Packing group	Not Applicable				
14.5 Environmental hazard	Not Applicable				
	EMS Number N	Not Applicable			
14.6. Special precautions for user	Special provisions N	lot Applicable			
	Limited Quantities N	Not Applicable			

#### Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	Not Applicable Not Applicable			
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
14.6. Special precautions for user	Classification code     Not Applicable       Special provisions     Not Applicable       Limited quantity     Not Applicable			
	Equipment required Not Applicable			
	Fire cones number Not Applicable			

#### 14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available
p-tert-octylphenol ethoxylate	Not Available

#### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available
p-tert-octylphenol ethoxylate	Not Available

### **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

### isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

#### p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

EU REACH Regulation (EC) No 1907/2006 - Proposals to identify Substances of Very High Concern: Annex XV reports for commenting by Interested Parties previous consultation

Europe European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

#### Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)
Japan - ENCS	No (isothiazolinones, mixed)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### SECTION 16 Other information

Revision Date	25/10/2022
Initial Date	19/07/2022

#### Full text Risk and Hazard codes

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
3.1	31/08/2022	Composition / information on ingredients - Ingredients
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Handling and storage - Storage (suitable container)

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

#### EN 133 Respiratory protective devices

#### Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations
   ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
   EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.