Trade name:

AlphaLISA[®] SureFire[®] Ultra[™] (ALSU) Assay Kits

containing Activation Buffer C and Lysis Buffer



Article numbers:

ALSU-PAURB-A10K ALSU-PAURB-A500 ALSU-PAURB-A50K ALSU-PAURB-A-HV ALSU-PAURB-A-L ALSU-PCDC6-A10K ALSU-PCDC6-A500 ALSU-PCDC6-A500 ALSU-PCDC6-A-HV ALSU-PCDC6-B10K ALSU-PCDC6-B500 ALSU-PCDC6-B-HV ALSU-PCDC6-B-L	ALSU-PDNA-A10K ALSU-PDNA-A500 ALSU-PDNA-A50K ALSU-PDNA-A-HV ALSU-PDDA1-A10K ALSU-PPDHA1-A10K ALSU-PPDHA1-A50K ALSU-PPDHA1-A-HV ALSU-PPDHA1-A-L ALSU-PRIP3-A10K ALSU-PRIP3-A500 ALSU-PRIP3-A50K ALSU-PRIP3-A-HV ALSU-PRIP3-A-L	ALSU-PST4-A10K ALSU-PST4-A500 ALSU-PST4-A50K ALSU-PST4-A-HV ALSU-PST4-A-L ALSU-PUBI-A10K ALSU-PUBI-A500 ALSU-PUBI-A-HV ALSU-PUBI-A-L ALSU-PVAV1-A10K ALSU-PVAV1-A500 ALSU-PVAV1-A-HV ALSU-PVAV1-A-HV	ALSU-TCDC6-A10K ALSU-TCDC6-A500 ALSU-TCDC6-A50K ALSU-TCDC6-A-HV ALSU-TCDC6-A-L ALSU-TDNA-A10K ALSU-TDNA-A500 ALSU-TDNA-A50K ALSU-TDNA-A-HV ALSU-TDNA-B-L ALSU-TSM4-A10K ALSU-TSM4-A50K ALSU-TSM4-A-HV ALSU-TSM4-A-L	ALSU-TUBI-A10K ALSU-TUBI-A500 ALSU-TUBI-A50K ALSU-TUBI-A-HV ALSU-TUBI-A-L
---	--	--	--	---

Components and Hazard Identification in ALSU assay kits.

Kit Components	Vol / 100 point	Vol / 500 point	Vol / 10,000 point	Vol / 50,000 point	Hazard Identification
Lysis Buffer (5X) - Ultra	1 x 12 mL	1 x 12 mL	4 x 60 mL	3 x 400 mL	GHS07; H319
Activation Buffer C - Ultra	1 x 0.3 mL	1 x 0.8 mL	1 x 10 mL	1 x 50 mL	GHS05; H318
Dilution Buffer - Ultra	1 x 1.8 mL	1 x 3 mL	1 x 60 mL	1 x 300 mL	N/A;
Reaction Buffer 1 - Ultra	1 x 0.9 mL	1 x 1.5 mL	1 x 28 mL	1 x 140 mL	N/A;
Reaction Buffer 2 - Ultra	1 x 0.9 mL	1 x 1.5 mL	1 x 28 mL	1 x 140 mL	N/A;
AlphaLISA® CaptSure™ Acceptor Beads (2 mg/mL)	1 x 0.045mL	1 x 0.06 mL	1 x 1.1 mL	1 x 5.5 mL	N/A;
Alpha Streptavidin Donor Beads (2 mg/mL)	1 x 0.045mL	1 x 0.06 mL	1 x 1.1 mL	1 x 5.5 mL	N/A;
Positive Control Lysate (lyophilized)	1 x 250uL	1 x 250uL	1 x 250uL	1 x 250uL	N/A;



Revvity, Inc. 940 Winter Street Waltham, MA 02451 USA (800) 762-4000 www.revvity.com For a complete listing of our global offices, visit <u>www.revvity.com</u> Copyright ©2023, Revvity, Inc. All rights reserved.



Components and Hazard Identification for Individual Sale items

Composition		Hazards identification
ALSU-AB-100ml ALSU-AB-10ml	Activation Buffer	GHS07; H319
ALSU-ABB-100ml ALSU-ABB-10ml	Activation Buffer B	N/A;
ALSU-ABC-100ml ALSU-ABC-10ml	Activation Buffer C	GHS05; H318
ALSU-DB-100ml ALSU-DB-10ml	Dilution Buffer	N/A;
ALSU-LB-100mL ALSU-LB-10mL	Lysis Buffer (5x)	GHS07; H319
ALSU-LBB-100mL ALSU-LBB-10mL	Lysis Buffer B (5x)	N/A;
ALSU-LBC-100mL ALSU-LBC-10mL	Lysis Buffer C (5x)	N/A;
ALSU-***-A-L	Positive Control Lysate	N/A;
ALSU-ACAB-0.06mL ALSU-ACAB-1.2mL ALSU-ACAB-6mL	AlphaLISA® CaptSure™ Acceptor Beads (2 mg/mL)	N/A;
ALSU-ASDB-0.06mL ALSU-ASDB-1.2mL ALSU-ASDB-6mL	Alpha Streptavidin Donor Beads (2 mg/mL)	N/A;

*** = assay target name



(800) 762-4000 www.revvity.com

Revvity, Inc. 940 Winter Street Waltham, MA 02451 USA



For a complete listing of our global offices, visit <u>www.revvity.com</u> Copyright ©2023, Revvity, Inc. All rights reserved.

2023 V1.0



TGR BioSciences Pty Ltd.

Chemwatch: 5555-10 Version No: 4.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 Identification

Product Identifier

Product name	Activation Buffer C - Ultra
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

······································	
Registered company name	TGR BioSciences Pty Ltd.
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

Emergency phone number

• • •	
Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond	
of this Health	The hazard category numbers found in GHS classification in section 2 SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Red = Fire Yellow = Reactivity White = Special (Oxidizer or water e substances)
Classification	Serious Eye Damage/Eye Irritation Category 1
Label elements	
Hazard pictogram(s)	
Signal word	Danger
Hazard statement(s)	
H318	Causes serious eye damage.

Issue Date: 25/10/2022 Print Date: 02/11/2023 S.GHS.USA.EN.E

Hazard(s) not otherwise classified

Not Applicable

Precautionary statement(s) Prevention

P280	Wear protective gloves, protective clothing, eye protection and face protection.
ecautionary statement(s) Res	sponse
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician/first aider.

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
151-21-3	<10	sodium lauryl sulfate
55965-84-9	0.01	isothiazolinones, mixed
Not Available	balance	Ingredients determined not to be hazardous

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Quickly but gently, wipe material off skin with a dry, clean cloth. Immediately remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Special protective equipment and precautions for fire-fighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Plastic tube or Plastic Bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 Exposure controls / personal protection

Control parameters Occupational Exposure Limits (OEL) INGREDIENT DATA Not Available Emergency Limits Ingredient TEEL-1 TEEL-2 TEEL-3 sodium lauryl sulfate 3.9 mg/m3 43 mg/m3 260 mg/m3 Revised IDLH Inaredient Original IDLH sodium lauryl sulfate Not Available Not Available isothiazolinones, mixed Not Available Not Available Occupational Exposure Banding Ingredient **Occupational Exposure Band Rating Occupational Exposure Band Limit** sodium lauryl sulfate Е ≤ 0.01 mg/m³ ≤ 0.1 ppm isothiazolinones, mixed Е Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the Notes: adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
1. P. C. S.	

Page 4 of 8

Activation Buffer C - Ultra

measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
 The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Inhaled	Not normally a hazard due to non-volatile nature of product The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	Considered an unlikely route of entry in commercial/industrial environments The material is not thought to produce adverse health effects following ingestion (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum.		
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Eye	If applied to the eyes, this material causes severe eye damag	e.	
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. There is some evidence that inhaling this product is more likely to cause a sensitisation reaction in some persons compared to the gener population. There is limited evidence that, skin contact with this product is more likely to cause a sensitisation reaction in some persons compared to general population.		
	τοχιςιτγ	IRRITATION	
Activation Buffer C - Ultra	Not Available	Not Available	
	TOXICITY dermal (rat) LD50: >2000 mg/kg ^[1]	IRRITATION Eye (rabbit):100 mg/24 hr-moderate	
sodium lauryl sulfate	Oral (Rat) LD50: 1288 mg/kg ^[2]	Eye: adverse effect observed (irritating) ^[1]	
		Skin (human): 25 mg/24 hr - mild	
		Skin: adverse effect observed (irritating) ^[1]	
isothiazolinones, mixed	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	
	Inhalation(Rat) LC50: 0.171 mg/l4h ^[1] ————————————————————————————————————	Skin: adverse effect observed (corrosive) ^[1] Skin: adverse effect observed (irritating) ^[1]	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherw specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		
SODIUM LAURYL SULFATE	(rabbit) 10: mg- Based on laboratory and animal testing, exposure to the mate Alkyl sulfates are irritating to the skin, harmful if swallowed an liver and excreted via urine. They produce dose-dependent to genetic defects. For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonat Most chemicals of this category are not defined substances, t and/or biological pathways result in structurally similar breakd similar environmental behavior and essentially identical hazar Acute toxicity: These substances are well absorbed after inge chemicals are distributed mainly to the liver.	but mixtures of homologues with different alkyl side chains. Common physica own products, and are, together with the surfactant properties, responsible to d profiles with regard to human health. stion; penetration through the skin is however, poor. After absorption, these standing up, decreased motor activity and breathing rate, and diarrhea.	
SOTHIAZOLINONES, MIXED	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance. Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non- professional users. No significant acute toxicological data identified in literature search. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde- releasing preservatives ensures that the level of free formaldehyde' where the concentration exceeds 0.05%. The use of formaldehyde- releasing cancers (nitrosamines) when used in formulations containing amines. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin rednes		
ODIUM LAURYL SULFATE & SOTHIAZOLINONES, MIXED	Asthma-like symptoms may continue for months or even year	s after exposure to the material ends. This may be due to a non-allergic (ADS) which can occur after exposure to high levels of highly irritating	

	and the lack of minimal lymphocytic inflammation, wi		perreactivity on methacholine challenge testing,
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	*	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
		Legend: X – Data either not a	available or does not fill the criteria for classification o make classification

SECTION 12 Ecological information

	Endpoint	Test Duration (hr)	Species	Value	Source
Activation Buffer C - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	4.8mg/l	2
sodium lauryl sulfate	EC50	48h	Crustacea	Crustacea 0.939mg/l	
	EC50	96h	Algae or other aquatic plants	Algae or other aquatic plants 0.4- 3.7mg/l	
	LC50	96h	Fish	0.59mg/l	4
	EC0(ECx)	72h	Algae or other aquatic plants	30mg/l	1
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	LC50	96h	Fish	0.129mg/l	2
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:			CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan) ·		

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

DO NOT discharge into sewer or waterways

Persistence and degradability

Persistence: Water/Soil	Persistence: Air
HIGH	HIGH
Bioaccumulation	
LOW (BCF = 7.15)	
	HIGH Bioaccumulation

Mobility in soil Mobility Ingredient Mobility sodium lauryl sulfate LOW (KOC = 10220)

SECTION 13 Disposal considerations

Labels Required

Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sodium lauryl sulfate	Not Available
isothiazolinones, mixed	Not Available
14.7.3. Transport in bulk in accordance with the IGC Code	
Product name	Ship Type

Product name	Ship type
sodium lauryl sulfate	Not Available
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

sodium lauryl sulfate is found on the following regulatory lists

US DOE Temporary Emergency Exposure Limits (TEELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

isothiazolinones, mixed is found on the following regulatory lists Not Applicable

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

÷.					
L	Section	311/312	hazard	categories	

Section 311/312 hazaru categories	
Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	Yes
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported State Regulations

US. California Proposition 65

None Reported

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)
Japan - ENCS	No (isothiazolinones, mixed)

National Inventory	Status
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	25/10/2022
Initial Date	12/07/2022

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	19/07/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
 STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration

AlIC: Australian Inventory of Industrial Chemicals

- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.



Relevant identified uses

TGR BioSciences Pty Ltd.

Chemwatch: **5555-18** Version No: **4.1**

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 Identification

Product Identifier

Product name	Dilution Buffer - Ultra
Chemical Name	Not Applicable
Synonyms	Dilution Buffer A
Chemical formula	Not Applicable
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use.
·	Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

······································	
Registered company name TGR BioSciences Pty Ltd.	
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

Emergency phone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond				
of the Hea	: The hazard category numbers found in GHS classification in section 2 is SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = th Red = Fire Yellow = Reactivity White = Special (Oxidizer or water tive substances)			
Classificatio	Not Applicable			
Label elements				
Hazard pictogram(s	Not Applicable			
Signal wor	Not Applicable			

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise classified

Not Applicable

Issue Date: 25/10/2022

Print Date: 02/11/2023

S.GHS.USA.EN.E

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P5

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
55965-84-9	<0.01	isothiazolinones, mixed
Not Available	balance	Ingredients determined not to be hazardous

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 	
Skin Contact	 If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. 	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 	
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 	

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Special protective equipment and precautions for fire-fighters

Fire Fighting	 Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. 	
Major Spills	 Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. 	

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container Plastic tube or plastic bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.		
Storage incompatibility	Avoid reaction with oxidising agents	

SECTION 8 Exposure controls / personal protection

Control parameters

- Occupational Exposure Limits (OEL)
- INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Dilution Buffer - Ultra	Not Available	Not Available		Not Available
Ingredient	Original IDLH Revised IDLH			
isothiazolinones, mixed	Not Available		Not Available	
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating Occupational Exposure Band Limit			
isothiazolinones, mixed	E		≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.		
Individual protection measures, such as personal protective equipment			
Eye and face protection	 Safety glasses with side shields Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. 		
Skin protection	See Hand protection below		
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.		
Body protection	See Other protection below		

Other protection No specia OTHERV • Over • Barri • Eyew

No special equipment needed when handling small quantities. OTHERWISE:

Þ	Overalls.
Þ	Barrier cream.
Þ	Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear liquid.			
Physical state	Liquid Relative density (Water = 1) Not Available			
Odour	Not Available	Partition coefficient n- octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable	
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available	
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available	
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	Not Applicable	Taste	Not Available	
Evaporation rate	Not Available	Explosive properties	Not Available	
Flammability	Not Applicable	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available	
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available	
Vapour pressure (kPa)	Not Available	Gas group	Not Available	
Solubility in water	Miscible	pH as a solution (1%)	Not Available	
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available	

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

ionnation on toxicological of	10010			
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.			
Ingestion	The material has NOT been classified by EC Directives of corroborating animal or human evidence.	or other classification systems as "harmful by ingestion". This is because of the lack		
Skin Contact		The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).			
Chronic	Long-term exposure to the product is not thought to prod animal models); nevertheless exposure by all routes sho	luce chronic effects adverse to the health (as classified by EC Directives using uld be minimised as a matter of course.		
	тохісіту	IRRITATION		
Dilution Buffer - Ultra	Not Available	Not Available		
	ΤΟΧΙΟΙΤΥ	IRRITATION		
	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]		
isothiazolinones, mixed	Inhalation(Rat) LC50: 0.171 mg/l4h ^[1]	Skin: adverse effect observed (corrosive) ^[1]		
	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin: adverse effect observed (irritating) ^[1]		
Legend:	1. Value obtained from Europe ECHA Registered Substa specified data extracted from RTECS - Register of Toxic	ances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise Effect of chemical Substances		
	,			

ISOTHIAZOLINONES, MIXED	and must be labelled with the warning sign "conta releasing preservatives ensures that the level of disrupts metabolism to cause death of the organi of causing cancers (nitrosamines) when used in the material may be irritating to the eye, with pro- produce conjunctivitis. The material may cause skin irritation after prolor production of vesicles, scaling and thickening of the Asthma-like symptoms may continue for months condition known as reactive airways dysfunction compound. Main criteria for diagnosing RADS in of persistent asthma-like symptoms within minute	sed as preservatives. The maximum au ains formaldehyde" where the concentre free formaldehyde in the products is alw ism. However there is a concern that for formulations containing amines. blonged contact causing inflammation. F nged or repeated exposure and may pro- the skin. or even years after exposure to the mai syndrome (RADS) which can occur afte clude the absence of previous airways of es to hours of a documented exposure to	vays low but sufficient to inhibit microbial growth - it rmaldehyde generators can produce amines capable Repeated or prolonged exposure to irritants may oduce on contact skin redness, swelling, the terial ends. This may be due to a non-allergic
Acute Toxicity	and the lack of minimal lymphocytic inflammation	n, without eosinophilia. Carcinogenicity	×
Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation	and the lack of minimal lymphocytic inflammation	n, without eosinophilia.	
Skin Irritation/Corrosion Serious Eye	and the lack of minimal lymphocytic inflammation	n, without eosinophilia. Carcinogenicity Reproductivity	× × ×

A particular content of the content of

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Dilution Buffer - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
in this set in success where d	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:	Ecotox databas	,	CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan) ·		

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential	
Ingredient	Bioaccumulation
	No Data available for all ingredients
Mobility in soil	
Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.

SECTION 14 Transport information

Page 6 of 7

Labels Required

Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

Not Applicable

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported

State Regulations

US. California Proposition 65

None Reported

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes

end of SDS

National Inventory	Status
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)
Japan - ENCS	No (isothiazolinones, mixed)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	25/10/2022
Initial Date	13/07/2022

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	16/08/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
 ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.



Lysis Buffer (5X) - Ultra

TGR BioSciences Pty Ltd.

Chemwatch: 5555-13 Version No: 7.2

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 Identification

Product Identifier

Product name	Lysis Buffer (5X) - Ultra	
Chemical Name	Not Applicable	
Synonyms	Lysis Buffer (5X) A	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Recommended use of the chemical and restrictions on use

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use.
	Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	TGR BioSciences Pty Ltd.	
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia	
Telephone	+61 8 7228 2141	
Fax	Not Available	
Website	www.tgrbio.com	
Email	ADE.info@abcam.com	

Emergency phone number

Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone numbers	+61 2 9037 2994	
Other emergency telephone numbers	+1 703 527 3887	

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond		
Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)		
Classification	Serious Eye Damage/Eye Irritation Category 2A	
Label elements Hazard pictogram(s)		
Signal word	Warning	
oighai word	Taning	
Hazard statement(s)		
H319	Causes serious eye irritation.	

Issue Date: 06/10/2022 Print Date: 02/11/2023 S.GHS.USA.EN.E

Page 2 of 9 Lysis Buffer (5X) - Ultra

Hazard(s) not otherwise classified

Not Applicable

Precautionary statement(s) Prevention

• • • •			
P280	Wear protective gloves, protective clothing, eye protection and face protection.		
P264	Wash all exposed external body areas thoroughly after handling.		
Precautionary statement(s) Re	Precautionary statement(s) Response		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		

Precautionary statement(s) Storage

P337+P313

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
9002-93-1	<2.5	p-tert-octylphenol ethoxylate
55965-84-9	<0.01	isothiazolinones, mixed
7681-49-4	>0.1	sodium fluoride
Not Available	balance	Ingredients determined not to be hazardous

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

If eye irritation persists: Get medical advice/attention.

SECTION 4 First-aid measures

Description of first aid measures If this product comes in contact with the eyes: Wash out immediately with fresh running water. • Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the Eye Contact upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Skin Contact Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. If fumes, aerosols or combustion products are inhaled remove from contaminated area. Inhalation Other measures are usually unnecessary. Immediately give a glass of water. Ingestion First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: carbon dioxide (CO2)

Page 3 of 9

Lysis Buffer (5X) - Ultra

other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.
itions for safe storage, inc	luding any incompatibilities

	Suitable container	 Plastic Bottles Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Stora	age incompatibility	Avoid reaction with oxidising agents
Stora	age incompatibility	Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATASourceIngredientMaterial nameTVASTELPeakNotaUS OSHA Permissible Exposure Limits (PELs) Table Z-1sodium fluorideFluorides (as F) $2.5 \ mg/m3$ Not AvailableNot AvailableNot AvailableUS OSHA Permissible Exposure Limits (PELs) Table Z-1sodium fluorideFluoride as dust sodium fluoride $2.5 \ mg/m3$ Not AvailableNot AvailableNot AvailableUS NOSHA Permissible Exposure Limits (PELs) Table Z-2sodium fluorideSodium fluoride $2.5 \ mg/m3$ Not AvailableNot AvailableNot AvailableUS NIOSH Recommended Exposure Limits (RELs)Sodium fluoride (as F) $2.5 \ mg/m3$ Not AvailableNot Available(2.37-28-1969)Ingredient Petr-octylphenol ethoxylateTEL-1 $2.5 \ mg/m3$ Not AvailableNot Available(1.00 mg/m3Ingredient Sodium fluorideOriginal IDLH $1.00 \ mg/m3$ Not AvailableNot AvailableIngredient Sodium fluorideOriginal IDLHImage: SourceNot AvailableNot AvailableIngredient Sothiazolinones, mixedNot AvailableNot AvailableNot AvailableNot AvailableIngredient Pietr-octylphenol ethoxylateCocupational Exposure Band RaterSoluNot AvailableNot AvailableIngredient DisplaterCocupational Exposure Band RaterSoluSoluNot AvailableSoluIngredient DisplaterCocupational Exposure Band RaterSoluSolu <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></td<>									
US OSHA Permissible Exposure Limits (PELs) Table Z-1 Sodium fluoride Fluorides (as F) 2.5 mg/m3 Not Available Not Available No	INGREDIENT DATA								
Exposure Limits (PELs) Table Z.1 sodium fluoride Fluorides (as F) 2.5 mg/m3 Not Mot Available Not Available Not Available Not Available US OSHA Permissible Z.2 sodium fluoride Fluoride as dust fluoride 2.5 mg/m3 Not Available Not Available Not Available Not Available Italiable US NOSH Recommended Exposure Limits (RELs) sodium fluoride Sodium fluoride (as F) Sodium fluoride (as F) 2.5 mg/m3 Not Available Not Available Not Available Not Available Not Available Italiable Italiable Emergency Limits Exposure Limits (RELs) fluoride Sodium fluoride (as F) 2.5 mg/m3 Not mg/m3 Not Available Not Available Not Available Not Available Not Available Not Available Not Available Not Available Not Available TEEL-3 TEE	Source	Ingredient	Material name	TWA	STEL	Pea	k	Notes	S
Exposure Limits (PELs) Table Z-2 sodium fluoride Fluoride as dust fluoride 2.5 mg/m3 Not Available Not Available Not Available (Z37.28-1969) US NIOSH Recommended Exposure Limits (RELs) sodium fluoride Sodium fluoride (as F) Sodium fluoride 2.5 mg/m3 Not Available Not Available I*Not Available I*Not I*	Exposure Limits (PELs) Table		Fluorides (as F)		NOT AVAIJADIE		vailable		
Exposure Limits (RELs) fluoride (as F) mg/m3 Available Available fluorides (as F).] Emergency Limits TEEL-1 TEEL-1 TEEL-3 TEEL-3 Ingredient TEEL-1 TEEL-2 TEEL-3 TEEL-3 sodium fluoride Original IDLH 90 mg/m3 I.100 mg/m3 TEEL-3 Ingredient Original IDLH V Revised IDLH TEEL-3 p-tert-octylphenol ethoxylate Not Available Not Available Not Available Not Available sodium fluoride Occupational Exposure Band Ratimg V V Sodium Specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical's potency and other specific categories or bands based on a chemical'	Exposure Limits (PELs) Table		Fluoride as dust					(Z37.	28-1969)
Ingredient TEEL-1 TEEL-2 TEEL-3 sodium fluoride 17 mg/m3 90 mg/m3 1,100 mg/m3 Ingredient Original IDLH Revised IDLH Revised IDLH p-tert-octylphenol ethoxylate Not Available Not Available Not Available isothiazolinones, mixed Not Available Not Available Not Available sodium fluoride 250 mg/m3 Not Available Not Available Occupational Exposure Bandmatting Occupational Exposure Band Rating Occupational Exposure Band Limit p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondent of this process is an occupational exposure band (OEB), which correspondent of this process is an occupational exposure band (OEB), which correspondent of this process is an occupational exposure band (OEB), which correspondent of this process is an occupational exposure band (OEB), which correspondent of this process is an occupational exposure band (OEB), which correspondent of this process is an occupational exposure band (OEB), which correspondent of this process is an occupational exposure band (OEB), which correspondent of this process is an o					L 11				
sodium fluoride 17 mg/m3 90 mg/m3 1,100 mg/m3 Ingredient Original IDLH Revised IDLH Revised IDLH p-tert-octylphenol ethoxylate Not Available Not Available Not Available isothiazolinones, mixed Not Available Not Available Not Available sodium fluoride 250 mg/m3 Not Available Not Available Occupational Exposure BandExposure Band Rating Not Available Not Available p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm isothiazolinones, mixed Cocupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondence of the specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondence of the specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondence of the specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this proceses is an occu	Emergency Limits								
Ingredient Original IDLH Revised IDLH p-tert-octylphenol ethoxylate Not Available Not Available isothiazolinones, mixed Not Available Not Available sodium fluoride 250 mg/m3 Not Available Occupational Exposure Banding Occupational Exposure Band Limit Social Exposure Band Limit p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponer	Ingredient	TEEL-1	TEEL-1 TEEL-2						TEEL-3
p-tert-octylphenol ethoxylate Not Available Not Available isothiazolinones, mixed Not Available Not Available sodium fluoride 250 mg/m3 Not Available Occupational Exposure Bandiur Not Available Not Available Ingredient Occupational Exposure Band Rating Occupational Exposure Band Limit p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponded to the sposure band (OEB), which coresponded to the sposure band (OEB), which core	sodium fluoride	17 mg/m3 90 mg/m3						1,100 mg/m3	
Not Available Not Available isothiazolinones, mixed Not Available 250 mg/m3 Not Available Occupational Exposure Banding Occupational Exposure Band Limit p-tert-octylphenol ethoxylate E isothiazolinones, mixed E Sothiazolinones, mixed E Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corresponder to the process is an occupational exposure band (OEB), which corecupational exposure band (OEB), which corr	Ingredient	Original IDL	4				Revis	ed IDLH	
sodium fluoride 250 mg/m3 Not Available Occupational Exposure Banding Not Available Ingredient Occupational Exposure Band Rating Occupational Exposure Band Limit p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational e	p-tert-octylphenol ethoxylate	Not Available	Not Available				Not Av	ailable	
Occupational Exposure Banding Occupational Exposure Band Rating Occupational Exposure Band Limit p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB), where the process is an occupational exposure band (OEB)	isothiazolinones, mixed	Not Available	Not Available				Not Av	/ailable	
Ingredient Occupational Exposure Band Rating Occupational Exposure Band Limit p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (OEB), which correspondence of the process is an occupational exposure band (DEB), which correspondence of the process is an occupational exposure band (DEB), which correspondence of the process is an occupational exposure band (DEB), which correspondence of the process is an occupational exposure band (DEB), which correspondence of the process is an occupational exposure band (DEB), which correspondence of the process is an occupational exposure band (DEB), which correspondence of the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where the process is an occupational exposure band (DEB), where	sodium fluoride	250 mg/m3	250 mg/m3				Not Available		
p-tert-octylphenol ethoxylate E ≤ 0.1 ppm isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondence of the process of the proces	Occupational Exposure Bandin	g							
isothiazolinones, mixed E ≤ 0.1 ppm Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspondences is a correspondence is a cocupational exposure band (OEB), which cocup	Ingredient	Occupationa	I Exposure Band Rat	ing			Occu	upationa	I Exposure Band Limit
Notes: Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspo	p-tert-octylphenol ethoxylate	E	E				≤ 0.1 ppm		
adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which correspo	isothiazolinones, mixed	E					≤ 0.1 ppm		
	Notes:	adverse heal	th outcomes associate	d with expos	ure. The output	of this	, process	is an oc	

Lysis Buffer (5X) - Ultra

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7

Page 5 of 9

Lysis Buffer (5X) - Ultra

 Incompatible materials
 See section 7

 Hazardous decomposition products
 See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled		ects or irritation of the respiratory tract (as classified by EC Directives using animal nat exposure be kept to a minimum and that suitable control measures be used in an			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.				
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.				
Eye	This material can cause eye irritation and damage in som	ne persons.			
Chronic	which do not cause significant toxic effects to the mother.	material may result in toxic effects to the development of the foetus, at levels			
	ΤΟΧΙΟΙΤΥ	IRRITATION			
Lysis Buffer (5X) - Ultra	Not Available	Not Available			
	ΤΟΧΙΟΙΤΥ	IRRITATION			
p-tert-octylphenol ethoxylate	Oral (Rat) LD50: 1800 mg/kg ^[2]	Eye (rabbit): 1 mg - moderate			
		Skin (human): 2 mg/3d -I - mild			
	ΤΟΧΙΟΙΤΥ	IRRITATION			
	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]			
isothiazolinones, mixed	Inhalation(Rat) LC50: 0.171 mg/l4h ^[1]	Skin: adverse effect observed (corrosive) ^[1]			
	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin: adverse effect observed (irritating) ^[1]			
	тохісіту	IRRITATION			
sodium fluoride	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 20 mg/24h-moderate			
	Oral (Rat) LD50: >25<2000 mg/kg ^[1]				
Legend:	 Value obtained from Europe ECHA Registered Substa specified data extracted from RTECS - Register of Toxic 	nces - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise			

	·
P-TERT-OCTYLPHENOL ETHOXYLATE	Octoxynols: Octoxynols of various chain lengths as well as octoxynol salts and organic acids function in cosmetics either as surfactants-emulsifying agents, surfactants-cleansing agents, surfactant-solubilizing agents, or surfactants-hydrotropes in a wide variety of cosmetic products at concentrations ranging from 0.0008% to 25%, with most less than 5.0%. The octoxynols are chemically similar to nonoxynols Long-chain nonoxynols (9 and above) were considered safe as used, whereas short-chain nonoxynols (8 and below) were considered safe as used in rinse-off products and safe at concentrations less than 5% in leave-on formulations. Acute exposure of hamsters to Octoxynol-9 by bronchopulmonary lavage produced pneumonia, pulmonary edema, and intra-alveolar hemorrhage. Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported. Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed.
ISOTHIAZOLINONES, MIXED	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance. Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. No significant acute toxicological data identified in literature search. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containi
SODIUM FLUORIDE	The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.
Lysis Buffer (5X) - Ultra & SODIUM FLUORIDE	The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.

Lysis Buffer	(5X)) - (Ultra
--------------	------	-------	-------

	Evidence of carcinogenicity may be inadequate or lim	ited in animal testing.	
ISOTHIAZOLINONES, MIXED & SODIUM FLUORIDE	Asthma-like symptoms may continue for months or even condition known as reactive airways dysfunction synd compound. Main criteria for diagnosing RADS include of persistent asthma-like symptoms within minutes to include a reversible airflow pattern on lung function te and the lack of minimal lymphocytic inflammation, with	rome (RADS) which can occur after the absence of previous airways dis hours of a documented exposure to sts, moderate to severe bronchial hy	exposure to high levels of highly irritating ease in a non-atopic individual, with sudden onset the irritant. Other criteria for diagnosis of RADS
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	*	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
		Legend: X – Data either not a	vailable or does not fill the criteria for classification

SECTION 12 Ecological information

Lysis Buffer (5X) - Ultra	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
-tert-octylphenol ethoxylate	EC50(ECx)	96h	Fish	3mg/L	5
	LC50	96h	Fish	>2.8<3.2mg/l	4
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	LC50	96h	Fish	0.129mg/l	2
in the interval in the second second	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	BCF	672h	Fish	<0.66	7
	EC50	72h	Algae or other aquatic plants	>121.8mg/L	4
sodium fluoride	EC50	48h	Crustacea	36.2mg/L	5
	EC50	96h	Algae or other aquatic plants	43mg/l	2
	LC50	96h	Fish	38-68mg/l	4
		2160h	Fish	3.1mg/l	4

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
p-tert-octylphenol ethoxylate	HIGH	HIGH
sodium fluoride	LOW	LOW

Bioaccumulative potential

Bioaccumulative potential	
Ingredient	Bioaccumulation
p-tert-octylphenol ethoxylate	HIGH (LogKOW = 4.863)
sodium fluoride	LOW (BCF = 6.4)

Mobility in soil

Ingredient	Mobility
p-tert-octylphenol ethoxylate	LOW (KOC = 699.2)
sodium fluoride	LOW (KOC = 14.3)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.

Page 7 of 9

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
Land transport (DOT): NOT RE	GULATED FOR TRANSPORT OF DANGEROUS GOODS
Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS	
Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS	
14.7.1. Transport in bulk accord Not Applicable	ding to Annex II of MARPOL and the IBC code

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
p-tert-octylphenol ethoxylate	Not Available
isothiazolinones, mixed	Not Available
sodium fluoride	Not Available
	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
p-tert-octylphenol ethoxylate	Not Available
isothiazolinones, mixed	Not Available
sodium fluoride	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

isothiazolinones, mixed is found on the following regulatory lists

Not Applicable

sodium fluoride is found on the following regulatory lists

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

US - Massachusetts - Right To Know Listed Chemicals

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US CWA (Clean Water Act) - List of Hazardous Substances

US DOE Temporary Emergency Exposure Limits (TEELs) US EPA Integrated Risk Information System (IRIS)

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-2

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	Yes
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No

Page 8 of 9

Lysis Buffer (5X) - Ultra

Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

00. El A OLIVOLA Mazardous oubstances and reportable quantities (40 01 × 502.4)		
Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
sodium fluoride	1000	454

State Regulations

US. California Proposition 65 None Reported

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed; sodium fluoride)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed)
Japan - ENCS	No (isothiazolinones, mixed)
Korea - KECI	Yes
New Zealand - NZloC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (p-tert-octylphenol ethoxylate; isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Initial Date 12/07/2022	Revision Date	06/10/2022
	Initial Date	

SDS Version Summary

Version	Date of Update	Sections Updated
7.1	06/10/2022	Disposal considerations - Disposal
7.2	25/10/2022	Disposal considerations - Disposal, Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
 IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AllC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China

Lysis Buffer (5X) - Ultra

- EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
 NZIoC: New Zealand Inventory of Chemicals
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.





Reaction Buffer 1 - Ultra

TGR BioSciences Pty Ltd.

Chemwatch: 5555-14 Version No: 4.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 Identification

Product Identifier

Product name	Reaction Buffer 1 - Ultra
Chemical Name	Not Applicable
Synonyms	Reaction Buffer 1 - MPSU; Reaction Buffer 2 – Ultra; Reaction Buffer 2 & Reaction Buffer 3 - MPSU
Chemical formula	Not Applicable
Other means of identification	Reaction Buffer 1 - MPSU, Reaction Buffer 2 - Ultra, Reaction Buffer 2 - MPSU, Reaction Buffer 3 - MPSU

Recommended use of the chemical and restrictions on use

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use.
	Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

······································	
Registered company name	TGR BioSciences Pty Ltd.
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

Emergency phone number

0 71	
Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond		
of H	ote: The hazard category numbers found in GHS classification in section 2 this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = ealth Red = Fire Yellow = Reactivity White = Special (Oxidizer or water active substances)	
Classificat	on Not Applicable	
Label elements		
Hazard pictogran	(s) Not Applicable	
Signal w	ord Not Applicable	

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise classified

Not Applicable

Issue Date: 25/10/2022

Print Date: 02/11/2023

S.GHS.USA.EN.E

Reaction Buffer 1 - Ultra

Precautionary	statement(s)	Prevention
---------------	--------------	------------

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P?

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
55965-84-9	<0.01	isothiazolinones, mixed
Not Available	balance	Ingredients determined not to be hazardous

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Special protective equipment and precautions for fire-fighters

Fire Fighting	 Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Page 3 of 7

Reaction Buffer 1 - Ultra

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Plastic tube or plastic bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

- Occupational Exposure Limits (OEL)
- INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3	
Reaction Buffer 1 - Ultra	Not Available	Not Available		Not Available	
Ingredient	Original IDLH		Revised IDLH		
isothiazolinones, mixed	Not Available	Not Available		Not Available	
Occupational Exposure Ban	ding				
Ingredient	Occupational Exposure Band Rating		Occupational Expo	sure Band Limit	
isothiazolinones, mixed	E	E			
Notes:		xposure. The output of this	process is an occupatio	bands based on a chemical's potency and the nal exposure band (OEB), which corresponds	

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below

Reaction Buffer 1 - Ultra

Other protection

No special equipment needed when handling small quantities. OTHERWISE:

	HERWIJE.
Þ	Overalls.
Þ	Barrier cream.
	E

Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

-			
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	Long-term exposure to the product is not thought to produce animal models); nevertheless exposure by all routes should	chronic effects adverse to the health (as classified by EC Directives using be minimised as a matter of course.	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
Reaction Buffer 1 - Ultra	Not Available	Not Available	
	TOXICITY	IRRITATION	
	TOXICITY dermal (rat) LD50: >1008 mg/kg ^[1]	IRRITATION Eye: adverse effect observed (irreversible damage) ^[1]	
isothiazolinones, mixed			
isothiazolinones, mixed	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	

Reaction Buffer 1 - Ultra

sensitisation			
Damage/Irritation Respiratory or Skin	×	STOT - Repeated Exposure	×
Serious Eye	×	STOT - Single Exposure	×
Skin Irritation/Corrosion	×	Reproductivity	×
Acute Toxicity	of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. Acute Toxicity X		
ISOTHIAZOLINONES, MIXED	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance. Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non- professional users. No significant acute toxicological data identified in literature search. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde- releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in for		

Legend:

A particular content of the content of

SECTION 12 Ecological information

Toxicity

Reaction Buffer 1 - Ultra	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
in a de la cara lla cara cara de la cara de	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:	Ecotox databas	,	CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan) ·		

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential	
Ingredient	Bioaccumulation
	No Data available for all ingredients
Mobility in soil	
Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.

SECTION 14 Transport information

Page 6 of 7

Labels Required

Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

Not Applicable

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported

State Regulations

US. California Proposition 65

None Reported

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)
Canada - DSL	Yes
Canada - NDSL	No (isothiazolinones, mixed)
China - IECSC	Yes

Page 7 of 7

Reaction Buffer 1 - Ultra

National Inventory	Status
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed)
Japan - ENCS	No (isothiazolinones, mixed)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (isothiazolinones, mixed)
Taiwan - TCSI	Yes
Mexico - INSQ	No (isothiazolinones, mixed)
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	25/10/2022
Initial Date	12/07/2022

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	19/07/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
 ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.



AlphaLISA CaptSure[™] Acceptor Beads (2mg/mL)

TGR BioSciences Pty Ltd.

Chemwatch: 5555-20 Version No: 3.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 Identification

Product Identifier

Product name	AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)
Chemical Name	Not Applicable
Synonyms	Alpha 615 CaptSure™ Acceptor Beads (2mg/mL) _ Multiplex; Alpha 545 CaptSure2™ Acceptor Beads (2mg/mL)_ Multiplex; Alpha 615 anti- p-AKT(1/2/3) (Ser473) (mlgG1) Acceptor Beads; Alpha 615 anti-p-ERK (mlgG1) Acceptor Beads
Chemical formula	Not Applicable
Other means of identification	Alpha 545 CaptSure2 Acceptor Beads (2mg/mL)_MPSU, Alpha 615 CaptSure Acceptor Beads (2mg/mL)_MPSU

Recommended use of the chemical and restrictions on use

Relevant identified uses	Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	TGR BioSciences Pty Ltd.
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

Emergency phone number

Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification	Not Applicable
Label elements	
Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise classified

Not Applicable

Issue Date: 25/10/2022

Print Date: 02/11/2023

S.GHS.USA.EN.E

AlphaLISA CaptSure[™] Acceptor Beads (2mg/mL)

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
55965-84-9	<0.01	isothiazolinones, mixed
Not Available	balance	Ingredients determined not to be hazardous

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

Special protective equipment and precautions for fire-fighters

Fire Fightin	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazar	 Non combustible. Not considered a significant fire risk, however containers may burn.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety glasses. Use dry clean up procedures and avoid generating dust.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard.

AlphaLISA CaptSure[™] Acceptor Beads (2mg/mL)

Control personal contact with the substance, by using protective equipment and dust respirator.
 Prevent spillage from entering drains, sewers or water courses.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	Brown tube or bottle. Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer.
Storage incompatibility	None known

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	
Occupational Exposure Banding				

Occupational Exposure Banding		
Ingredient	Occupational Exposure Band Rating Occupational Exposure Band Limit	
isothiazolinones, mixed	E	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

Exposure controls

Exposure controls			
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.		
Individual protection measures, such as personal protective equipment			
Eye and face protection	 Safety glasses with side shields Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. 		
Skin protection	See Hand protection below		
Hands/feet protection	 The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. polychloroprene. nitrile rubber. 		
Body protection	See Other protection below		
Other protection	No special equipment needed when handling small quantities. OTHERWISE:		

Overalls.
 Barrier cream.
Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

· Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

• Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	White Lyophilysed pellet.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Inhaled Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack Ingestion of corroborating animal or human evidence. The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal Skin Contact models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient Eye discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using Chronic animal models); nevertheless exposure by all routes should be minimised as a matter of course.

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)	ΤΟΧΙΟΙΤΥ	IRRITATION	
	Not Available	Not Available	
isothiazolinones, mixed	тохісіту	IRRITATION	
	dermal (rat) LD50: >1008 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	
	Inhalation(Rat) LC50: 0.171 mg/l4h ^[1]	Skin: adverse effect observed (corrosive) ^[1]	
	Oral (Rat) LD50: 53 mg/kg ^[2]	Skin: adverse effect observed (irritating) ^[1]	

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) & ISOTHIAZOLINONES, MIXEDAlphaLISA CaptSure™ No significant acute toxicological data identified in literature search.No significant acute toxicological data identified in literature search.		
 biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance. Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable 	this aim, it is required that risk assessment of biocidal products is carried out by the risk assessment of the biocidal products are the utilization instructions that applications and thus the exposure of humans and the environment to the bioc Humans may be exposed to biocidal products in different ways in both occupat intended for industrial sectors or professional uses only, whereas other biocidal professional users. Formaldehyde generators (releasers) are often used as preservatives. The ma and must be labelled with the warning sign "contains formaldehyde" where the releasing preservatives ensures that the level of free formaldehyde in the produ disrupts metabolism to cause death of the organism. However there is a conce of causing cancers (nitrosamines) when used in formulations containing amine The material may be irritating to the eye, with prolonged contact causing inflam produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure an production of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or even years after exposure an compound. Main criteria for diagnosing RADS include the absence of previous of persistent asthma-like symptoms within minutes to hours of a documented e include a reversible airflow pattern on lung function tests, moderate to severe te and the lack of minimal lymphocytic inflammation, without eosinophilia.	efore they can be placed on the market. A central element in defines the dosage, application method and amount of idal substance. ional and domestic settings. Many biocidal products are products are commonly available for private use by non- ximum authorised concentration of free formaldehyde is 0.2% concentration exceeds 0.05%. The use of formaldehyde- ticts is always low but sufficient to inhibit microbial growth - it rn that formaldehyde generators can produce amines capable s. mation. Repeated or prolonged exposure to irritants may d may produce on contact skin redness, swelling, the o the material ends. This may be due to a non-allergic occur after exposure to high levels of highly irritating airways disease in a non-atopic individual, with sudden onset xposure to the irritant. Other criteria for diagnosis of RADS

SECTION 12 Ecological information

To	vin	ity
- 10/	~10	

	Endpoint	Test Duration (hr)	Species	Value	Source
Acceptor beaus (Zing/inL)	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
isothiazolinones, mixed	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
Legend:	Ecotox databas		CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan)		

Persistence and degradability

· · ·		
Ingredient	Persistence: Water/Soil	Persistence: Air
Ingredient	Rereistence: Water/Soil No Data available for all Ingredients	Reversistence: Air No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients
Mobility in soil	
Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods		
Product / Packaging disposal	Consult State Land Waste Management Authority for disposal.	
SECTION 14 Transport information		

Labels Required

Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
isothiazolinones, mixed	Not Available
14.7.3. Transport in bulk in acc	cordance with the IGC Code
Product name	Ship Type
isothiazolinones, mixed	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

Not Applicable

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No

No

Hazards Not Otherwise Classified

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4) None Reported

State Regulations

US. California Proposition 65

None Reported

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)	
Canada - DSL	Yes	
Canada - NDSL	No (isothiazolinones, mixed)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	lo (isothiazolinones, mixed)	
Japan - ENCS	No (isothiazolinones, mixed)	
Korea - KECI	Yes	
New Zealand - NZloC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	No (isothiazolinones, mixed)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (isothiazolinones, mixed)	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	25/10/2022
Initial Date	13/07/2022

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility)

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AllC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act

- TCSI: Taiwan Chemical Substance Inventory
 INSQ: Inventario Nacional de Sustancias Químicas

- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.



TGR BioSciences Pty Ltd.

Chemwatch: 5555-08 Version No: 4.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 Identification

Product	Identifier
---------	------------

Product name	Alpha Streptavidin Donor Beads (2mg/mL)	
Chemical Name	Not Applicable	
Synonyms	Not Available	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Recommended use of the chemical and restrictions on use

Relevant identified uses Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	TGR BioSciences Pty Ltd.	
Address	an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia	
Telephone	61 8 7228 2141	
Fax	Not Available	
Website	www.tgrbio.com	
Email	ADE.info@abcam.com	

Emergency phone number

Association / Organisation	Chemtrec Aus/North America/Revvity	
Emergency telephone numbers	+61 2 9037 2994	
Other emergency telephone numbers	+1 703 527 3887	

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond	
of He	te: The hazard category numbers found in GHS classification in section 2 his SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = alth Red = Fire Yellow = Reactivity White = Special (Oxidizer or water ctive substances)
Classificati	Not Applicable
Label elements	
Hazard pictogram	(s) Not Applicable
Signal wo	rd Not Applicable

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise classified

Not Applicable

Issue Date: 25/10/2022

Print Date: 02/11/2023

S.GHS.USA.EN.E

Precautionary statement(s) Pre	vention
Not Applicable	
Precautionary statement(s) Res	sponse
Precautionary statement(s) Sto Not Applicable	rage
Precautionary statement(s) Dis	posal
P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	100	Ingredients determined not to be hazardous

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Special protective equipment and precautions for fire-fighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers.
	Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Brown tube or brown bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 Exposure controls / personal protection

Control parameters

- Occupational Exposure Limits (OEL)
- INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Alpha Streptavidin Donor Beads (2mg/mL)	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
Alpha Streptavidin Donor Beads (2mg/mL)	Not Available		Not Available	

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Eyewash unit.

SECTION 9 Physical and chemical properties

Appearance	Blue liquid; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
/lelting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological ef	fects			
Inhaled	Not normally a hazard due to non-volatile nature of product The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.			
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Eye	Although the liquid is not thought to be an irritant (as discomfort characterised by tearing or conjunctival re-		contact with the eye may produce transient	
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.			
Alpha Streptavidin Donor Beads (2mg/mL)		IRRITATION		
Doudo (Emg/mE/	Not Available	ble Not Available		
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances			
Alpha Streptavidin Donor Beads (2mg/mL)				
Acute Toxicity	X Carcinogenicity X		×	
Skin Irritation/Corrosion	×	Reproductivity	×	
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×	
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×	
Mutagenicity	×	Aspiration Hazard	×	

Legend:

Data either not available or does not fill the criteria for classification
 Data available to make classification

SECTION 12 Ecological information

Alpha Streptavidin Donor	Endpoint	Test Duration (hr)	Spec	cies	Value	Source
Beads (2mg/mL)	Not Available	le Not Available Not Available		Available	Not Available	Not Available
Legend:	Ecotox databa			bstances - Ecotoxicological Information ssessment Data 6. NITE (Japan) - Bioco		
Persistence and degradability						
Ingredient	Persistence:	Water/Soil		Persistence: Air		
	No Data avail	able for all ingredients		No Data available for all ingredients		
Bioaccumulative potential						
Ingredient	Bioaccumula					
	No Data avail	able for all ingredients				
lobility in soil						
Ingredient	Mobility					
	-	able for all ingredients				
ECTION 13 Disposal consid	derations					
Vaste treatment methods						
Product / Packaging disposal	Consult State	Land Waste Management Authorit	ty for disposal.			
ECTION 14 Transport inform	mation					
abels Required						
Marine Pollutant	NO					
and transport (DOT): NOT RE	GULATED FO	R TRANSPORT OF DANGERO	US GOODS			
				DS		
Air transport (ICAO-IATA / DGR	R): NOT REGU	LATED FOR TRANSPORT OF	DANGEROUS GOO			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC	R): NOT REGU GVSee): NOT F	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR	DANGEROUS GOO T OF DANGEROUS			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC	R): NOT REGU GVSee): NOT F	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR	DANGEROUS GOO T OF DANGEROUS			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable	R): NOT REGU GVSee): NOT F ding to Annex	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR < II of MARPOL and the IBC co	DANGEROUS GOOI T OF DANGEROUS de			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 14.7.1. Transport in bulk accor Not Applicable	R): NOT REGU GVSee): NOT F ding to Annex	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR < II of MARPOL and the IBC co	DANGEROUS GOOI T OF DANGEROUS de			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 14.7.1. Transport in bulk accor Not Applicable 14.7.2. Transport in bulk in acc Product name	R): NOT REGU GVSee): NOT F ding to Annex cordance with Group	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR < II of MARPOL and the IBC co MARPOL Annex V and the IM	DANGEROUS GOOI T OF DANGEROUS de			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 14.7.1. Transport in bulk accor Not Applicable 14.7.2. Transport in bulk in acc Product name	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR < II of MARPOL and the IBC co MARPOL Annex V and the IM	DANGEROUS GOOI T OF DANGEROUS de			
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name	R): NOT REGU GVSee): NOT F ding to Annex cordance with Group	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR < II of MARPOL and the IBC co MARPOL Annex V and the IM	DANGEROUS GOOI T OF DANGEROUS de			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 14.7.1. Transport in bulk accor Not Applicable 14.7.2. Transport in bulk in acc Product name 14.7.3. Transport in bulk in acc Product name	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR < II of MARPOL and the IBC co MARPOL Annex V and the IM	DANGEROUS GOOI T OF DANGEROUS de			
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name SECTION 15 Regulatory info	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IMS the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC I4.7.1. Transport in bulk accor Not Applicable I4.7.2. Transport in bulk in acc Product name I4.7.3. Transport in bulk in acc Product name SECTION 15 Regulatory info Safety, health and environment	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IMS the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 14.7.1. Transport in bulk accor Not Applicable 14.7.2. Transport in bulk in acc Product name 14.7.3. Transport in bulk in acc Product name SECTION 15 Regulatory info Safety, health and environment Federal Regulations	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 14.7.1. Transport in bulk accor Not Applicable 14.7.2. Transport in bulk in acc Product name 14.7.3. Transport in bulk in acc Product name SECTION 15 Regulatory info Safety, health and environment Federal Regulations	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name SECTION 15 Regulatory info Safety, health and environment Federal Regulations	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name SECTION 15 Regulatory info Safety, health and environment Federal Regulations Superfund Amendments and R	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		0
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name SECTION 15 Regulatory info Safety, health and environment rederal Regulations Superfund Amendments and R Section 311/312 hazard categori	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name GECTION 15 Regulatory info Gafety, health and environment Gederal Regulations Guperfund Amendments and R Section 311/312 hazard categori Flammable (Gases, Aerosols, Liqu	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS		0
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name GECTION 15 Regulatory info Gafety, health and environment Gederal Regulations Guperfund Amendments and R Section 311/312 hazard categori Flammable (Gases, Aerosols, Liqu Gas under pressure	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N	0
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name GECTION 15 Regulatory info Gafety, health and environment Federal Regulations Guperfund Amendments and R Section 311/312 hazard categori Flammable (Gases, Aerosols, Liqu Gas under pressure Explosive	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N	0 0 0
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name GECTION 15 Regulatory info Gafety, health and environment rederal Regulations Guperfund Amendments and R Section 311/312 hazard categori Flammable (Gases, Aerosols, Liqu Gas under pressure Explosive Self-heating Pyrophoric (Liquid or Solid) Pyrophoric Gas	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N	0 0 0 0
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in accor Product name 4.7.3. Transport in bulk in accor Product name 5.5. Transport in bulk in accor Product name	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N N	0 0 0 0 0
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in accor Product name 4.7.3. Transport in bulk in accor Product name 5.6	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N	0 0 0 0 0
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in accor Product name 4.7.3. Transport in bulk in accor Product name GECTION 15 Regulatory info Gafety, health and environment Gederal Regulations Guperfund Amendments and R Section 311/312 hazard categori Flammable (Gases, Aerosols, Liqu Gas under pressure Explosive Self-heating Pyrophoric (Liquid or Solid) Pyrophoric Gas Corrosive to metal Oxidizer (Liquid, Solid or Gas) Organic Peroxide	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N N	0 0 0 0 0 0
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in accor Product name 4.7.3. Transport in bulk in accor Product name 5.6	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations ceauthorization	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N N N	0 0 0 0 0 0 0
Air transport (ICAO-IATA / DGR Gea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name GECTION 15 Regulatory info Gafety, health and environment Gederal Regulations Guperfund Amendments and R Section 311/312 hazard categori Flammable (Gases, Aerosols, Liqu Gas under pressure Explosive Self-heating Pyrophoric (Liquid or Solid) Pyrophoric Gas Corrosive to metal Oxidizer (Liquid, Solid or Gas) Organic Peroxide Self-reactive In contact with water emits flamma	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations teauthorization ies uids, or Solids)	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N N N N	0 0 0 0 0 0 0 0
Air transport (ICAO-IATA / DGR isea transport (IMDG-Code / GC 4.7.1. Transport in bulk accor Not Applicable 4.7.2. Transport in bulk in acc Product name 4.7.3. Transport in bulk in acc Product name 4.7	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations teauthorization ies uids, or Solids)	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N N N N N	0 0 0 0 0 0 0 0 0 0
Air transport (ICAO-IATA / DGR Sea transport (IMDG-Code / GO I4.7.1. Transport in bulk accor Not Applicable I4.7.2. Transport in bulk in accor Product name I4.7.3. Transport in bulk in accor Product name SECTION 15 Regulatory info Safety, health and environment Federal Regulations Superfund Amendments and R Section 311/312 hazard categori Flammable (Gases, Aerosols, Liqu Gas under pressure Explosive Self-heating Pyrophoric (Liquid or Solid) Pyrophoric Gas Corrosive to metal Oxidizer (Liquid, Solid or Gas) Organic Peroxide Self-reactive In contact with water emits flamma	R): NOT REGU GVSee): NOT F rding to Annex cordance with Group cordance with Ship Type rmation tal regulations tal regulations tauthorization ies uids, or Solids)	LATED FOR TRANSPORT OF REGULATED FOR TRANSPOR I of MARPOL and the IBC co MARPOL Annex V and the IM the IGC Code	DANGEROUS GOOI T OF DANGEROUS Ide SBC Code	GOODS	N N N N N N N N N	0 0 0 0 0 0 0 0 0 0 0 0 0

Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported

State Regulations

US. California Proposition 65 None Reported

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	Not Available
Canada - DSL	Not Available
Canada - NDSL	Not Available
China - IECSC	Not Available
Europe - EINEC / ELINCS / NLP	Not Available
Japan - ENCS	Not Available
Korea - KECI	Not Available
New Zealand - NZIoC	Not Available
Philippines - PICCS	Not Available
USA - TSCA	Not Available
Taiwan - TCSI	Not Available
Mexico - INSQ	Not Available
Vietnam - NCI	Not Available
Russia - FBEPH	Not Available
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	25/10/2022
Initial Date	12/07/2022

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	16/08/2022	Name
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility)

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold ValueBCF: BioConcentration Factors
- BEI: Biological Exposure Index
- BEI: Biological Exposure Index
 DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration

- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.





TGR BioSciences Pty Ltd.

Chemwatch: 5555-32 Version No: 4.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 Identification

Product	Identifier

Product name	Positive Control Lysate - Ultra
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

, , ,	
Registered company name	TGR BioSciences Pty Ltd.
Address	(an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia
Telephone	+61 8 7228 2141
Fax	Not Available
Website	www.tgrbio.com
Email	ADE.info@abcam.com

Emergency phone number

• • •	
Association / Organisation	Chemtrec Aus/North America/Revvity
Emergency telephone numbers	+61 2 9037 2994
Other emergency telephone numbers	+1 703 527 3887

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond	
of He	ote: The hazard category numbers found in GHS classification in section 2 this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = salth Red = Fire Yellow = Reactivity White = Special (Oxidizer or water active substances)
Classificat	on Not Applicable
Label elements	
Hazard pictogram	(s) Not Applicable
Signal we	ord Not Applicable

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise classified

Not Applicable

Issue Date: 25/10/2022

Print Date: 02/11/2023

S.GHS.USA.EN.E

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
55965-84-9	<0.01	isothiazolinones, mixed
9002-93-1	>0.1	p-tert-octylphenol ethoxylate
Not Available	balance	Ingredients determined not to be hazardous

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Special protective equipment and precautions for fire-fighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety glasses. Use dry clean up procedures and avoid generating dust.
	P

Major Spills	Clear area of personnel and move upwind.
	Alert Fire Brigade and tell them location and nature of hazard.
	Control personal contact with the substance, by using protective equipment and dust respirator.
	Prevent spillage from entering drains, sewers or water courses.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers.

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Positive Control Lysate - Ultra	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
isothiazolinones, mixed	Not Available		Not Available	
p-tert-octylphenol ethoxylate	Not Available		Not Available	

Occupational Exposure Banding Ingredient **Occupational Exposure Band Rating** Occupational Exposure Band Limit ≤ 0.1 ppm isothiazolinones, mixed Е p-tert-octylphenol ethoxylate Е ≤ 0.1 ppm Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds Notes: to a range of exposure concentrations that are expected to protect worker health.

posure controls Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.
Skin protection	See Hand protection below
Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.
Body protection	See Other protection below

Other protection	No special equipment needed when handling small quantities. OTHERWISE:
	Overalls.
	Barrier cream.
	Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection
program.

Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

 \cdot Use approved positive flow mask if significant quantities of dust becomes airborne.

 \cdot Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

	· ·		
Appearance	White Lyophilysed pellet.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Inhaled Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack Indestion of corroborating animal or human evidence. The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal Skin Contact models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient Eve discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. Chronic Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using

Chemwatch: 5555-32 Version No: 4.1

Positive Control Lysate - Ultra animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung. TOXICITY IRRITATION Positive Control Lysate Ultra Not Available Not Available TOXICITY IRRITATION dermal (rat) LD50: >1008 mg/kg^[1] Eye: adverse effect observed (irreversible damage)^[1] isothiazolinones, mixed Inhalation(Rat) LC50: 0.171 mg/l4h^[1] Skin: adverse effect observed (corrosive)^[1] Oral (Rat) LD50: 53 mg/kg^[2] Skin: adverse effect observed (irritating)^[1] TOXICITY IRRITATION Eye (rabbit): 1 mg - moderate p-tert-octvlphenol ethoxvlate Oral (Rat) LD50: 1800 mg/kg^[2] Skin (human): 2 mg/3d -I - mild Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by nonprofessional users. Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% ISOTHIAZOLINONES, MIXED and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehydereleasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic

Asthma-like symptoms may continue for months or even years after exposure to the material ends. I his may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

Octoxynols

Octoxynols of various chain lengths as well as octoxynol salts and organic acids function in cosmetics either as surfactants-emulsifying agents, surfactants-cleansing agents, surfactant-solubilizing agents, or surfactants-hydrotropes in a wide variety of cosmetic products at concentrations ranging from 0.0008% to 25%, with most less than 5.0%. The octoxynols are chemically similar to nonoxynols.. Long-chain nonoxynols (9 and above) were considered safe as used, whereas short-chain nonoxynols (8 and below) were considered safe as used in rinse-off products and safe at concentrations less than 5.0% in leave-on formulations. Acute exposure of hamsters to Octoxynol-9 by bronchopulmonary lavage produced pneumonia, pulmonary edema, and intra-alveolar hemorrhage.

Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported.

Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed.

Ultra & ISOTHIAZOLINONES. No significant acute toxicological data identified in literature search. MIXED Acute Toxicity × Carcinogenicity × Skin Irritation/Corrosion × Reproductivity × Serious Eye × STOT - Single Exposure × Damage/Irritation Respiratory or Skin × STOT - Repeated Exposure × sensitisation Mutagenicity × Aspiration Hazard ×

Legend: X – Data either not available or does not fill the criteria for classification

Data available to make classification

SECTION 12 Ecological information

Toxicity

P-TERT-OCTYLPHENOL

Positive Control Lysate -

ETHOXYLATE

Pacitivo Control Lycoto	Endpoint	Test Duration (hr)	Species	Value	Source
Positive Control Lysate - Ultra	Not Available	Not Available	Not Available	Not Available	Not Available

isothiazolinones, mixed	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	0.129mg/l	2
	EC50	72h	Algae or other aquatic plants	0.006mg/L	2
	EC50	48h	Crustacea	0.007mg/l	2
	EC50	96h	Algae or other aquatic plants	0.036mg/L	2
	NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L	2
					-
	Endpoint	Test Duration (hr)	Species	Value	Source
p-tert-octylphenol ethoxylate	Endpoint EC50(ECx)	Test Duration (hr) 96h	Species Fish	Value 3mg/L	Source 5
p-tert-octylphenol ethoxylate	-	,	•		

Ingredient	Persistence: Water/Soil	Persistence: Air
p-tert-octylphenol ethoxylate	HIGH	HIGH
Ingredient	Bioaccumulation	
ioaccumulative potential	-	

SECTION '	13	Disposal	considerations

p-tert-octylphenol ethoxylate

Product / Packaging disposal Consult State Land Waste Management Authority for disposal	Waste treatment methods	
obiolit otato Lana Managomont / tationty for disposal.	Product / Packaging disposal	

SECTION 14 Transport information

Labels Required	
Marine Pollutant NC	NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Mobility

LOW (KOC = 699.2)

Not Applicable

Ingredient

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group	
isothiazolinones, mixed	Not Available	
p-tert-octylphenol ethoxylate	Not Available	

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type	
isothiazolinones, mixed	Not Available	
p-tert-octylphenol ethoxylate	Not Available	

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

Not Applicable

p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)

Gas under pressure		
Explosive	No	
Self-heating	No	
Pyrophoric (Liquid or Solid)	No	
Pyrophoric Gas	No	
Corrosive to metal	No	
Oxidizer (Liquid, Solid or Gas)	No	
Organic Peroxide	No	
Self-reactive	No	
In contact with water emits flammable gas	No	
Combustible Dust	No	
Carcinogenicity	No	
Acute toxicity (any route of exposure)	No	
Reproductive toxicity	No	
Skin Corrosion or Irritation	No	
Respiratory or Skin Sensitization		
Serious eye damage or eye irritation		
Specific target organ toxicity (single or repeated exposure)		
Aspiration Hazard		
Germ cell mutagenicity		
Simple Asphyxiant		
Hazards Not Otherwise Classified		

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported State Regulations

US. California Proposition 65

None Reported

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	No (isothiazolinones, mixed)	
Canada - DSL	Yes	
Canada - NDSL	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)	
Japan - ENCS	No (isothiazolinones, mixed)	
Korea - KECI	Yes	
New Zealand - NZloC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	No (isothiazolinones, mixed)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate)	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	25/10/2022
Initial Date	19/07/2022

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	31/08/2022	Composition / information on ingredients - Ingredients
4.1	25/10/2022	Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Handling and storage - Storage (suitable container)

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be

considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
 ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.