

according to Regulation (EC) No 1907/2006 (REACH)

Trade name: HTRF VASP p-S157 kit - 10K pts / 63ADK066PEH

Version: KIT, Page 1 of 1, Revision date: 11/09/2023

Cette section présente les différents flacons présents dans le kit. Les fiches de sécurité de tous ces composants sont disponibles dans la langue choisie à la suite du document.

This section shows all the vials in the kit. The Safety Datasheets are available in the selected language in the next part of the document.

Nomenclature of the product

Description	Component	Nb of vials	рН	Color	Physical state
HTRF VASP p-S157 kit - Ctrl lysate	63ADK066TDA	2	7	Colorless	Liquid
HTRF VASP p-S157 kit - 10K pts d2 antibody		1	7	Blue	Liquid
HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody		1	7	Colorless	Liquid
HTRF P-T prot Lysis Buf.2 (4X) 130 mL	64KL2FDF	1	7	Colorless	Liquid
HTRF P-T prot Block. reag.(100X) 2 mL	64KB1AAC	3	-	Colorless	Liquid
HTRF P-T prot Detect. Buf. 50 mL		1	7	Colorless	Liquid





Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 1 of 15, Revision date: 11/09/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

CAS No.: EC No: REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with 29 CFR 1910 (OSHA HCS)	Category code	Hazard statement	Precautionary statement		
Hazardous to the aquatic environment - Aquatic Chronic 3 - H412	Aquatic Chronic 3	H412	P273 P501		

2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Product identifier:

Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Substances contained in this product:



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 2 of 15, Revision date: 11/09/2023

Hazard pictograms

Signal word:

Hazard and precautionary statements:

	ary otale-memory								
Code	Hazard statments								
H412	Harmful to aquatic life with long lasting effects								
P273	Avoid release to the environment.								
P501	Dispose of contents/container to								

2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European CHemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher;

Adverse human health effects:



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 3 of 15, Revision date: 11/09/2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification in accordance with 29 CFR 1910 (OSHA HCS)	Concentration (%)	SCL	M-factor
Poly(oxy-1,2-ethanediyl), α -[4-(1,1,3,3-tetramethylbutyl)phenyl]- ω -hydroxy-	9002-93-1			Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315	< 1%		
Poly (oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)- omega-hydroxy-, branched	127087-87-0		500-315-8	Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H332 - Inhalation Hazardous to the aquatic environment - Aquatic Chronic 2 - H411 Serious eye damage/eye irritation - Eye Dam. 1 - H318	< 1%		1
sodium chloride	7647-14-5		231-598-3		< 1%		
disodium dihydrogenpyrophosphate	7758-16-9		231-835-0	Serious eye damage/eye irritation - Eye Irrit. 2 - H319	< 1%		
ethanol	64-17-5	603-002-00-5	200-578-6	Flammable liquid - Flam. Liq. 2 - H225	< 1%		
Ethylenediamine- N,N,N1,N1-tetraacetic acid	6381-92-6			Acute toxicity - Acute Tox. 4 - H332 - Inhalation Specific target organ toxicity - repeated exposure - STOT RE 2 - H373	< 1%		
trisodium tetraoxovanadate	13721-39-6		237-287-9	Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H312 - Dermal Acute toxicity - Acute Tox. 4 - H332 - Inhalation Serious eye damage/eye irritation - Eye Irrit. 2 - H319 Skin corrosion/irritation - Skin Irrit. 2 - H315	< 1%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

 $\textbf{Following inhalation:} \ \ \text{In case of respiratory tract irritation, consult a physician.} \ \ ;$

Following skin contact: After contact with skin, wash immediately with water;



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 4 of 15, Revision date: 11/09/2023

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately. ; $\textbf{Following ingestion} : \ \, \textbf{Do NOT induce vomiting.} \; ; \\$

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

5.3 Advice for fire-fighters

Wear Protective clothing.; Additional information:

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

6.4 Reference to other sections

Additional information:

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.; Fire preventions:



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 5 of 15, Revision date: 11/09/2023

Do not eat, drink or smoke in areas where reagents are handled.;

<u>Advice on general occupational hygiene</u>: Handle in accordance with good industrial hygiene and safety practice;

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

<u>Further information on storage conditions:</u>

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

OSHA (USA)

Source :	Occupational Sa	fety and Health Adm	ninistration (OSHA) Permiss	sible Exposure Limits (PEL	S) from 29 CFR 1910.100	00
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8- hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)
13472-36-1		13472-36-1				
13721-39-6 / 237- 287-9	237-287-9	13721-39-6				0,05
6381-92-6		6381-92-6				
64-17-5 / 200-578-6	200-578-6	64-17-5	1000	1900		
209-1	500-209-1	68412-54-4				
7647-14-5 / 231-598- 3		7647-14-5				
7758-16-9 / 231-835- 0	231-835-0	7758-16-9				

Source :	TRGS 903, Novemb	oer 2015, BAuA		
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)
13472-36-1		13472-36-1		
13721-39-6 / 237- 287-9	237-287-9	13721-39-6		
6381-92-6		6381-92-6		
64-17-5 / 200-578-6	200-578-6	64-17-5		
68412-54-4 / 500- 209-1	500-209-1	68412-54-4		



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 6 of 15, Revision date: 11/09/2023

7647-14-5 / 231-598- 3		7647-14-5	
7758-16-9 / 231-835- 0	231-835-0	7758-16-9	

8.1.2 <u>DNEL/PNEC-values:</u>

• DNEL worker

Source :	GESTIS – su	bstance dat	abase						
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	CUCTOMIC ATTACTS	Long-term – inhalation, local effects (mg/m3)	cyctomic ottoctcl
13472-36-1		13472-36-1					2.79-2.79		
13721-39-6 / 237-287-9	237-287-9	13721-39-6							
6381-92-6		6381-92-6				1.5-1.5			
64-17-5 / 200-578-6	200-578-6	64-17-5					950-950		
68412-54-4 / 500-209-1	500-209-1	68412-54-4					4.7-4.7		
7647-14-5 / 231-598-3	231-598-3	7647-14-5					2068.62- 2068.62		
7758-16-9 / 231-835-0	231-835-0	7758-16-9					2.79-2.79		

• DNEL consumer

Source :	GESTIS – s	ubstance da	tabase					
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	CVCTOMIC ATTACTC	Acute – inhalation, local effects (mg/m3)	Long-term – inhalation, local effects (mg/m3)	
13472-36-1		13472-36-1						
13721-39-6 / 237-287-9	237-287-9	13721-39-6						
6381-92-6		6381-92-6						
64-17-5 / 200-578-6	200-578-6	64-17-5						
68412-54-4 / 500-209-1	500-209-1	68412-54-4						
7647-14-5 / 231-598-3	231-598-3	7647-14-5						
7758-16-9 / 231-835-0	231-835-0	7758-16-9						

PNEC



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 7 of 15, Revision date: 11/09/2023

Source :	INERIS																/		
				PNEC AQUATIC										PNEC Sediment					
Substance	EC-No.	CAS-No		freshwate	r	m	arine wat	er	inter	mittent re	lease	fı	reshwate	er	ma	marine water			
Susstance	20 1101		(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)		
13472-36-1		13472-36-1																	
13721-39-6 / 237-287- 9	237-287-9	13721-39-6																	
6381-92-6		6381-92-6																	
64-17-5 / 200-578-6	200-578-6	64-17-5																	
68412-54-4 / 500-209- 1	500-209-1	68412-54-4																	
7647-14-5 / 231-598- 3	231-598-3	7647-14-5																	
7758-16-9 / 231-835- 0	231-835-0	7758-16-9																	

Source :	INERIS													
			Others											
Substance	EC-No.	CAS-No		PNEC soil	I	PNEC	PNEC sewage treatment plant			PNEC air		PNEC secondary poisoning		
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
13472-36-1		13472-36-1												
13721-39-6 / 237-287-9	237-287-9	13721-39-6												
6381-92-6		6381-92-6												
64-17-5 / 200-578-6	200-578-6	64-17-5												
68412-54-4 / 500-209-1	500-209-1	68412-54-4												
7647-14-5 / 231-598-3	231-598-3	7647-14-5												
7758-16-9 / 231-835-0	231-835-0	7758-16-9												

8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 8 of 15, Revision date: 11/09/2023

8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

Physical state	Liquid;
Colour	Colorless;
Odour	
Odour threshold (ppm)	

			Value	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
рН			7	(mony E)				
Melting point (°C	<u>.</u>)							
Freezing point (°C	C)							
Initial boiling poi	nt/boiling	range (°C)						
Flash point (°C)								
Evaporation rate	(kg/m²/h)							
Flammability (typ	pe :) (%)							
Upper/low flammability or e limits	er	Upper explosive limit (%)						
		Lower explosive limit (%)						
Vapour pressure								
Vapour density (g	g/cm³)							
		Density (g/cm³)						
Densities	S	Relative density (g/cm³)						
		Bulk density (g/cm³)						
		Critical density (g/cm³)						
Solubility (Type :) (g/L)							
Partition coefficient n-octanol/water		w)						
Auto-ignition ten	nperature	(°C)						
Decomposition to Decomposition e		e (°C)						
Viscosity	V	iscosity, dynamic (poiseuille)						
		Viscosity, cinematic (cm³/s)						
	Explo	sive properties						
	Oxid	ising properties						

9.2 Other information:

No other relevant data available



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 9 of 15, Revision date: 11/09/2023

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:
- 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

Substances

Acute toxicity

Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
127087-87-0 / 500-315-8					Data lacking.
9002-93-1	1800-1800	Rat			

Acute dermal toxicity:

Acute inhalative toxicity:

Substance name	C(E)L50 (mg/L)	Exposure time	Species	Method	Remark
127087-87-0 / 500-315-8					

Practical experience / human evidence:

Assessment / Classification:

General Remark:



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 10 of 15, Revision date: 11/09/2023

• Skin corrosion/irritation

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1						

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
127087-87-0 / 500-						
315-8						
9002-93-1	Rabbit			Eye irritation		

In vitro eye test method: In vitro eye test result:

Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 11 of 15, Revision date: 11/09/2023

Specific target organ toxicity (single exposure)

o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Source :	: Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	LC50 (mg/L)	EC50 (mg/L)	Test duration	Species	Result/ Evaluation	Method	Remark	General Remark
127087-87-0 / 500-315-8	500-315-8	127087- 87-0								
9002-93-1		9002-93-1	8,9		96	Pimephales promelas (fathead minnow)				



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 12 of 15, Revision date: 11/09/2023

Chronic (long-term) fish toxicity

Source :	Informations r	ormations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark			
127087-87-0 / 500-315-8	500-315-8	127087-87-0									
9002-93-1		9002-93-1									

Acute (short-term) toxicity to crustacea

Source :	Information	s relatives à la	a réglementa	ntion VME (Fran	ce) : ED 984, 0	7.2012			
Substance	(mg/L) Evaluation								General Remark
127087-87-0 / 500-315-8	500-315-8	127087-87- 0							
9002-93-1		9002-93-1	26	48					

Chronic (long-term) toxicity to crustacea

Source :	Informations r	rmations relatives à la réglementation VME (France) : ED 984, 07.2012								
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark		
127087-87-0 / 500-315-8	500-315-8	127087-87-0								
9002-93-1		9002-93-1								

Acute (short-term) toxicity to algae and cyanobacteria

Source :	Information	s relatives à l	a réglementat	tion VME (Fran	ce) : ED 984, 07	.2012			
Substance	e EC-No. CAS-No EC50 (mg/L) Test duration Species Result/ Evaluation Method R							Remark	General Remark
127087-87-0 / 500-315-8	500-315-8	127087-87- 0							
9002-93-1		9002-93-1							

Toxicity to microorganisms and other aquatic plants / organisms

Source :	Informations rela	ormations relatives à la réglementation VME (France) : ED 984, 07.2012								
Substance	EC-No.	CAS-No	EC50 (mg/L)	Species	Method	Remark	General Remark			
127087-87-0 / 500-315-8	500-315-8	127087-87-0								
9002-93-1		9002-93-1								

Assessment / Classification:

12.2 Persistence and degradability

Biodegradation:

Source :	Informations r	Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	Inoculum	Biodegradation parameter	Degradation rate (%)	Method	Remark				



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 13 of 15, Revision date: 11/09/2023

127087-87-0 / 500-315-8	500-315-8	127087-87-0			v
9002-93-1		9002-93-1	BOD (% of COD).	36-36	In accordance with the required stability the product is poorly biodegradable.

Abiotic Degradation:

Source :								
Substance	EC-No.	CAS-No	Abiotic degradation test type	Half-life time (j)	Temperature (°C)	рН	Method	Remark
127087-87-0 / 500-315-8	1500-315-8	127087-87- 0						
9002-93-1		9002-93-1						

Assessment / Classification:

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

Source :						
Substance	EC-No.	CAS-No	Species	Result	Method	Remark
127087-87-0 / 500- 315-8	500-315-8	127087-87-0				
9002-93-1		9002-93-1				

12.4 Mobility in soil

Source :											
Substance	EC n°	CAS n°	Distribution	tvne	Henry's law constant (Pa.m3/mol)	Log KOC	Half-life time in soil (j)	Half-life time in fresh water (j)	Half-life time in sea water (j)	Method	Remark
127087-87-0	500-315-	127087-									
/ 500-315-8	8	87-0									
9002-93-1		9002- 93-1									

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options:



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 14 of 15, Revision date: 11/09/2023

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

SECTION 14: TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID:

Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions:

Passenger and Cargo Aircraft Maximal Net Quantity:



Designation / Trade name: HTRF VASP p-S157 kit - Ctrl lysate 63ADK066TDA

Version: US, Page 15 of 15, Revision date: 11/09/2023

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:07/09/2023 Modifications:

16.2 Abbreviations and acronyms:

16.3 Key literature references and sources for data

16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

16.5 Relevant R-, H- and EUH-phrases (number and full text):

Code	Hazard statments
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage.
H319	Causes serious eye irritation
H332	Harmful if inhaled
H373	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects





Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 1 of 12, Revision date: 07/09/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

CAS No.: Index No: EC No: REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with 29 CFR 1910 (OSHA HCS)	Category code	Hazard statement	Precautionary statement
Serious eye damage/eye irritation - Eye Irrit. 2 - H319	Eye Irrit. 2	H319	P264 P280 P305 + P351 + P338 P337 + P313

2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Product identifier:

Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Substances contained in this product:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms
GHS07-exclam



Signal word:

Warning

Hazard and precautionary statements:

Code	Hazard statments
H319	Causes serious eye irritation
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 3 of 12, Revision date: 07/09/2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification in accordance with 29 CFR 1910 (OSHA HCS)	Concentration (%)	SCL	M-factor
disodium dihydrogenpyrophosphate	7758-16-9		IJ 31-835-()	Serious eye damage/eye irritation - Eye Irrit. 2 - H319	< 25%		
trisodium tetraoxovanadate	13721-39-6		237-287-9	Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H312 - Dermal Acute toxicity - Acute Tox. 4 - H332 - Inhalation Serious eye damage/eye irritation - Eye Irrit. 2 - H319 Skin corrosion/irritation - Skin Irrit. 2 - H315	< 3%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 4 of 12, Revision date: 07/09/2023

5.3 Advice for fire-fighters

Wear Protective clothing.; Additional information:

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

6.4 Reference to other sections

Additional information:

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 5 of 12, Revision date: 07/09/2023

OSHA (USA)

Source :	Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000							
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8- hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)		
287-9	237-287-9	13721-39-6				0,05		
7758-16-9 / 231-835- 0	231-835-0	7758-16-9						

Source :	TRGS 903, November 2015, BAuA							
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)				
13721-39-6 / 237- 287-9	237-287-9	13721-39-6						
7758-16-9 / 231-835- 0	231-835-0	7758-16-9						

8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

Source :	GESTIS – su	STIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	cyctemic ettects	Long-term – inhalation, local effects (mg/m3)	systemic ettects		
13721-39-6 / 237-287-9	237-287-9	13721-39-6									
7758-16-9 / 231-835-0	231-835-0	7758-16-9					2.79-2.79				

• DNEL consumer

Source :	GESTIS – s	STIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	systemic ettects	Acute – inhalation, local effects (mg/m3)	systemic ettects	Long-term – inhalation, local effects (mg/m3)	systemic ettects		
13721-39-6 / 237-287-9	237-287-9	13721-39-6									
7758-16-9 / 231-835-0	231-835-0	7758-16-9									



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 6 of 12, Revision date: 07/09/2023

Source :	INERIS																
				PNEC AQUATIC									PNEC Sediment				
Substance	EC-No.	CAS-No	1	freshwater		m	marine water		intermittent release		freshwater		marine water				
Substance	EC-NO.		(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
13721-39-6 / 237-287- 9		13721-39-6															
7758-16-9 / 231-835- 0	231-835-0	7758-16-9															

Source :	INERIS													
			Others											
Substance	EC-No.	CAS-No		PNEC soil		PNEC sewage treatment plant		PNEC air			PNEC secondary poisoning		•	
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
13721-39-6 / 237-287-9	237-287-9	13721-39-6												
7758-16-9 / 231-835-0	231-835-0	7758-16-9												

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state	Liquid;
Colour	Colorless;
Odour	
Odour threshold (nnm)	

	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
рН					
Melting point (°C)					



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 7 of 12, Revision date: 07/09/2023

<u>'</u>				\sim
Freezing point (°C)				
Initial boiling point/b	oiling range (°C)			
Flash point (°C)				
Evaporation rate (kg/	/m²/h)			
Flammability (type :)) (%)			
Upper/lower flammability or explo limits	Upper explosive limit (%)			
iiiiii	Lower explosive limit (%)			
Vapour pressure (kPa	a)			
Vapour density (g/cm	n³)			
	Density (g/cm³)			
Densities	Relative density (g/cm³)			
	Bulk density (g/cm³)			
	Critical density (g/cm³)			
Solubility (Type :) (ខ្	g/L)			
Partition coefficient (n-octanol/water at p				
Auto-ignition temper	rature (°C)			
Decomposition temperature (°C) Decomposition energy: kJ				
Viscosity	Viscosity, dynamic (poiseuille)			
	Viscosity, cinematic (cm³/s)			
	Explosive properties			
	Oxidising properties			

9.2 Other information:

No other relevant data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 8 of 12, Revision date: 07/09/2023

<u>Substances</u>

Acute toxicity

Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
13721-39-6 / 237-287-9	330-330	Rat		Hemorragie	

Acute dermal toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Remark
13721-39-6 / 237-287-9				

Acute inhalative toxicity:

Substance name	C(E)L50 (mg/L)	Exposure time	Species	Method	Remark
13721-39-6 / 237-287-9					

Practical experience / human evidence:

Assessment / Classification:

General Remark:

• Skin corrosion/irritation

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
13721-39-6 / 237-287-						
9						

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
13721-39-6 / 237-287-						
9						
7758-16-9 / 231-835-0	Rabbit	OECD 405		Eye irritation		



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC Version: US, Page 9 of 12, Revision date: 07/09/2023

In vitro eye test method:
In vitro eye test result:

Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
 - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 10 of 12, Revision date: 07/09/2023

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

12.2 Persistence and degradability

Biodegradation:

Abiotic Degradation:

Assessment / Classification:

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 11 of 12, Revision date: 07/09/2023

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

SECTION 14: TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: US, Page 12 of 12, Revision date: 07/09/2023

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions:

Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

16.2 Abbreviations and acronyms:

16.3 Key literature references and sources for data

16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

16.5 Relevant R-, H- and EUH-phrases (number and full text):

Code	Hazard statments
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled





Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 1 of 15, Revision date: 11/09/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF CAS No.: EC No: REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with 29 CFR 1910 (OSHA HCS)	Category code	Hazard statement	Precautionary statement
Hazardous to the aquatic environment - Aquatic Chronic 2 - H411	Aquatic Chronic 2	H411	P273 P391 P501
Serious eye damage/eye irritation - Eye Dam. 1 - H318	Eye Dam. 1	Н318	P280 P305 + P351 + P338 P310

2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Product identifier:

Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 2 of 15, Revision date: 11/09/2023

Substances contained in this product:

Substance name	CAS n°	Index n°	EC n°
Poly (oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega-hydroxy-, branched	127087-87-0		500-315-8
trisodium tetraoxovanadate	13721-39-6		237-287-9
Ethylenediamine-N,N,N1,N1-tetraacetic acid	6381-92-6		
Poly(oxy-1,2-ethanediyl), α -[4-(1,1,3,3-tetramethylbutyl)phenyl]- ω -hydroxy-	9002-93-1		

<u>Hazard pictograms</u> GHS05-acid GHS09-pollut



Signal word:

Danger

Hazard and precautionary statements:

Code	Hazard statments
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P391	Collect spillage.
P501	Dispose of contents/container to

2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European CHemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher;

Adverse human health effects:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 3 of 15, Revision date: 11/09/2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification in accordance with 29 CFR 1910 (OSHA HCS)	Concentration (%)	SCL	M-factor
Poly(oxy-1,2-ethanediyl), α -[4-(1,1,3,3-tetramethylbutyl)phenyl]- ω -hydroxy-	9002-93-1			Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315	< 10%		
Poly (oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)- omega-hydroxy-, branched	127087-87-0		500-315-8	Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H332 - Inhalation Hazardous to the aquatic environment - Aquatic Chronic 2 - H411 Serious eye damage/eye irritation - Eye Dam. 1 - H318	< 10%		1
sodium chloride	7647-14-5		231-598-3		< 10%		
ethanol	64-17-5	603-002-00-5	200-578-6	Flammable liquid - Flam. Liq. 2 - H225	< 1%		
Ethylenediamine- N,N,N1,N1-tetraacetic acid	6381-92-6			Acute toxicity - Acute Tox. 4 - H332 - Inhalation Specific target organ toxicity - repeated exposure - STOT RE 2 - H373	< 1%		
trisodium tetraoxovanadate	13721-39-6		237-287-9	Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H312 - Dermal Acute toxicity - Acute Tox. 4 - H332 - Inhalation Serious eye damage/eye irritation - Eye Irrit. 2 - H319 Skin corrosion/irritation - Skin Irrit. 2 - H315	< 1%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

Following skin contact: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 4 of 15, Revision date: 11/09/2023

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

5.3 Advice for fire-fighters

Wear Protective clothing.; Additional information:

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

6.4 Reference to other sections

Additional information:

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.; Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 5 of 15, Revision date: 11/09/2023

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

OSHA (USA)

Source :	Occupational Saf	ety and Health Admin	istration (OSHA) Permiss	sible Exposure Limits (PEL	S) from 29 CFR 1910.100	00
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8- hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)
13472-36-1		13472-36-1				
13721-39-6 / 237- 287-9	237-287-9	13721-39-6				0,05
6381-92-6		6381-92-6				
64-17-5 / 200-578-6	200-578-6	64-17-5	1000	1900		
68412-54-4 / 500- 209-1	500-209-1	68412-54-4				
7647-14-5 / 231-598 [.] 3	231-598-3	7647-14-5				

Source :	TRGS 903, Novemb	oer 2015, BAuA		
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)
13472-36-1		13472-36-1		
13721-39-6 / 237- 287-9	237-287-9	13721-39-6		
6381-92-6		6381-92-6		
64-17-5 / 200-578-6	200-578-6	64-17-5		
68412-54-4 / 500- 209-1		68412-54-4		
7647-14-5 / 231-598- 3	231-598-3	7647-14-5		



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 6 of 15, Revision date: 11/09/2023

8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

Source :	GESTIS – su	bstance data	abase						
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	SVSTAMIC ATTACTS	Long-term – inhalation, local effects (mg/m3)	Systemic ettects
13472-36-1		13472-36-1					2.79-2.79		
13721-39-6 / 237-287-9	237-287-9	13721-39-6							
6381-92-6		6381-92-6				1.5-1.5			
64-17-5 / 200-578-6	200-578-6	64-17-5					950-950		
68412-54-4 / 500-209-1	500-209-1	68412-54-4					4.7-4.7		
7647-14-5 / 231-598-3	231-598-3	7647-14-5					2068.62- 2068.62		

DNEL consumer

Source :	GESTIS – s	ubstance dat	tabase						
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	SYSTAMIC ATTACTS	customic attacts		Long-term – inhalation, local effects (mg/m3)	cyctomic ottoctc
13472-36-1		13472-36-1							
13721-39-6 / 237-287-9	237-287-9	13721-39-6							
6381-92-6		6381-92-6							
64-17-5 / 200-578-6	200-578-6	64-17-5							
68412-54-4 / 500-209-1	500-209-1	68412-54-4							
7647-14-5 / 231-598-3	231-598-3	7647-14-5							

PNEC

Source :	INERIS																	
		EC-No. CAS-No		PNEC AQUATIC									PNEC Sediment					
Substance EC-No.	FC-No		freshwater			marine water			intermittent release			freshwater			marine water			
Substance	Substance EC-NO. CAS-NO			(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	
13472-36-1		13472-36-1																
13721-39-6 / 237-287- 9		13721-39-6																



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 7 of 15, Revision date: 11/09/2023

									$\overline{}$	$\overline{}$
6381-92-6		6381-92-6								
64-17-5 / 200-578-6	200-578-6	64-17-5								
68412-54-4 / 500-209- 1	500-209-1	68412-54-4								
7647-14-5 / 231-598- 3	231-598-3	7647-14-5								

Source :	INERIS													
								Oth	ers					
Substance	EC-No.	CAS-No	PNEC soil			PNEC sewage treatment plant			PNEC air			PNEC secondary poisoning		
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
13472-36-1		13472-36-1												
13721-39-6 / 237-287-9	237-287-9	13721-39-6												
6381-92-6		6381-92-6												
64-17-5 / 200-578-6	200-578-6	64-17-5												
68412-54-4 / 500-209-1	500-209-1	68412-54-4												
7647-14-5 / 231-598-3	231-598-3	7647-14-5												

8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

 $Skin\ protection: Gloves\ ;$

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state	Liquid;
Colour	Colorless;



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 8 of 15, Revision date: 11/09/2023

	V
Odour	
Odour threshold (ppm)	

			Value	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
pH		7	, , ,					
Melting point (°C)								
Freezing point (°C)								
Initial boiling point/boiling range (°C)								
Flash point (°C)								
Evaporation rate (kg/m²/h)								
Flammability (type :) (%)								
Upper/low flammability or e limits		Upper explosive limit (%)						
		Lower explosive limit (%)						
Vapour pressure (kPa)								
Vapour density (g/cm³)								
		Density (g/cm³)						
Densities	5	Relative density (g/cm³)						
		Bulk density (g/cm³)						
		Critical density (g/cm³)						
Solubility (Type:) (g/L)								
Partition coefficient (log Pow) n-octanol/water at pH :								
Auto-ignition temperature (°C)								
Decomposition temperature (°C) Decomposition energy: kJ								
Viscosity	V	iscosity, dynamic (poiseuille)						
	Viscosity, cinematic (cm ³ /s)							
	Explosive properties							
	Oxid	ising properties						

9.2 Other information:

No other relevant data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:
- 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 9 of 15, Revision date: 11/09/2023

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

Substances

Acute toxicity

Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
127087-87-0 / 500-315-8					Data lacking.
9002-93-1	1800-1800	Rat			

Acute dermal toxicity:

Acute inhalative toxicity:

Substance name	C(E)L50 (mg/L)	Exposure time	Species	Method	Remark
127087-87-0 / 500-315-8					

Practical experience / human evidence:

Assessment / Classification:

General Remark:

• Skin corrosion/irritation

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1						

In-vitro skin test method: In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
127087-87-0 / 500-						



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 10 of 15, Revision date: 11/09/2023

				V
315-8				
9002-93-1	Rabbit		Eye irritation	

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
 - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 11 of 15, Revision date: 11/09/2023

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Source :	Informatio	ormations relatives à la réglementation VME (France) : ED 984, 07.2012										
Substance	EC-No.	CAS-No	LC50 (mg/L)	EC50 (mg/L)	Test duration	Species	Result/ Evaluation	Method	Remark	General Remark		
127087-87-0 / 500-315-8	500-315-8	127087- 87-0										
9002-93-1		9002-93-1	8,9		96	Pimephales promelas (fathead minnow)						

Chronic (long-term) fish toxicity

Source :	Informations i	nformations relatives à la réglementation VME (France) : ED 984, 07.2012											
Substance	EC-No.	EC-No. CAS-No NOEC (mg/L) Test duration Species Method Remark General Rem											
127087-87-0 / 500-315-8	500-315-8	127087-87-0											
9002-93-1		9002-93-1											

Acute (short-term) toxicity to crustacea

Source :	Information	nformations relatives à la réglementation VME (France) : ED 984, 07.2012												
Substance	EC-No.	CAS-No	EC50 (mg/L)	Test duration	Species	Result/ Evaluation	Method	Remark	General Remark					
127087-87-0 / 500-315-8	500-315-8	127087-87- 0												
9002-93-1		9002-93-1	26	48										

Chronic (long-term) toxicity to crustacea

Source :	Informations relatives à la réglementation VME (France): ED 984, 07.2012
Jource .	inioniations relatives a la regienne intation vivie (France). ED 304, 07.2012



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 12 of 15, Revision date: 11/09/2023

								· ·
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark
127087-87-0 / 500-315-8	500-315-8	127087-87-0						
9002-93-1		9002-93-1						

Acute (short-term) toxicity to algae and cyanobacteria

Source :	Information	nformations relatives à la réglementation VME (France) : ED 984, 07.2012												
Substance	EC-No.	CAS-No	EC50 (mg/L)	Test duration	Species	Result/ Evaluation	Method	Remark	General Remark					
127087-87-0 / 500-315-8	500-315-8	127087-87- 0												
9002-93-1		9002-93-1												

Toxicity to microorganisms and other aquatic plants / organisms

Source :	Informations rela	formations relatives à la réglementation VME (France) : ED 984, 07.2012										
Substance	EC-No.	EC-No. CAS-No EC50 (mg/L) Species Method Remark General Remark										
127087-87-0 / 500-315-8	500-315-8	127087-87-0										
9002-93-1		9002-93-1										

Assessment / Classification:

12.2 Persistence and degradability

Biodegradation:

Source :	: Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	Inoculum	Biodegradation parameter	Degradation rate (%)	Method	Remark			
127087-87-0 / 500-315-8	500-315-8	127087-87-0								
9002-93-1		9002-93-1		BOD (% of COD).	36-36		In accordance with the required stability the product is poorly biodegradable.			

Abiotic Degradation:

Source :								
Substance	EC-No.	CAS-No	Abiotic degradation test type	Half-life time (j)	Temperature (°C)	рН	Method	Remark
127087-87-0 / 500-315-8	500-315-8	127087-87- 0						
9002-93-1		9002-93-1						

Assessment / Classification:

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 13 of 15, Revision date: 11/09/2023

Source :						
Substance	EC-No.	CAS-No	Species	Result	Method	Remark
127087-87-0 / 500- 315-8	500-315-8	127087-87-0				
9002-93-1		9002-93-1				

12.4 Mobility in soil

Source :											
Substance	EC n°	CAS n°	Distribution	Transport	Henry's law constant (Pa.m3/mol)	Log KOC	Half-life time in soil (j)	Half-life time in fresh water (j)	Half-life time in sea water (j)	Method	Remark
127087-87-0 / 500-315-8		127087- 87-0									
9002-93-1		9002- 93-1									

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

SECTION 14: TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR:

Limited quantities for ADR/RID:

Packing Instructions for ADR/RID:

Excepted Quantities for ADR/RID:

Excepted Quantities for ADR/RID:

Special packing provisions for ADR/RID:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 14 of 15, Revision date: 11/09/2023

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions: Cargo Aircraft only Maximal Net Quantity:

ERG code: Special Provisions for IATA:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:10/09/2023

Modifications:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.2 (4X) 130 mL 64KL2FDF

Version: US, Page 15 of 15, Revision date: 11/09/2023

16.2 Abbreviations and acronyms:

16.3 Key literature references and sources for data

16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

16.5 Relevant R-, H- and EUH-phrases (number and full text):

Code	Hazard statments
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage.
H319	Causes serious eye irritation
H332	Harmful if inhaled
Н373	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects





Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 1 of 12, Revision date: 07/09/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody CAS No.: EC No: REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with 29 CFR 1910 (OSHA HCS)	Category code	Hazard statement	Precautionary statement	
The substance or mixture is not classified as hazardous in accordance with 29 CFR 1910 (OSHA HCS)	None	None	None	

2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Product identifier:

Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Substances contained in this product:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms

Signal word:

Hazard and precautionary statements:

2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 3 of 12, Revision date: 07/09/2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification in accordance with 29 CFR 1910 (OSHA HCS)	Concentration (%)	SCL	M-factor
4-(2- hydroxyethyl)piperazin- 1-ylethanesulphonic acid	7365-45-9		230-907-9		< 3%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

5.3 Advice for fire-fighters

Wear Protective clothing.;

Additional information:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 4 of 12, Revision date: 07/09/2023

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

6.4 Reference to other sections

Additional information:

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

<u>Advice on general occupational hygiene</u>: Handle in accordance with good industrial hygiene and safety practice;

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

OSHA (USA)



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 5 of 12, Revision date: 07/09/2023

						v
Source :	Occupational Safe	ty and Health Admin	istration (OSHA) Permis	sible Exposure Limits (PEL	S) from 29 CFR 1910.100	00
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8- hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)
7365-45-9 / 230-907- 9	230-907-9	7365-45-9				

Source : TRGS 903, November 2015, BAuA						
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)		
7365-45-9 / 230-907- 9	230-907-9	7365-45-9				

8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

Source :	GESTIS – su	STIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	systemic effects	Acute – inhalation, local effects (mg/m3)	customic offacts	Long-term – inhalation, local effects (mg/m3)	cyctomic attacts		
7365-45-9 / 230-907-9	230-907-9	7365-45-9					23.5-23.5				

DNEL consumer

Source :	GESTIS – sı	STIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	systemic effects	Acute – inhalation, local effects (mg/m3)	systemic effects	Long-term – inhalation, local effects (mg/m3)	systemic effects		
7365-45-9 / 230-907-9	230-907-9	7365-45-9									

PNEC

Source :	INERIS																
				PNEC AQUATIC									PNEC Sediment				
Substance	EC-No.	CAS-No	1	freshwate	r	m	arine wat	er	interr	nittent re	lease	fı	freshwater		marine water		:er
Substance	EC-NO.	CAS-NO	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	mg/L) (mg/kg) (ppm) (mg/L	(mg/L)	(mg/kg)	(ppm)	
7365-45-9 / 230-907- 9	230-907-9	7365-45-9															

Source :	INERIS	
----------	--------	--



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 6 of 12, Revision date: 07/09/2023

		CAS-No		Others											
Substance	EC-No.		PNEC soil			PNEC sewage treatment plant			PNEC air			PNEC secondary poisoning			
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	
7365-45-9 / 230-907-9	230-907-9	7365-45-9													

8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

7 10 0 C G 1 G 1 1 C C	
Physical state	Liquid;
Colour	Blue;
Odour	
Odour threshold (ppm)	

		Value	Concentration	Method	Temperature (°C)	Pressure (kPa)	Remark
		value	(mol/L)	Wicthou	remperature (c)	ressure (ki u)	Kemark
рН		7					
Melting point (°C)							
Freezing point (°C)							
Initial boiling point/boiling	nitial boiling point/boiling range (°C)						
Flash point (°C)							
Evaporation rate (kg/m²/h)							
Flammability (type :) (%)							
Upper/lower flammability or explosive limits	Upper explosive limit (%)						
limits	Lower explosive limit (%)						
Vapour pressure (kPa)							
Vapour density (g/cm³)							
	Density (g/cm³)						
Densities	Relative density (g/cm³)						
	Bulk density (g/cm³)						
	Critical density (g/cm³)						
Solubility (Type:) (g/L)							
Partition coefficient (log Ponto) n-octanol/water at pH:	Partition coefficient (log Pow) n-octanol/water at pH :						
Auto-ignition temperature	(°C)						



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 7 of 12, Revision date: 07/09/2023

Decomposition to Decomposition 6	emperature (°C) energy : kJ				v
Viscosity	Viscosity, dynamic (poiseuille)				
	Viscosity, cinematic (cm ³ /s)				
Explosive properties					
	Oxidising properties				

9.2 Other information:

No other relevant data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

<u>Substances</u>

Acute toxicity

Animal data:

Acute oral toxicity:

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 8 of 12, Revision date: 07/09/2023

• Skin corrosion/irritation

Animal data:

In-vitro skin test method: In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

Animal data:

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
 - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 9 of 12, Revision date: 07/09/2023

Practical experience / human evidence:

Other information:

Assessment / Classification:

Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

<u>Toxicity to microorganisms and other aquatic plants / organisms</u>

Assessment / Classification:

12.2 Persistence and degradability

Biodegradation:

Abiotic Degradation:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 10 of 12, Revision date: 07/09/2023

Assessment / Classification:

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

SECTION 14: TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 11 of 12, Revision date: 07/09/2023

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:
IBC Provisions: IMO tank instructions:
UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

16.2 Abbreviations and acronyms:

16.3 Key literature references and sources for data

16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

16.5 Relevant R-, H- and EUH-phrases (number and full text):





Designation / Trade name: HTRF VASP p-S157 kit - 10K pts d2 antibody

Version: US, Page 12 of 12, Revision date: 07/09/2023





Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 1 of 12, Revision date: 07/09/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

CAS No.: Index No: EC No: REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with 29 CFR 1910 (OSHA HCS)	Category code	Hazard statement	Precautionary statement
The substance or mixture is not classified as hazardous in accordance with 29 CFR 1910 (OSHA HCS)	None	None	None

2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Product identifier:

Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Substances contained in this product:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms

Signal word:

Hazard and precautionary statements:

2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 3 of 12, Revision date: 07/09/2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification in accordance with 29 CFR 1910 (OSHA HCS)	Concentration (%)	SCL	M-factor
4-(2- hydroxyethyl)piperazin- 1-ylethanesulphonic acid	7365-45-9		230-907-9		< 3%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

5.3 Advice for fire-fighters

Wear Protective clothing.;

Additional information:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 4 of 12, Revision date: 07/09/2023

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

6.4 Reference to other sections

Additional information:

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

OSHA (USA)



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 5 of 12, Revision date: 07/09/2023

Source :	Occupational Safe	ty and Health Admin	istration (OSHA) Permis	sible Exposure Limits (PEL	S) from 29 CFR 1910.100	00
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8- hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)
7365-45-9 / 230-907- 9	230-907-9	7365-45-9				

Source : TRGS 903, November 2015, BAuA						
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)		
7365-45-9 / 230-907- 9	230-907-9	7365-45-9				

8.1.2 <u>DNEL/PNEC-values:</u>

• DNEL worker

Source :	GESTIS – su	STIS – substance database										
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	systemic effects	Acute – inhalation, local effects (mg/m3)	systemic effects	Long-term – inhalation, local effects (mg/m3)	systemic effects			
7365-45-9 / 230-907-9	230-907-9	7365-45-9					23.5-23.5					

• DNEL consumer

Source :	GESTIS – sı	ESTIS – substance database										
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	systemic effects	Acute – inhalation, local effects (mg/m3)	systemic effects	Long-term – inhalation, local effects (mg/m3)	systemic effects			
7365-45-9 / 230-907-9	230-907-9	7365-45-9										

PNEC

Source :	INERIS																
				PNEC AQUATIC							PNEC Sediment						
Cubatanaa EC Na CA		CAS No	freshwater		m	marine water		intermittent release		freshwater		marine water		:er			
Substance EC-No	EC-NO.		(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
7365-45-9 / 230-907- 9	230-907-9	7365-45-9															

Source :	INERIS
----------	--------



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 6 of 12, Revision date: 07/09/2023

				Others										
Substance EC-No.		CAS-No	PNEC soil		PNEC sewage treatment plant		PNEC air		PNEC secondary poisoning					
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
7365-45-9 / 230-907-9	230-907-9	7365-45-9												

8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

7 10 0 Caramee	
Physical state	Liquid;
Colour	Colorless;
Odour	
Odour threshold (ppm)	

		Value	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
pH		7	(moi/ L)				
Melting point (°C)							
Freezing point (°C)							
Initial boiling point/boiling	range (°C)						
Flash point (°C)							
Evaporation rate (kg/m²/h))						
Flammability (type :) (%)							
Upper/lower flammability or explosive	Upper explosive limit (%)						
limits	Lower explosive limit (%)						
Vapour pressure (kPa)							
Vapour density (g/cm³)							
	Density (g/cm³)						
Densities	Relative density (g/cm³)						
	Bulk density (g/cm³)						
	Critical density (g/cm³)						
Solubility (Type:) (g/L)							
Partition coefficient (log Pow) n-octanol/water at pH :							
Auto-ignition temperature	(°C)						



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 7 of 12, Revision date: 07/09/2023

Decomposition temperature (°C) Decomposition energy: kJ					v
Viscosity	Viscosity, dynamic (poiseuille)				
	Viscosity, cinematic (cm ³ /s)				
	Explosive properties				
Oxidising properties					

9.2 Other information:

No other relevant data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

Substances

Acute toxicity

Animal data:

Acute oral toxicity:

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 8 of 12, Revision date: 07/09/2023

• Skin corrosion/irritation

Animal data:

In-vitro skin test method: In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

Animal data:

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
 - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 9 of 12, Revision date: 07/09/2023

Practical experience / human evidence:

Other information:

Assessment / Classification:

Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

12.2 Persistence and degradability

Biodegradation:

Abiotic Degradation:



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 10 of 12, Revision date: 07/09/2023

Assessment / Classification:

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

SECTION 14: TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):



Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 11 of 12, Revision date: 07/09/2023

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:
IBC Provisions: IMO tank instructions:
UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:07/09/2023 Modifications:

16.2 Abbreviations and acronyms:

16.3 Key literature references and sources for data

16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

16.5 Relevant R-, H- and EUH-phrases (number and full text):





Designation / Trade name: HTRF VASP p-S157 kit - 10K pts Eu Cryptate antibody

Version: US, Page 12 of 12, Revision date: 07/09/2023





Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 1 of 12, Revision date: 07/09/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

CAS No.: Index No: EC No: REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with 29 CFR 1910 (OSHA HCS)	Category code	Hazard statement	Precautionary statement
The substance or mixture is not classified as hazardous in accordance with 29 CFR 1910 (OSHA HCS)	None	None	None

2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Product identifier:

Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Substances contained in this product:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms

Signal word:

Hazard and precautionary statements:

2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 3 of 12, Revision date: 07/09/2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification in accordance with 29 CFR 1910 (OSHA HCS)	Concentration (%)	SCL	M-factor
potassium fluoride	7789-23-3	009-005-00-2	232-151-5	Acute toxicity - Acute Tox. 3 - H301 - Oral Acute toxicity - Acute Tox. 3 - H311 - Dermal Acute toxicity - Acute Tox. 3 - H331 - Inhalation	< 3%		
4-(2- hydroxyethyl)piperazin- 1-ylethanesulphonic acid	7365-45-9		230-907-9		< 3%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

5.3 Advice for fire-fighters

Wear Protective clothing.;



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 4 of 12, Revision date: 07/09/2023

Additional information:

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

6.4 Reference to other sections

Additional information:

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.; Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

OSHA (USA)



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 5 of 12, Revision date: 07/09/2023

Source :	Occupational Safe	ccupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000								
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8- hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)				
7365-45-9 / 230-907- 9		7365-45-9								
7789-23-3 / 232-151- 5	232-151-5	7789-23-3								

Source :	TRGS 903, November 2015, BAuA							
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)				
7365-45-9 / 230-907- 9	230-907-9	7365-45-9						
7789-23-3 / 232-151- 5	232-151-5	7789-23-3						

8.1.2 <u>DNEL/PNEC-values:</u>

• DNEL worker

Source :	GESTIS – su	ESTIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	cyctomic attacts	Long-term – inhalation, local effects (mg/m3)	cyctomic attacts		
7365-45-9 / 230-907-9	230-907-9	7365-45-9					23.5-23.5				
7789-23-3 / 232-151-5	232-151-5	7789-23-3				3-3	3-3				

• DNEL consumer

Source :	GESTIS – sı	STIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	Acute – inhalation, systemic effects (mg/m3)	Long-term – inhalation, local effects (mg/m3)	systemic ettects		
7365-45-9 / 230-907-9	230-907-9	7365-45-9									
7789-23-3 / 232-151-5	232-151-5	7789-23-3									

PNEC

Source :	INERIS			
Substance	EC-No.	CAS-No	PNEC AQUATIC	PNEC Sediment



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 6 of 12, Revision date: 07/09/2023

_																\sim	
			1	freshwate	r	m	marine water int			intermittent release		freshwater		marine water		ter	
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
7365-45-9 / 230-907- 9	230-907-9	7365-45-9															
7789-23-3 / 232-151- 5	232-151-5	7789-23-3															

Source :	INERIS													
	EC-No.		Others											
Substance		CAS-No	PNEC soil			PNEC sewage treatment plant			PNEC air			PNEC secondary poisoning		
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
7365-45-9 / 230-907-9	230-907-9	7365-45-9												
7789-23-3 / 232-151-5	232-151-5	7789-23-3												

8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state	Liquid;
Colour	Colorless;
Odour	
Odour threshold (ppm)	

		Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
рН	7					
Melting point (°C)						
Freezing point (°C)						
Initial boiling point/boiling range (°C)						



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 7 of 12, Revision date: 07/09/2023

					$\overline{}$
Flash point (°C)					
Evaporation rate	(kg/m²/h)				
Flammability (typ	pe:)(%)				
Upper/lower flammability or ex limits					
illilits	Lower explosive limit (%)				
Vapour pressure	(kPa)				
Vapour density (g	g/cm³)				
	Density (g/cm³)				
Densities	Relative density (g/cm³)				
	Bulk density (g/cm³)				
	Critical density (g/cm³)				
Solubility (Type :) (g/L)				
Partition coefficients of the properties of the					
Auto-ignition tem	nperature (°C)				
	Decomposition temperature (°C) Decomposition energy: kJ				
Viscosity Viscosity, dynamic (poiseuille)					
Viscosity, cinematic (cm ³ /s)					
	Explosive properties				
	Oxidising properties				

9.2 Other information:

No other relevant data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:
- 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

Substances



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 8 of 12, Revision date: 07/09/2023

Acute toxicity

Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
7789-23-3 / 232-151-5	245-245	Rat			

Acute dermal toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Remark
7789-23-3 / 232-151-5				

Acute inhalative toxicity:

Substance name	C(E)L50 (mg/L)	Exposure time	Species	Method	Remark
7789-23-3 / 232-151-5					

Practical experience / human evidence:

Assessment / Classification:

General Remark:

• Skin corrosion/irritation

Animal data:

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

Animal data:

In vitro eye test method: In vitro eye test result:

Assessment / Classification:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

o Germ cell mutagenicity:

Animal data:

Assessment / Classification:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 9 of 12, Revision date: 07/09/2023

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
 - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 10 of 12, Revision date: 07/09/2023

SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

12.2 Persistence and degradability

Biodegradation:

Abiotic Degradation:

Assessment / Classification:

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 11 of 12, Revision date: 07/09/2023

Additional information:

SECTION 14: TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 50 mL

Version: US, Page 12 of 12, Revision date: 07/09/2023

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

- 16.2 Abbreviations and acronyms:
- 16.3 Key literature references and sources for data
- 16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

16.5 Relevant R-, H- and EUH-phrases (number and full text):

Code	Hazard statments
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled

