

according to Regulation (EC) No 1907/2006 (REACH)

Trade name: HTRF STING p-S365 (m) kit - 500 pts / 64MSTGPEG

Version: KIT, Page 1 of 1, Revision date: 07/09/2023

Cette section présente les différents flacons présents dans le kit. Les fiches de sécurité de tous ces composants sont disponibles dans la langue choisie à la suite du document.

This section shows all the vials in the kit. The Safety Datasheets are available in the selected language in the next part of the document.

# Nomenclature of the product

| Description  | Component | Nb of vials | рН | Color     | Physical state |
|--|-----------|-------------|----|-----------|----------------|
| HTRF STING p-S365 (m) kit - 500 pts d2 antibody          |           | 1           | 7  | Blue      | Liquid         |
| HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody |           | 1           | 7  | Colorless | Liquid         |
| HTRF STING p-S365 (m) kit - Ctrl lysate                  | 64MSTGTDA | 1           | 7  | Colorless | Liquid         |
| HTRF P-T prot Lysis Buf.4 (4X) 2 mL                      |           | 4           | 7  | Colorless | Liquid         |
| HTRF P-T prot Block. reag.(100X) 0.3 mL                  |           | 1           | -  | Colorless | Liquid         |
| HTRF P-T prot Detect. Buf. 2 mL                          |           | 2           | 7  | Colorless | Liquid         |





Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 1 of 14, Revision date: 07/09/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

CAS No.: Index No: EC No: REACH No:

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

#### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

| Classification in accordance with 29 CFR 1910 (OSHA HCS)           | Category code     | Hazard statement | Precautionary statement |
|--|-------------------|------------------|-------------------------|
| Hazardous to the aquatic environment - Aquatic<br>Chronic 3 - H412 | Aquatic Chronic 3 | H412             | P273 P501               |

# 2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

#### Product identifier:

Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Substances contained in this product:



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 2 of 14, Revision date: 07/09/2023

**Hazard pictograms** 

Signal word:

Hazard and precautionary statements:

| riazara aria prece    | dationary statements.                             |  |  |  |  |  |
|-----------------------|---|--|--|--|--|--|
| Code Hazard statments |   |  |  |  |  |  |
| H412                  | Harmful to aquatic life with long lasting effects |  |  |  |  |  |
| P273                  | Avoid release to the environment.                 |  |  |  |  |  |
| P501                  | Dispose of contents/container to                  |  |  |  |  |  |

#### 2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European CHemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher;

Adverse human health effects:



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 3 of 14, Revision date: 07/09/2023

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name   | CAS n°     | Index n° | EC n°     | Classification in accordance with 29 CFR 1910 (OSHA HCS)   | Concentration (%) | SCL | M-factor |
|--|------------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-1-<br>ylethanesulphonic acid                                 | 7365-45-9  |          | 230-907-9 |  | < 10%             |     |          |
| disodium<br>dihydrogenpyrophosphate  | 7758-16-9  |          | 231-835-0 | Serious eye damage/eye irritation - Eye<br>Irrit. 2 - H319   | < 1%              |     |          |
| Poly(oxy-1,2-ethanediyl), $\alpha$ -[4-(1,1,3,3-tetramethylbutyl)phenyl]- $\omega$ -hydroxy- | 9002-93-1  |          |           | Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315 | < 1%              |     |          |
| trisodium<br>tetraoxovanadate  | 13721-39-6 |          | 237-287-9 | Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H312 - Dermal Acute toxicity - Acute Tox. 4 - H332 - Inhalation Serious eye damage/eye irritation - Eye Irrit. 2 - H319 Skin corrosion/irritation - Skin Irrit. 2 - H315                             | < 1%              |     |          |

#### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

**Following inhalation**: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 4 of 14, Revision date: 07/09/2023

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

#### 5.3 Advice for fire-fighters

Wear Protective clothing.; Additional information:

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

# 6.4 Reference to other sections

Additional information:

# **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling

**Protective measures:** 

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 5 of 14, Revision date: 07/09/2023

Further information on storage conditions:

# 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Preliminary remark:

# 8.1.1 <u>Occupational exposure limits:</u>

• OSHA (USA)

| Source :                   | Occupational Safe | ety and Health Admin | istration (OSHA) Permis                                      | sible Exposure Limits (PEL                                      | S) from 29 CFR 1910.100                                | 00   |
|----------------------------|-------------------|----------------------|--|---|--|--|
| Substance                  | EC-No.            | CAS-No               | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |
| 13721-39-6 / 237-<br>287-9 | 237-287-9         | 13721-39-6           |  |   |  | 0,05   |
| 7365-45-9 / 230-907-<br>9  | 230-907-9         | 7365-45-9            |  |   |  |  |
| 7758-16-9 / 231-835-<br>0  | 231-835-0         | 7758-16-9            |  |   |  |  |

| Source :                   | TRGS 903, November 2015, BAuA |            |             |           |  |  |  |  |  |  |
|----------------------------|-------------------------------|------------|-------------|-----------|--|--|--|--|--|--|
| Substance                  | EC-No.                        | CAS-No     | BGW (mg/m3) | BGW (ppm) |  |  |  |  |  |  |
| 13721-39-6 / 237-<br>287-9 | 237-287-9                     | 13721-39-6 |             |           |  |  |  |  |  |  |
| 7365-45-9 / 230-907-<br>9  |                               | 7365-45-9  |             |           |  |  |  |  |  |  |
| 7758-16-9 / 231-835-<br>0  | 231-835-0                     | 7758-16-9  |             |           |  |  |  |  |  |  |

# 8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                  | GESTIS – su | bstance data | abase   |  |   |   |                  |   |                  |
|---------------------------|-------------|--------------|---|--|---|---|------------------|---|------------------|
| Substance                 | EC-No.      | CAS-No       | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic ettects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic ettects |
| 13721-39-6 /<br>237-287-9 | 237-287-9   | 13721-39-6   |   |  |   |   |                  |   |                  |
| 7365-45-9 /<br>230-907-9  | 230-907-9   | 7365-45-9    |   |  |   |   | 23.5-23.5        |   |                  |
| 7758-16-9 /<br>231-835-0  | 231-835-0   | 7758-16-9    |   |  |   |   | 2.79-2.79        |   |                  |



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 6 of 14, Revision date: 07/09/2023

# DNEL consumer

| Source :                  | GESTIS – si | ubstance dat | tabase  |               |   |   |   |   |                  |
|---------------------------|-------------|--------------|---|---------------|---|---|---|---|------------------|
| Substance                 | EC-No.      | CAS-No       | Acute – dermal,<br>local effects<br>(mg/kg/day) | dermal, local | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | Acute –<br>inhalation,<br>systemic effects<br>(mg/m3) | Long-term –<br>inhalation, local<br>effects (mg/m3) | Systemic ettects |
| 13721-39-6 /<br>237-287-9 | 237-287-9   | 13721-39-6   |   |               |   |   |   |   |                  |
| 7365-45-9 /<br>230-907-9  | 230-907-9   | 7365-45-9    |   |               |   |   |   |   |                  |
| 7758-16-9 /<br>231-835-0  | 231-835-0   | 7758-16-9    |   |               |   |   |   |   |                  |

# PNEC

| Source :                      | INERIS    |            |        |           |       |        |           |       |        |            |       |        |          |       |        |              |       |
|-------------------------------|-----------|------------|--------|-----------|-------|--------|-----------|-------|--------|------------|-------|--------|----------|-------|--------|--------------|-------|
|                               |           |            |        |           |       | PN     | EC AQUA   | TIC   |        |            |       |        | F        | NEC S | edimen | t            |       |
| Substance                     | EC-No.    | CAS-No     |        | freshwate | r     | m      | arine wat | ter   | inter  | mittent re | lease | f      | reshwate | er    | ma     | marine water |       |
| Substance                     | EC-NO.    |            | (mg/L) | (mg/kg)   | (ppm) | (mg/L) | (mg/kg)   | (ppm) | (mg/L) | (mg/kg)    | (ppm) | (mg/L) | (mg/kg)  | (ppm) | (mg/L) | (mg/kg)      | (ppm) |
| 13721-39-6<br>/ 237-287-<br>9 |           | 13721-39-6 |        |           |       |        |           |       |        |            |       |        |          |       |        |              |       |
| 7365-45-9<br>/ 230-907-<br>9  | 230-907-9 | 7365-45-9  |        |           |       |        |           |       |        |            |       |        |          |       |        |              |       |
| 7758-16-9<br>/ 231-835-<br>0  | 231-835-0 | 7758-16-9  |        |           |       |        |           |       |        |            |       |        |          |       |        |              |       |

| Source :                  | INERIS    | IERIS      |           |         |       |                             |         |       |          |         |       |                          |         |       |
|---------------------------|-----------|------------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|-------|
|                           | EC-No.    |            | Others    |         |       |                             |         |       |          |         |       |                          |         |       |
| Substance                 |           | CAS-No     | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         |       |
|                           |           |            | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |
| 13721-39-6 /<br>237-287-9 | 237-287-9 | 13721-39-6 |           |         |       |                             |         |       |          |         |       |                          |         |       |
| 7365-45-9 /<br>230-907-9  | 230-907-9 | 7365-45-9  |           |         |       |                             |         |       |          |         |       |                          |         |       |
| 7758-16-9 /<br>231-835-0  | 231-835-0 | 7758-16-9  |           |         |       |                             |         |       |          |         |       |                          |         |       |



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 7 of 14, Revision date: 07/09/2023

#### 8.2 Exposure controls

# 8.2.1 Appropriate engineering controls:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

# 8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

# 8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

#### **Appearance**

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  |                        |                                | Value | Concentration (mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|------------------------|--------------------------------|-------|-----------------------|--------|------------------|----------------|--------|
| pН                                       |                        |                                | 7     | (moly E)              |        |                  |                |        |
| Melting point (°C                        | <u>:)</u>              |                                |       |                       |        |                  |                |        |
| Freezing point (°                        | Freezing point (°C)    |                                |       |                       |        |                  |                |        |
| Initial boiling poi                      | nt/boiling             | range (°C)                     |       |                       |        |                  |                |        |
| Flash point (°C)                         |                        |                                |       |                       |        |                  |                |        |
| Evaporation rate                         | (kg/m <sup>2</sup> /h) |                                |       |                       |        |                  |                |        |
| Flammability (typ                        | oe : ) (%)             |                                |       |                       |        |                  |                |        |
| Upper/low<br>flammability or e<br>limits |                        | Upper explosive limit<br>(%)   |       |                       |        |                  |                |        |
|  |                        | Lower explosive limit (%)      |       |                       |        |                  |                |        |
| Vapour pressure                          |                        |                                |       |                       |        |                  |                |        |
| Vapour density (                         | g/cm³)                 |                                |       |                       |        |                  |                |        |
|  |                        | Density (g/cm³)                |       |                       |        |                  |                |        |
| Densitie                                 | S                      | Relative density (g/cm³)       |       |                       |        |                  |                |        |
|  |                        | Bulk density (g/cm³)           |       |                       |        |                  |                |        |
|  |                        | Critical density (g/cm³)       |       |                       |        |                  |                |        |
| Solubility (Type :                       | ) (g/L)                |                                |       |                       |        |                  |                |        |
| Partition coeffici<br>n-octanol/water    |                        | w)                             |       |                       |        |                  |                |        |
| Auto-ignition ter                        | nperature              | (°C)                           |       |                       |        |                  |                |        |
| Decomposition t<br>Decomposition e       |                        | e (°C)                         |       |                       |        |                  |                |        |
| Viscosity                                | V                      | iscosity, dynamic (poiseuille) |       |                       |        |                  |                |        |
|  |                        | Viscosity, cinematic (cm³/s)   |       |                       |        |                  |                |        |
|  | Explo                  | osive properties               |       |                       |        |                  |                |        |
|  | Oxid                   | ising properties               |       |                       |        |                  |                |        |

#### 9.2 Other information:

No other relevant data available



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 8 of 14, Revision date: 07/09/2023

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:
- 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

#### SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

# 11.1 Information on toxicological effects

#### Substances

Acute toxicity

# Animal data:

Acute oral toxicity:

| Substance name | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|----------------|-----------------|---------|--------|----------------------------|--------|
| 9002-93-1      | 1800-1800       | Rat     |        |                            |        |

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence: Assessment / Classification:

General Remark:

Skin corrosion/irritation

Animal data:



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 9 of 14, Revision date: 07/09/2023

| Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|----------------|---------|--------|---------------|-------------------|-------|--------|
| 9002-93-1      |         |        |               |                   |       |        |

In-vitro skin test method:

In-vitro skin test result:

 $Assessment \ / \ Classification:$ 

#### • Eye damage/irritation

# Animal data:

| Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|----------------|---------|--------|---------------|-------------------|-------|--------|
| 9002-93-1      | Rabbit  |        |               | Eye irritation    |       |        |

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 10 of 14, Revision date: 07/09/2023

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

#### Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

# 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

# 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

| Source :  | Informatio | ns relatives a | à la régleme   | entation VIV   | IE (France) : E  | D 984, 07.201                                 | 2                     |        |        |                |
|-----------|------------|----------------|----------------|----------------|------------------|---|-----------------------|--------|--------|----------------|
| Substance | EC-No.     | CAS-No         | LC50<br>(mg/L) | EC50<br>(mg/L) | Test<br>duration | Species                                       | Result/<br>Evaluation | Method | Remark | General Remark |
| 9002-93-1 |            | 9002-93-1      | 8,9            |                | 96               | Pimephales<br>promelas<br>(fathead<br>minnow) |                       |        |        |                |

#### Chronic (long-term) fish toxicity

| Source :  | Informations r | elatives à la rég | glementation V | 'ME (France) : ED | 984, 07.2012 |        |        |                |
|-----------|----------------|-------------------|----------------|-------------------|--------------|--------|--------|----------------|
| Substance | EC-No.         | CAS-No            | NOEC (mg/L)    | Test duration     | Species      | Method | Remark | General Remark |
| 9002-93-1 |                | 9002-93-1         |                |                   |              |        |        |                |



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 11 of 14, Revision date: 07/09/2023

| Source :  | Information | s relatives à la | a réglementa   | ation VME (Fran | nce) : ED 984, 0 | 7.2012                |        |        |                |
|-----------|-------------|------------------|----------------|-----------------|------------------|-----------------------|--------|--------|----------------|
| Substance | EC-No.      | CAS-No           | EC50<br>(mg/L) | Test duration   | Species          | Result/<br>Evaluation | Method | Remark | General Remark |
| 9002-93-1 |             | 9002-93-1        | 26             | 48              |                  |                       |        |        |                |

# Chronic (long-term) toxicity to crustacea

| Source :  | Informations r | elatives à la ré | glementation V | ME (France) : El | 984, 07.2012 |        |        |                |
|-----------|----------------|------------------|----------------|------------------|--------------|--------|--------|----------------|
| Substance | EC-No.         | CAS-No           | NOEC (mg/L)    | Test duration    | Species      | Method | Remark | General Remark |
| 9002-93-1 |                | 9002-93-1        |                |                  |              |        |        |                |

# Acute (short-term) toxicity to algae and cyanobacteria

| Source :  | Informations | s relatives à l | a réglementat | ion VME (Fran | ce) : ED 984, 07 | .2012                 |        |        |                |
|-----------|--------------|-----------------|---------------|---------------|------------------|-----------------------|--------|--------|----------------|
| Substance | EC-No.       | CAS-No          | EC50 (mg/L)   | Test duration | Species          | Result/<br>Evaluation | Method | Remark | General Remark |
| 9002-93-1 |              | 9002-93-1       |               |               |                  |                       |        |        |                |

# Toxicity to microorganisms and other aquatic plants / organisms

| Source :  | Informations rela | itives à la réglem | entation VME (Fr | rance) : ED 984, 07. | 2012   |        |                |
|-----------|-------------------|--------------------|------------------|----------------------|--------|--------|----------------|
| Substance | EC-No.            | CAS-No             | EC50 (mg/L)      | Species              | Method | Remark | General Remark |
| 9002-93-1 |                   | 9002-93-1          |                  |                      |        |        |                |

Assessment / Classification:

# 12.2 Persistence and degradability

# **Biodegradation:**

| Source :  | Informations r | relatives à la ré | glementation VM | E (France) : ED 984,     | 07.2012              |        |  |
|-----------|----------------|-------------------|-----------------|--------------------------|----------------------|--------|--|
| Substance | EC-No.         | CAS-No            | Inoculum        | Biodegradation parameter | Degradation rate (%) | Method | Remark   |
| 9002-93-1 |                | 9002-93-1         |                 | BOD (% of COD).          | 36-36                |        | In accordance with the required stability the product is poorly biodegradable. |

# **Abiotic Degradation:**

| Source :  |        |           |                               |                       |                     |    |        |        |
|-----------|--------|-----------|-------------------------------|-----------------------|---------------------|----|--------|--------|
| Substance | EC-No. | CAS-No    | Abiotic degradation test type | Half-life time<br>(j) | Temperature<br>(°C) | рН | Method | Remark |
| 9002-93-1 |        | 9002-93-1 |                               |                       |                     |    |        |        |

# Assessment / Classification:

# 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

| Source : |
|----------|
|----------|



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 12 of 14, Revision date: 07/09/2023

| _         | •      |           | -       | •      | •      | V      |
|-----------|--------|-----------|---------|--------|--------|--------|
| Substance | EC-No. | CAS-No    | Species | Result | Method | Remark |
| 9002-93-1 |        | 9002-93-1 |         |        |        |        |

#### 12.4 Mobility in soil

| Source :  |       |               |              |           |  |         |                                  |  |  |        |        |
|-----------|-------|---------------|--------------|-----------|--|---------|----------------------------------|--|--|--------|--------|
| Substance | EC n° | CAS n°        | Distribution | Transport | Henry's law<br>constant<br>(Pa.m3/mol) | Log KOC | Half-life<br>time in<br>soil (j) | Half-life<br>time in<br>fresh<br>water (j) | Half-life<br>time in<br>sea water<br>(j) | Method | Remark |
| 9002-93-1 |       | 9002-<br>93-1 |              |           |  |         |                                  |  |  |        |        |

# 12.5 Results of PBT and vPvB assessment

# 12.6 Other adverse effects:

Additional ecotoxicological information:

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

#### **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 13 of 14, Revision date: 07/09/2023

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:
IBC Provisions: IMO tank instructions:
UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN:

Limited quantities ADN:

Carriage permitted:

Special Provisions ADN:

Excepted quantities ADN:

Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

# **SECTION 16: OTHER INFORMATION**

#### 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

# 16.2 Abbreviations and acronyms:

#### 16.3 Key literature references and sources for data

# 16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).



Designation / Trade name: HTRF STING p-S365 (m) kit - Ctrl lysate 64MSTGTDA

Version: US, Page 14 of 14, Revision date: 07/09/2023

# 16.5 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments                                     |
|------|--|
| H302 | Harmful if swallowed                                 |
| H312 | Harmful in contact with skin                         |
| H315 | Causes skin irritation                               |
| H318 | Causes serious eye damage.                           |
| H319 | Causes serious eye irritation                        |
| H332 | Harmful if inhaled                                   |
| H400 | Very toxic to aquatic life                           |
| H410 | Very toxic to aquatic life with long lasting effects |





Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 1 of 12, Revision date: 07/09/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody
CAS No.: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

#### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

| Classification in accordance with 29 CFR 1910 (OSHA HCS)                                     | Category code | Hazard statement | Precautionary statement |  |  |
|--|---------------|------------------|-------------------------|--|--|
| The substance or mixture is not classified as hazardous in accordance with 29 CFR 1910 (OSHA | None          | None             | None                    |  |  |
| HCS)   | None          | None             | None                    |  |  |

# 2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

**Product identifier:** 

Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Substances contained in this product:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms

Signal word:

**Hazard and precautionary statements:** 

#### 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 3 of 12, Revision date: 07/09/2023

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name  | CAS n°    | Index n° | EC n°     | Classification in accordance with 29 CFR 1910 (OSHA HCS) | Concentration (%) | SCL | M-factor |
|---|-----------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-<br>1-ylethanesulphonic<br>acid | 7365-45-9 |          | 230-907-9 |  | < 3%              |     |          |

#### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

**Following inhalation**: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

#### **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

# 5.3 Advice for fire-fighters

Wear Protective clothing.;

Additional information:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 4 of 12, Revision date: 07/09/2023

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

# 6.4 Reference to other sections

Additional information:

#### **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling

**Protective measures:** 

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

<u>Advice on general occupational hygiene</u>: Handle in accordance with good industrial hygiene and safety practice;

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

#### 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Preliminary remark:

# 8.1.1 Occupational exposure limits:

OSHA (USA)



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 5 of 12, Revision date: 07/09/2023

| Source :                  | Occupational Safe | ccupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000 |  |   |  |  |  |  |  |  |  |
|---------------------------|-------------------|--|--|---|--|--|--|--|--|--|--|
| Substance                 | EC-No.            | CAS-No   | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |  |  |  |  |  |
| 7365-45-9 / 230-907-<br>9 | 230-907-9         | 7365-45-9  |  |   |  |  |  |  |  |  |  |

| Source :                  | TRGS 903, Novemb | RGS 903, November 2015, BAuA |             |           |  |  |  |  |
|---------------------------|------------------|------------------------------|-------------|-----------|--|--|--|--|
| Substance EC-No.          |                  | CAS-No                       | BGW (mg/m3) | BGW (ppm) |  |  |  |  |
| 7365-45-9 / 230-907-<br>9 | 230-907-9        | 7365-45-9                    |             |           |  |  |  |  |

# 8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | STIS – substance database |   |  |                  |   |                  |   |                  |  |  |
|--------------------------|-------------|---------------------------|---|--|------------------|---|------------------|---|------------------|--|--|
| Substance                | EC-No.      | CAS-No                    | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                 |   |  |                  |   | 23.5-23.5        |   |                  |  |  |

# DNEL consumer

| Source :                 | GESTIS – sı | STIS – substance database |   |                            |  |   |                  |   |  |  |  |
|--------------------------|-------------|---------------------------|---|----------------------------|--|---|------------------|---|--|--|--|
| Substance                | EC-No.      | CAS-No                    | Acute – dermal,<br>local effects<br>(mg/kg/day) | effects   systemic effects |  | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | inhalation, inhalation, local inhalation, local effects (mg/m3) |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                 |   |                            |  |   |                  |   |  |  |  |

# PNEC

| Source :                     | INERIS          |           |        |              |       |        |              |       |                      |         |            |               |         |              |        |         |       |
|------------------------------|-----------------|-----------|--------|--------------|-------|--------|--------------|-------|----------------------|---------|------------|---------------|---------|--------------|--------|---------|-------|
|                              |                 |           |        | PNEC AQUATIC |       |        |              |       |                      |         |            | PNEC Sediment |         |              |        |         |       |
| Substance                    | tance EC-No. CA | 50.01     |        | freshwater   |       |        | marine water |       | intermittent release |         | freshwater |               | er      | marine water |        | :er     |       |
| Substance                    |                 | CAS-No    | (mg/L) | (mg/kg)      | (ppm) | (mg/L) | (mg/kg)      | (ppm) | (mg/L)               | (mg/kg) | (ppm)      | (mg/L)        | (mg/kg) | (ppm)        | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9       | 7365-45-9 |        |              |       |        |              |       |                      |         |            |               |         |              |        |         |       |

| Source : | INERIS |
|----------|--------|
|          |        |



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 6 of 12, Revision date: 07/09/2023

|                          |           | CAS-No    | Others    |         |       |                             |         |       |          |         |       |                          |         |       |  |
|--------------------------|-----------|-----------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|-------|--|
| Substance                | EC-No.    |           | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         |       |  |
|                          |           |           | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |           |         |       |                             |         |       |          |         |       |                          |         |       |  |

# 8.2 Exposure controls

# 8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

# 8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

#### 8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

<u>Appearance</u>

| 7 10 0 C G 1 G 1 1 C C |         |
|------------------------|---------|
| Physical state         | Liquid; |
| Colour                 | Blue;   |
| Odour                  |         |
| Odour threshold (ppm)  |         |

|  |                              | Value | Concentration | Method  | Temperature (°C) | Pressure (kPa) | Remark |
|--|------------------------------|-------|---------------|---------|------------------|----------------|--------|
|  |                              | value | (mol/L)       | Wicthou | remperature ( c) | ressure (ki u) | Kemark |
| рН   |                              | 7     |               |         |                  |                |        |
| Melting point (°C)   |                              |       |               |         |                  |                |        |
| Freezing point (°C)  |                              |       |               |         |                  |                |        |
| Initial boiling point/boiling                              | range (°C)                   |       |               |         |                  |                |        |
| Flash point (°C)   |                              |       |               |         |                  |                |        |
| Evaporation rate (kg/m²/h)                                 |                              |       |               |         |                  |                |        |
| Flammability (type : ) (%)                                 |                              |       |               |         |                  |                |        |
| Upper/lower<br>lammability or explosive<br>limits          | Upper explosive limit<br>(%) |       |               |         |                  |                |        |
| limits   | Lower explosive limit (%)    |       |               |         |                  |                |        |
| Vapour pressure (kPa)                                      |                              |       |               |         |                  |                |        |
| Vapour density (g/cm³)                                     |                              |       |               |         |                  |                |        |
|  | Density (g/cm³)              |       |               |         |                  |                |        |
| Densities  | Relative density (g/cm³)     |       |               |         |                  |                |        |
|  | Bulk density (g/cm³)         |       |               |         |                  |                |        |
|  | Critical density (g/cm³)     |       |               |         |                  |                |        |
| Solubility (Type: ) (g/L)                                  |                              |       |               |         |                  |                |        |
| Partition coefficient (log Pow)<br>n-octanol/water at pH : |                              |       |               |         |                  |                |        |
| Auto-ignition temperature                                  | (°C)                         |       |               |         |                  |                |        |



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 7 of 12, Revision date: 07/09/2023

| Decomposition to Decomposition 6 | emperature (°C)<br>energy: kJ             |  |  |  | v |
|----------------------------------|---|--|--|--|---|
| Viscosity                        | Viscosity Viscosity, dynamic (poiseuille) |  |  |  |   |
|                                  | Viscosity, cinematic (cm <sup>3</sup> /s) |  |  |  |   |
| Explosive properties             |   |  |  |  |   |
| Oxidising properties             |   |  |  |  |   |

# 9.2 Other information:

No other relevant data available

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

# 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicokinetics, metabolism and distribution

# 11.1 Information on toxicological effects

# <u>Substances</u>

Acute toxicity

# Animal data:

Acute oral toxicity:

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence: Assessment / Classification:

General Remark:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 8 of 12, Revision date: 07/09/2023

# • Skin corrosion/irritation

# Animal data:

In-vitro skin test method: In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

# Animal data:

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 9 of 12, Revision date: 07/09/2023

Practical experience / human evidence:

Other information:

Assessment / Classification:

Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

#### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

# 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

<u>Toxicity to microorganisms and other aquatic plants / organisms</u>

Assessment / Classification:

# 12.2 Persistence and degradability

**Biodegradation:** 

**Abiotic Degradation:** 



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 10 of 12, Revision date: 07/09/2023

# Assessment / Classification:

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

#### 12.4 Mobility in soil

# 12.5 Results of PBT and vPvB assessment

#### *12.6 Other adverse effects:*

Additional ecotoxicological information:

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

# **SECTION 14: TRANSPORT INFORMATION**

# ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 11 of 12, Revision date: 07/09/2023

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:
IBC Provisions: IMO tank instructions:
UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

**Inland waterway transport (ADN)** 

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

#### **SECTION 16: OTHER INFORMATION**

# 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

# 16.2 Abbreviations and acronyms:

# 16.3 Key literature references and sources for data

# 16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

# 16.5 Relevant R-, H- and EUH-phrases (number and full text):





Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts d2 antibody

Version: US, Page 12 of 12, Revision date: 07/09/2023





Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 1 of 12, Revision date: 07/09/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

#### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

| Classification in accordance with 29 CFR 1910 (OSHA<br>HCS)   | Category code | Hazard statement | Precautionary statement |
|---|---------------|------------------|-------------------------|
| The substance or mixture is not classified as<br>hazardous in accordance with 29 CFR 1910 (OSHA<br>HCS) | None          | None             | None                    |

# 2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

**Product identifier:** 

Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Substances contained in this product:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms

Signal word:

**Hazard and precautionary statements:** 

#### 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 3 of 12, Revision date: 07/09/2023

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous ingredients:

| Substance name  | CAS n°    | Index n° | EC n°     | Classification in accordance with 29 CFR 1910 (OSHA HCS) | Concentration (%) | SCL | M-factor |
|---|-----------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-<br>1-ylethanesulphonic<br>acid | 7365-45-9 |          | 230-907-9 |  | < 3%              |     |          |

#### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

**Following inhalation**: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

# 5.3 Advice for fire-fighters

Wear Protective clothing.;

Additional information:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 4 of 12, Revision date: 07/09/2023

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

# 6.4 Reference to other sections

Additional information:

#### **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling

**Protective measures:** 

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

#### 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Preliminary remark:

# 8.1.1 Occupational exposure limits:

OSHA (USA)



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 5 of 12, Revision date: 07/09/2023

| Source :                  | Occupational Safe | ccupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000 |  |   |  |  |  |  |  |  |  |  |  |
|---------------------------|-------------------|--|--|---|--|--|--|--|--|--|--|--|--|
| Substance                 | EC-No.            | CAS-No   | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |  |  |  |  |  |  |  |
| 7365-45-9 / 230-907-<br>9 | 230-907-9         | 7365-45-9  |  |   |  |  |  |  |  |  |  |  |  |

| Source :                  | TRGS 903, Novemb | GS 903, November 2015, BAuA |             |           |  |  |  |  |  |  |  |  |
|---------------------------|------------------|-----------------------------|-------------|-----------|--|--|--|--|--|--|--|--|
| Substance                 | EC-No.           | CAS-No                      | BGW (mg/m3) | BGW (ppm) |  |  |  |  |  |  |  |  |
| 7365-45-9 / 230-907-<br>9 | 230-907-9        | 7365-45-9                   |             |           |  |  |  |  |  |  |  |  |

# 8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | STIS – substance database |   |  |                  |   |                  |  |                  |  |  |  |  |  |
|--------------------------|-------------|---------------------------|---|--|------------------|---|------------------|--|------------------|--|--|--|--|--|
| Substance                | EC-No.      | CAS-No                    | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  | cyctomic attacts |  |  |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                 |   |  |                  |   | 23.5-23.5        |  |                  |  |  |  |  |  |

# DNEL consumer

| Source :                 | GESTIS – sı | STIS – substance database |   |  |                  |   |                  |   |                  |  |  |  |  |  |
|--------------------------|-------------|---------------------------|---|--|------------------|---|------------------|---|------------------|--|--|--|--|--|
| Substance                | EC-No.      | CAS-No                    | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                 |   |  |                  |   |                  |   |                  |  |  |  |  |  |

# PNEC

| Source :                     | INERIS    |           |            |              |       |              |         |       |                      |         |       |            |         |               |              |         |       |  |  |
|------------------------------|-----------|-----------|------------|--------------|-------|--------------|---------|-------|----------------------|---------|-------|------------|---------|---------------|--------------|---------|-------|--|--|
|                              | EC-No.    |           |            | PNEC AQUATIC |       |              |         |       |                      |         |       |            |         | PNEC Sediment |              |         |       |  |  |
| Substance                    |           | CAS-No    | freshwater |              |       | marine water |         |       | intermittent release |         |       | freshwater |         |               | marine water |         | :er   |  |  |
| Substance                    |           | CA3-NO    | (mg/L)     | (mg/kg)      | (ppm) | (mg/L)       | (mg/kg) | (ppm) | (mg/L)               | (mg/kg) | (ppm) | (mg/L)     | (mg/kg) | (ppm)         | (mg/L)       | (mg/kg) | (ppm) |  |  |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9 | 7365-45-9 |            |              |       |              |         |       |                      |         |       |            |         |               |              |         |       |  |  |

| Source : | INERIS |  |
|----------|--------|--|
|----------|--------|--|



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 6 of 12, Revision date: 07/09/2023

|                          |           |           | Others    |         |                             |        |          |       |                          |         |       |        |         |       |
|--------------------------|-----------|-----------|-----------|---------|-----------------------------|--------|----------|-------|--------------------------|---------|-------|--------|---------|-------|
| Substance                | EC-No.    | CAS-No    | PNEC soil |         | PNEC sewage treatment plant |        | PNEC air |       | PNEC secondary poisoning |         |       |        |         |       |
|                          |           |           | (mg/L)    | (mg/kg) | (ppm)                       | (mg/L) | (mg/kg)  | (ppm) | (mg/L)                   | (mg/kg) | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |           |         |                             |        |          |       |                          |         |       |        |         |       |

# 8.2 Exposure controls

# 8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

# 8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

#### 8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

<u>Appearance</u>

| 7 10 0 Caramee        |            |
|-----------------------|------------|
| Physical state        | Liquid;    |
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  |  | Value | Concentration (mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|--|-------|-----------------------|--------|------------------|----------------|--------|
| рН   |  | 7     |                       |        |                  |                |        |
| Melting point (°C)   |  |       |                       |        |                  |                |        |
| Freezing point (°C)  |  |       |                       |        |                  |                |        |
| Initial boiling point/boiling                              | range (°C)   |       |                       |        |                  |                |        |
| Flash point (°C)   |  |       |                       |        |                  |                |        |
| Evaporation rate (kg/m²/h)                                 |  |       |                       |        |                  |                |        |
| Flammability (type : ) (%)                                 |  |       |                       |        |                  |                |        |
| Upper/lower<br>flammability or explosive<br>limits         | Upper explosive limit (%)  Lower explosive limit (%) |       |                       |        |                  |                |        |
| Vapour pressure (kPa)                                      |  |       |                       |        |                  |                |        |
| Vapour density (g/cm³)                                     |  |       |                       |        |                  |                |        |
|  | Density (g/cm³)                                      |       |                       |        |                  |                |        |
| Densities  | Relative density (g/cm³)                             |       |                       |        |                  |                |        |
|  | Bulk density (g/cm³) Critical density (g/cm³)        |       |                       |        |                  |                |        |
| Solubility (Type: ) (g/L)                                  |  |       |                       |        |                  |                |        |
| Partition coefficient (log Pow)<br>n-octanol/water at pH : |  |       |                       |        |                  |                |        |
| Auto-ignition temperature                                  | (°C)   |       |                       |        |                  |                |        |



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 7 of 12, Revision date: 07/09/2023

| Decomposition temperature (°C)<br>Decomposition energy: kJ |   |  |  | v |
|--|---|--|--|---|
| Viscosity  | Viscosity, dynamic (poiseuille)           |  |  |   |
|  | Viscosity, cinematic (cm <sup>3</sup> /s) |  |  |   |
| Explosive properties                                       |   |  |  |   |
| Oxidising properties                                       |   |  |  |   |

# 9.2 Other information:

No other relevant data available

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

# 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

# SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

# 11.1 Information on toxicological effects

# <u>Substances</u>

Acute toxicity

# Animal data:

Acute oral toxicity:

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 8 of 12, Revision date: 07/09/2023

| • | Skin | corrosion | /irritation |
|---|------|-----------|-------------|
|   |      |           |             |

# Animal data:

In-vitro skin test method: In-vitro skin test result:

Assessment / Classification:

• Eye damage/irritation

# Animal data:

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 9 of 12, Revision date: 07/09/2023

Practical experience / human evidence:

Other information:

Assessment / Classification:

Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

# 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

# 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

<u>Toxicity to microorganisms and other aquatic plants / organisms</u>

Assessment / Classification:

# 12.2 Persistence and degradability

**Biodegradation:** 

**Abiotic Degradation:** 



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 10 of 12, Revision date: 07/09/2023

## Assessment / Classification:

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

#### 12.4 Mobility in soil

# 12.5 Results of PBT and vPvB assessment

#### *12.6 Other adverse effects:*

Additional ecotoxicological information:

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

# **SECTION 14: TRANSPORT INFORMATION**

# ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):



Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 11 of 12, Revision date: 07/09/2023

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:
IBC Provisions: IMO tank instructions:
UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

**Inland waterway transport (ADN)** 

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

# **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

#### **SECTION 16: OTHER INFORMATION**

## 16.1 Indication of changes

Date of the previous version:07/09/2023 Modifications:

## 16.2 Abbreviations and acronyms:

## 16.3 Key literature references and sources for data

# 16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

## 16.5 Relevant R-, H- and EUH-phrases (number and full text):





Designation / Trade name: HTRF STING p-S365 (m) kit - 500 pts Eu Cryptate antibody

Version: US, Page 12 of 12, Revision date: 07/09/2023





Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 1 of 13, Revision date: 07/09/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 Product identifier:

Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

#### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture:

| Classification in accordance with 29 CFR 1910 (OSHA HCS)           | Category code     | Hazard statement | Precautionary statement |
|--|-------------------|------------------|-------------------------|
| Hazardous to the aquatic environment - Aquatic<br>Chronic 3 - H412 | Aquatic Chronic 3 | H412             | P273 P501               |

## 2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

**Product identifier:** 

Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Substances contained in this product:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 2 of 13, Revision date: 07/09/2023

**Hazard pictograms** 

Signal word:

Hazard and precautionary statements:

| Code | Hazard statments                                  |
|------|---|
| H412 | Harmful to aquatic life with long lasting effects |
| P273 | Avoid release to the environment.                 |
| P501 | Dispose of contents/container to                  |

#### 2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European CHemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher;

Adverse human health effects:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 3 of 13, Revision date: 07/09/2023

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name   | CAS n°    | Index n° | EC n°     | Classification in accordance with 29 CFR<br>1910 (OSHA HCS)  | Concentration (%) | SCL | M-factor |
|--|-----------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-1-<br>ylethanesulphonic acid                                 | 7365-45-9 |          | 230-907-9 |  | < 10%             |     |          |
| Poly(oxy-1,2-ethanediyl), $\alpha$ -[4-(1,1,3,3-tetramethylbutyl)phenyl]- $\omega$ -hydroxy- | 9002-93-1 |          |           | Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315 | < 1%              |     |          |

### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

**Following inhalation**: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.; Effects:

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 4 of 13, Revision date: 07/09/2023

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

# 5.3 Advice for fire-fighters

Wear Protective clothing.; Additional information:

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

## 6.4 Reference to other sections

Additional information:

#### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Protective measures:** 

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

# 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 5 of 13, Revision date: 07/09/2023

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Preliminary remark:

# 8.1.1 <u>Occupational exposure limits:</u>

OSHA (USA)

| Source :                  | Occupational Safe | ty and Health Admin | istration (OSHA) Permis                                      | sible Exposure Limits (PEL                                      | S) from 29 CFR 1910.100                                | 00   |
|---------------------------|-------------------|---------------------|--|---|--|--|
| Substance                 | EC-No.            | CAS-No              | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |
| 7365-45-9 / 230-907-<br>9 | 230-907-9         | 7365-45-9           |  |   |  |  |

| Source :                  | TRGS 903, Novemb | RGS 903, November 2015, BAuA |             |           |  |  |  |  |  |  |  |
|---------------------------|------------------|------------------------------|-------------|-----------|--|--|--|--|--|--|--|
| Substance                 | EC-No.           | CAS-No                       | BGW (mg/m3) | BGW (ppm) |  |  |  |  |  |  |  |
| 7365-45-9 / 230-907-<br>9 | 230-907-9        | 7365-45-9                    |             |           |  |  |  |  |  |  |  |

## 8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | ESTIS – substance database |   |  |                  |   |                  |   |                  |  |  |  |  |
|--------------------------|-------------|----------------------------|---|--|------------------|---|------------------|---|------------------|--|--|--|--|
| Substance                | EC-No.      | CAS-No                     | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                  |   |  |                  |   | 23.5-23.5        |   |                  |  |  |  |  |

## DNEL consumer

| Source :                 | GESTIS – sı | STIS – substance database |   |               |                  |   |                  |   |                  |  |  |  |  |
|--------------------------|-------------|---------------------------|---|---------------|------------------|---|------------------|---|------------------|--|--|--|--|
| Substance                | EC-No.      | CAS-No                    | Acute – dermal,<br>local effects<br>(mg/kg/day) | dermal, local | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                 |   |               |                  |   |                  |   |                  |  |  |  |  |



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 6 of 13, Revision date: 07/09/2023

| Source :                     | INERIS    |           |            |              |       |        |              |       |                      |         |            |        |               |              |        |         |       |
|------------------------------|-----------|-----------|------------|--------------|-------|--------|--------------|-------|----------------------|---------|------------|--------|---------------|--------------|--------|---------|-------|
|                              |           |           |            | PNEC AQUATIC |       |        |              |       |                      |         |            |        | PNEC Sediment |              |        |         |       |
| Substance                    | EC-No.    | CAS-No    | freshwater |              |       | m      | marine water |       | intermittent release |         | freshwater |        | er            | marine water |        | ter     |       |
|                              | EC-INO.   |           | (mg/L)     | (mg/kg)      | (ppm) | (mg/L) | (mg/kg)      | (ppm) | (mg/L)               | (mg/kg) | (ppm)      | (mg/L) | (mg/kg)       | (ppm)        | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9 | 7365-45-9 |            |              |       |        |              |       |                      |         |            |        |               |              |        |         |       |

| Source :                 | INERIS    | IERIS     |           |         |       |                             |         |       |          |         |       |                          |         |       |
|--------------------------|-----------|-----------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|-------|
|                          | EC-No.    |           |           | Others  |       |                             |         |       |          |         |       |                          |         |       |
| Substance                |           | CAS-No    | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         | •     |
|                          |           |           | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |           |         |       |                             |         |       |          |         |       |                          |         |       |

#### 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

## 8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

 $Skin\ protection: Gloves\ ;$ 

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

# 8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

<u>Appearance</u>

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  | Value | Concentration (mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|-------|-----------------------|--------|------------------|----------------|--------|
| рН                                       | 7     |                       |        |                  |                |        |
| Melting point (°C)                       |       |                       |        |                  |                |        |
| Freezing point (°C)                      |       |                       |        |                  |                |        |
| Initial boiling point/boiling range (°C) |       |                       |        |                  |                |        |
| Flash point (°C)                         |       |                       |        |                  |                |        |
| Evaporation rate (kg/m²/h)               |       |                       |        |                  |                |        |
| Flammability (type : ) (%)               |       |                       |        |                  |                |        |



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 7 of 13, Revision date: 07/09/2023

|   |   |   |  |  |   | V            |
|---|---|---|--|--|---|--------------|
| Upper explosive limit (%)                 |   |   |  |  |   |              |
| Lower explosive limit (%)                 |   |   |  |  |   |              |
| Pa)                                       |   |   |  |  |   |              |
| m³)                                       |   |   |  |  |   |              |
| Density (g/cm³)                           |   |   |  |  |   |              |
| Relative density (g/cm³)                  |   |   |  |  |   |              |
| Bulk density (g/cm³)                      |   |   |  |  |   |              |
| Critical density (g/cm³)                  |   |   |  |  |   |              |
| (g/L)                                     |   |   |  |  |   |              |
| (log Pow)<br>pH :                         |   |   |  |  |   |              |
| erature (°C)                              |   |   |  |  |   |              |
| perature (°C)<br>rgy: kJ                  |   |   |  |  |   |              |
| Viscosity, dynamic (poiseuille)           |   |   |  |  |   |              |
| Viscosity, cinematic (cm <sup>3</sup> /s) |   |   |  |  |   |              |
| Explosive properties                      |   |   |  |  |   |              |
| Oxidising properties                      |   |   |  |  |   |              |
| (   | Lower explosive limit (%)  a)  m³)  Density (g/cm³)  Relative density (g/cm³)  Critical density (g/cm³)  g/L)  (log Pow) OH:  rature (°C) perature (°C) perature (°C) ye; kJ  Viscosity, dynamic (poiseuille)  Viscosity, cinematic (cm³/s)  Explosive properties | Lower explosive limit (%)  a)  Density (g/cm³)  Relative density (g/cm³)  Bulk density (g/cm³)  Critical density (g/cm³)  g/L)  (log Pow) OH:  rature (°C) perature (°C) perature (°C) yey: kJ  Viscosity, dynamic (poiseuille)  Viscosity, cinematic (cm³/s)  Explosive properties | Lower explosive limit (%)  a)  m³)  Density (g/cm³)  Relative density (g/cm³)  Bulk density (g/cm³)  Critical density (g/cm³)  g/L)  (log Pow) OH:  rature (°C)  perature (°C)  perature (°C)  yes kl  Viscosity, dynamic (poiseuille)  Viscosity, cinematic (cm³/s)  Explosive properties | Lower explosive limit (%)  a)  a)  Density (g/cm³)  Relative density (g/cm³)  Bulk density (g/cm³)  Critical density (g/cm³)  g/L)  (log Pow) OH:  rature (°C) perature (°C) gy: kJ  Viscosity, dynamic (poiseuille)  Viscosity, cinematic (cm³/s)  Explosive properties | Lower explosive limit (%)  a)  a)  m³)  Density (g/cm³)  Relative density (g/cm³)  Bulk density (g/cm³)  Critical density (g/cm³)  g/L)  (log Pow) OH:  rature (°C) perature (°C) gy: kJ  Viscosity, dynamic (poiseuille)  Viscosity, cinematic (cm³/s)  Explosive properties | Cosive   (%) |

#### 9.2 Other information:

No other relevant data available

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

## 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicokinetics, metabolism and distribution

## 11.1 Information on toxicological effects

#### **Substances**

Acute toxicity

# Animal data:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 8 of 13, Revision date: 07/09/2023

Acute oral toxicity:

| Substance name | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|----------------|-----------------|---------|--------|----------------------------|--------|
| 9002-93-1      | 1800-1800       | Rat     |        |                            |        |

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:

#### • Skin corrosion/irritation

## Animal data:

|   | Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|---|----------------|---------|--------|---------------|-------------------|-------|--------|
| ç | 0002-93-1      |         |        |               |                   |       |        |

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:

# • Eye damage/irritation

## Animal data:

| Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|----------------|---------|--------|---------------|-------------------|-------|--------|
| 9002-93-1      | Rabbit  |        |               | Eye irritation    |       |        |

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 9 of 13, Revision date: 07/09/2023

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

#### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

## **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 10 of 13, Revision date: 07/09/2023

mixture classification has to be used (calculation method) data of the ingredients are shown.

in this case the toxicological

# 12.1 Aquatic toxicity:

# Acute (short-term) fish toxicity

| Source :  | Informatio | ns relatives a | à la régleme   | entation VIV   | IE (France) : E  | D 984, 07.201                                 | 2                     |        |        |                |
|-----------|------------|----------------|----------------|----------------|------------------|---|-----------------------|--------|--------|----------------|
| Substance | EC-No.     | CAS-No         | LC50<br>(mg/L) | EC50<br>(mg/L) | Test<br>duration | Species                                       | Result/<br>Evaluation | Method | Remark | General Remark |
| 9002-93-1 |            | 9002-93-1      | 8,9            |                | 96               | Pimephales<br>promelas<br>(fathead<br>minnow) |                       |        |        |                |

# Chronic (long-term) fish toxicity

| Source :  | Informations r | elatives à la rég  | glementation V | 'ME (France) : ED | 984, 07.2012 |  |  |  |  |  |  |
|-----------|----------------|--|----------------|-------------------|--------------|--|--|--|--|--|--|
| Substance | EC-No.         | EC-No. CAS-No NOEC (mg/L) Test duration Species Method Remark General Remark |                |                   |              |  |  |  |  |  |  |
| 9002-93-1 |                | 9002-93-1  |                |                   |              |  |  |  |  |  |  |

# Acute (short-term) toxicity to crustacea

| Source :  | Information | s relatives à la  | a réglementa | ition VME (Fran | ice) : ED 984, 0 | 7.2012 |  |  |  |  |  |
|-----------|-------------|---|--------------|-----------------|------------------|--------|--|--|--|--|--|
| Substance | EC-No.      | EC-No. CAS-No CAS-No (mg/L) Test duration Species Result/ Evaluation Method Remark General Remark |              |                 |                  |        |  |  |  |  |  |
| 9002-93-1 |             | 9002-93-1 26 48   |              |                 |                  |        |  |  |  |  |  |

## Chronic (long-term) toxicity to crustacea

| Source :  | Informations r | nformations relatives à la réglementation VME (France) : ED 984, 07.2012     |  |  |  |  |  |  |  |  |  |  |
|-----------|----------------|--|--|--|--|--|--|--|--|--|--|--|
| Substance | EC-No.         | EC-No. CAS-No NOEC (mg/L) Test duration Species Method Remark General Remark |  |  |  |  |  |  |  |  |  |  |
| 9002-93-1 |                | 9002-93-1  |  |  |  |  |  |  |  |  |  |  |

# Acute (short-term) toxicity to algae and cyanobacteria

| Source :  | Informations | s relatives à l  | a réglementat | tion VME (Fran | ce) : ED 984, 07 | .2012 |  |  |  |  |  |
|-----------|--------------|--|---------------|----------------|------------------|-------|--|--|--|--|--|
| Substance | EC-No.       | C-No. CAS-No EC50 (mg/L) Test duration Species Result/ Evaluation Method Remark General Remark |               |                |                  |       |  |  |  |  |  |
| 9002-93-1 |              | 9002-93-1  |               |                |                  |       |  |  |  |  |  |

# Toxicity to microorganisms and other aquatic plants / organisms

| Source :  | Informations rela | ntives à la réglem   | entation VME (Fr | ance) : ED 984, 07. | 2012 |  |  |  |  |  |  |
|-----------|-------------------|--|------------------|---------------------|------|--|--|--|--|--|--|
| Substance | EC-No.            | EC-No. CAS-No EC50 (mg/L) Species Method Remark General Remark |                  |                     |      |  |  |  |  |  |  |
| 9002-93-1 |                   | 9002-93-1  |                  |                     |      |  |  |  |  |  |  |

Assessment / Classification:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 11 of 13, Revision date: 07/09/2023

## 12.2 Persistence and degradability

# **Biodegradation:**

| Source :  | Informations r | elatives à la ré | glementation VM | E (France) : ED 984,     | 07.2012              |        |  |
|-----------|----------------|------------------|-----------------|--------------------------|----------------------|--------|--|
| Substance | EC-No.         | CAS-No           | Inoculum        | Biodegradation parameter | Degradation rate (%) | Method | Remark   |
| 9002-93-1 |                | 9002-93-1        |                 | BOD (% of COD).          | 36-36                |        | In accordance with the required stability the product is poorly biodegradable. |

## **Abiotic Degradation:**

| Source :  |        |           |                               |                       |                     |    |        |        |
|-----------|--------|-----------|-------------------------------|-----------------------|---------------------|----|--------|--------|
| Substance | EC-No. | CAS-No    | Abiotic degradation test type | Half-life time<br>(j) | Temperature<br>(°C) | рН | Method | Remark |
| 9002-93-1 |        | 9002-93-1 |                               |                       |                     |    |        |        |

# Assessment / Classification:

## 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

| Source :  |           |        |         |        |        |        |
|-----------|-----------|--------|---------|--------|--------|--------|
| Substance | EC-No.    | CAS-No | Species | Result | Method | Remark |
| 9002-93-1 | 9002-93-1 |        |         |        |        |        |

#### 12.4 Mobility in soil

| Source :  |       |               |              |           |  |         |                                  |  |  |        |        |
|-----------|-------|---------------|--------------|-----------|--|---------|----------------------------------|--|--|--------|--------|
| Substance | EC n° | CAS n°        | Distribution | Transport | Henry's law<br>constant<br>(Pa.m3/mol) | Log KOC | Half-life<br>time in<br>soil (j) | Half-life<br>time in<br>fresh<br>water (j) | Half-life<br>time in<br>sea water<br>(j) | Method | Remark |
| 9002-93-1 |       | 9002-<br>93-1 |              |           |  |         |                                  |  |  |        |        |

# 12.5 Results of PBT and vPvB assessment

# 12.6 Other adverse effects:

Additional ecotoxicological information:

## **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 12 of 13, Revision date: 07/09/2023

Other disposal recommendations:

Additional information:

#### **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:
IBC Provisions: IMO tank instructions:
UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions:

Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions:



Designation / Trade name: HTRF P-T prot. - Lysis Buf.4 (4X) 2 mL

Version: US, Page 13 of 13, Revision date: 07/09/2023

Cargo Aircraft only Maximal Net Quantity:

ERG code: Special Provisions for IATA:

## **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

#### **SECTION 16: OTHER INFORMATION**

#### 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

# 16.2 Abbreviations and acronyms:

## 16.3 Key literature references and sources for data

# 16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

# 16.5 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments                                     |
|------|--|
| H302 | Harmful if swallowed                                 |
| H315 | Causes skin irritation                               |
| H318 | Causes serious eye damage.                           |
| H400 | Very toxic to aquatic life                           |
| H410 | Very toxic to aquatic life with long lasting effects |





Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 1 of 12, Revision date: 07/09/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 Product identifier:

Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

CAS No.: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

#### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture:

| Classification in accordance with 29 CFR 1910 (OSHA HCS) | Category code | Hazard statement | Precautionary statement                  |
|--|---------------|------------------|--|
| Serious eye damage/eye irritation - Eye Irrit. 2 - H319  | Eye Irrit. 2  | H319             | P264 P280 P305 + P351 + P338 P337 + P313 |

## 2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

**Product identifier:** 

Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Substances contained in this product:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms
GHS07-exclam



## Signal word:

Warning

**Hazard and precautionary statements:** 

| Code               | Hazard statments   |
|--------------------|--|
| H319               | Causes serious eye irritation  |
| P264               | Wash thoroughly after handling.  |
| P280               | Wear protective gloves/protective clothing/eye protection/face protection.   |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337 + P313        | If eye irritation persists: Get medical advice/attention.  |

#### 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 3 of 12, Revision date: 07/09/2023

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name                      | CAS n°     | Index n° | EC n°     | Classification in accordance with 29 CFR 1910 (OSHA HCS)   | Concentration (%) | SCL | M-factor |
|-------------------------------------|------------|----------|-----------|--|-------------------|-----|----------|
| disodium<br>dihydrogenpyrophosphate | 7758-16-9  |          | 231-835-0 | Serious eye damage/eye irritation - Eye<br>Irrit. 2 - H319   | < 25%             |     |          |
| trisodium<br>tetraoxovanadate       | 13721-39-6 |          | 237-287-9 | Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H312 - Dermal Acute toxicity - Acute Tox. 4 - H332 - Inhalation Serious eye damage/eye irritation - Eye Irrit. 2 - H319 Skin corrosion/irritation - Skin Irrit. 2 - H315 | < 3%              |     |          |

## Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

**Following inhalation**: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

#### **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 4 of 12, Revision date: 07/09/2023

#### 5.3 Advice for fire-fighters

Wear Protective clothing.; Additional information:

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

## 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

#### 6.4 Reference to other sections

Additional information:

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Protective measures:** 

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

<u>Further information on storage conditions:</u>

# 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Preliminary remark:

# 8.1.1 Occupational exposure limits:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 5 of 12, Revision date: 07/09/2023

OSHA (USA)

| Source :                  | Occupational Safe | ty and Health Admin | istration (OSHA) Permis                                      | sible Exposure Limits (PEL                                      | S) from 29 CFR 1910.100                                | 00   |
|---------------------------|-------------------|---------------------|--|---|--|--|
| Substance                 | EC-No.            | CAS-No              | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |
| 287-9                     | 237-287-9         | 13721-39-6          |  |   |  | 0,05   |
| 7758-16-9 / 231-835-<br>0 | 231-835-0         | 7758-16-9           |  |   |  |  |

| Source :                   | TRGS 903, November 2015, BAuA |            |             |           |  |  |  |  |  |  |
|----------------------------|-------------------------------|------------|-------------|-----------|--|--|--|--|--|--|
| Substance                  | EC-No.                        | CAS-No     | BGW (mg/m3) | BGW (ppm) |  |  |  |  |  |  |
| 13721-39-6 / 237-<br>287-9 | 237-287-9                     | 13721-39-6 |             |           |  |  |  |  |  |  |
| 7758-16-9 / 231-835-<br>0  | 231-835-0                     | 7758-16-9  |             |           |  |  |  |  |  |  |

# 8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                  | GESTIS – su | ıbstance data | abase   |  |   |   |                  |   |                  |
|---------------------------|-------------|---------------|---|--|---|---|------------------|---|------------------|
| Substance                 | EC-No.      | CAS-No        | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | cyctemic ettects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic ettects |
| 13721-39-6 /<br>237-287-9 | 237-287-9   | 13721-39-6    |   |  |   |   |                  |   |                  |
| 7758-16-9 /<br>231-835-0  | 231-835-0   | 7758-16-9     |   |  |   |   | 2.79-2.79        |   |                  |

# • DNEL consumer

| Source :                  | GESTIS – si | ESTIS – substance database |   |               |                  |   |                  |   |                  |  |  |  |  |  |  |
|---------------------------|-------------|----------------------------|---|---------------|------------------|---|------------------|---|------------------|--|--|--|--|--|--|
| Substance                 | EC-No.      | CAS-No                     | Acute – dermal,<br>local effects<br>(mg/kg/day) | dermal, local | systemic ettects | Acute –<br>inhalation, local<br>effects (mg/m3) | cyctemic ettects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic ettects |  |  |  |  |  |  |
| 13721-39-6 /<br>237-287-9 | 237-287-9   | 13721-39-6                 |   |               |                  |   |                  |   |                  |  |  |  |  |  |  |
| 7758-16-9 /<br>231-835-0  | 231-835-0   | 7758-16-9                  |   |               |                  |   |                  |   |                  |  |  |  |  |  |  |



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 6 of 12, Revision date: 07/09/2023

| Source :                      | INERIS    |            |            |              |       |        |              |       |                      |         |            |        |              |       |        |         |       |
|-------------------------------|-----------|------------|------------|--------------|-------|--------|--------------|-------|----------------------|---------|------------|--------|--------------|-------|--------|---------|-------|
|                               |           |            |            | PNEC AQUATIC |       |        |              |       |                      |         |            |        | P            | NEC S | edimen | t       |       |
| Substance                     | EC-No.    | CAS-No     | freshwater |              |       | m      | marine water |       | intermittent release |         | freshwater |        | marine water |       |        |         |       |
|                               | EC-140.   |            | (mg/L)     | (mg/kg)      | (ppm) | (mg/L) | (mg/kg)      | (ppm) | (mg/L)               | (mg/kg) | (ppm)      | (mg/L) | (mg/kg)      | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 13721-39-6<br>/ 237-287-<br>9 |           | 13721-39-6 |            |              |       |        |              |       |                      |         |            |        |              |       |        |         |       |
| 7758-16-9<br>/ 231-835-<br>0  | 231-835-0 | 7758-16-9  |            |              |       |        |              |       |                      |         |            |        |              |       |        |         |       |

| Source :                  | INERIS    |            |           |         |                             |        |          |       |                          |         |       |        |         |       |
|---------------------------|-----------|------------|-----------|---------|-----------------------------|--------|----------|-------|--------------------------|---------|-------|--------|---------|-------|
|                           |           |            |           |         |                             |        |          | Oth   | ers                      |         |       |        |         |       |
| Substance                 | EC-No.    | CAS-No     | PNEC soil |         | PNEC sewage treatment plant |        | PNEC air |       | PNEC secondary poisoning |         |       |        |         |       |
|                           |           |            | (mg/L)    | (mg/kg) | (ppm)                       | (mg/L) | (mg/kg)  | (ppm) | (mg/L)                   | (mg/kg) | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 13721-39-6 /<br>237-287-9 | 237-287-9 | 13721-39-6 |           |         |                             |        |          |       |                          |         |       |        |         |       |
| 7758-16-9 /<br>231-835-0  | 231-835-0 | 7758-16-9  |           |         |                             |        |          |       |                          |         |       |        |         |       |

## 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

#### 8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection:Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

# 8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

## **Appearance**

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|                    | Concentration<br>(mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--------------------|--------------------------|--------|------------------|----------------|--------|
| рН                 |                          |        |                  |                |        |
| Melting point (°C) |                          |        |                  |                |        |



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 7 of 12, Revision date: 07/09/2023

| _  |                         |             |  |  | ~ |
|--|-------------------------|-------------|--|--|---|
| Freezing point (°C   | C)                      |             |  |  |   |
| Initial boiling poir   | nt/boiling range (°C)   |             |  |  |   |
| Flash point (°C)   |                         |             |  |  |   |
| Evaporation rate   | (kg/m²/h)               |             |  |  |   |
| Flammability (typ  | e:)(%)                  |             |  |  |   |
| Upper/lower<br>flammability or ex<br>limits  | xplosive (%)            |             |  |  |   |
| Vanaur prassura  | Lower explosive         | e limit (%) |  |  |   |
| Vapour pressure  |                         |             |  |  |   |
| Vapour density (g/cm³)   |                         |             |  |  |   |
|  | Density (g/cm³)         |             |  |  |   |
| Densities  | Relative density (g/cr  | n³)         |  |  |   |
|  | Bulk density (g/cm³)    |             |  |  |   |
|  | Critical density (g/cm  | 3)          |  |  |   |
| Solubility (Type :   | ) (g/L)                 |             |  |  |   |
| Partition coefficients of the control of the contro |                         |             |  |  |   |
| Auto-ignition tem  | perature (°C)           |             |  |  |   |
| Decomposition temperature (°C)<br>Decomposition energy : kJ  |                         |             |  |  |   |
| Viscosity  | Viscosity, dynamic (poi | seuille)    |  |  |   |
|  | Viscosity, cinematic (c | :m³/s)      |  |  |   |
|  | Explosive properties    |             |  |  |   |
|  | Oxidising properties    |             |  |  |   |

# 9.2 Other information:

No other relevant data available

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

# 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

# SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

# 11.1 Information on toxicological effects



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 8 of 12, Revision date: 07/09/2023

# <u>Substances</u>

## Acute toxicity

## Animal data:

Acute oral toxicity:

| Substance name         | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|------------------------|-----------------|---------|--------|----------------------------|--------|
| 13721-39-6 / 237-287-9 | 330-330         | Rat     |        | Hemorragie                 |        |

# Acute dermal toxicity:

| Substance name         | LD50 (mg/kg) | Species | Method | Remark |
|------------------------|--------------|---------|--------|--------|
| 13721-39-6 / 237-287-9 |              |         |        |        |

# Acute inhalative toxicity:

| Substance name         | C(E)L50<br>(mg/L) | Exposure time | Species | Method | Remark |
|------------------------|-------------------|---------------|---------|--------|--------|
| 13721-39-6 / 237-287-9 |                   |               |         |        |        |

Practical experience / human evidence:

Assessment / Classification:

General Remark:

# • Skin corrosion/irritation

#### Animal data:

| Substance name        | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|-----------------------|---------|--------|---------------|-------------------|-------|--------|
| 13721-39-6 / 237-287- |         |        |               |                   |       |        |
| 9                     |         |        |               |                   |       |        |

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:

# • Eye damage/irritation

## Animal data:

| Substance name        | Species | Method   | Exposure time | Result/evaluation | Score | Remark |
|-----------------------|---------|----------|---------------|-------------------|-------|--------|
| 13721-39-6 / 237-287- |         |          |               |                   |       |        |
| 9                     |         |          |               |                   |       |        |
| 7758-16-9 / 231-835-0 | Rabbit  | OECD 405 |               | Eye irritation    |       |        |



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 9 of 12, Revision date: 07/09/2023

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 10 of 12, Revision date: 07/09/2023

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

#### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

#### 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

#### 12.2 Persistence and degradability

**Biodegradation:** 

Abiotic Degradation:

Assessment / Classification:

## 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

# 12.4 Mobility in soil

# 12.5 Results of PBT and vPvB assessment

## 12.6 Other adverse effects:

Additional ecotoxicological information:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 11 of 12, Revision date: 07/09/2023

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:

Additional information:

# **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

**Inland waterway transport (ADN)** 

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:



Designation / Trade name: HTRF P-T prot. - Block. reag.(100X) 0.3 mL

Version: US, Page 12 of 12, Revision date: 07/09/2023

# Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions:

Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

# **SECTION 16: OTHER INFORMATION**

# 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

## 16.2 Abbreviations and acronyms:

#### 16.3 Key literature references and sources for data

# 16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

#### 16.5 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments              |
|------|-------------------------------|
| H302 | Harmful if swallowed          |
| H312 | Harmful in contact with skin  |
| H315 | Causes skin irritation        |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled            |





Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 1 of 12, Revision date: 07/09/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 Product identifier:

Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

#### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1) Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

- (1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5
- (2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture:

| Classification in accordance with 29 CFR 1910 (OSHA HCS)  | Category code | Hazard statement | Precautionary statement |
|---|---------------|------------------|-------------------------|
| The substance or mixture is not classified as hazardous in accordance with 29 CFR 1910 (OSHA HCS) | None          | None             | None                    |

## 2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

**Product identifier:** 

Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Substances contained in this product:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 2 of 12, Revision date: 07/09/2023

Hazard pictograms

Signal word:

**Hazard and precautionary statements:** 

#### 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. ;

Adverse human health effects:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 3 of 12, Revision date: 07/09/2023

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name  | CAS n°    | Index n°     | EC n°     | Classification in accordance with 29 CFR 1910 (OSHA HCS)  | Concentration (%) | SCL | M-factor |
|---|-----------|--------------|-----------|---|-------------------|-----|----------|
| potassium fluoride  | 7789-23-3 | 009-005-00-2 | 232-151-5 | Acute toxicity - Acute Tox. 3 - H301 - Oral<br>Acute toxicity - Acute Tox. 3 - H311 -<br>Dermal<br>Acute toxicity - Acute Tox. 3 - H331 -<br>Inhalation | < 3%              |     |          |
| 4-(2-<br>hydroxyethyl)piperazin-<br>1-ylethanesulphonic<br>acid | 7365-45-9 |              | 230-907-9 |   | < 3%              |     |          |

### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

**Following inhalation**: In case of respiratory tract irritation, consult a physician.; **Following skin contact**: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately.; **Following ingestion**: Do NOT induce vomiting.;

Self-protection of the first aider:

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

### 5.3 Advice for fire-fighters

Wear Protective clothing.;



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 4 of 12, Revision date: 07/09/2023

Additional information:

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

## 6.4 Reference to other sections

Additional information:

## **SECTION 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.; Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice;

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

# 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Preliminary remark:

### 8.1.1 Occupational exposure limits:

OSHA (USA)



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 5 of 12, Revision date: 07/09/2023

| Source :                  | Occupational Safe | ty and Health Admin | istration (OSHA) Permis                                      | sible Exposure Limits (PEL                                      | S) from 29 CFR 1910.100                                | 00   |
|---------------------------|-------------------|---------------------|--|---|--|--|
| Substance                 | EC-No.            | CAS-No              | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |
| 7365-45-9 / 230-907-<br>9 |                   | 7365-45-9           |  |   |  |  |
| 7789-23-3 / 232-151-<br>5 | 232-151-5         | 7789-23-3           |  |   |  |  |

| Source :                  | TRGS 903, Novemb | er 2015, BAuA |             |           |
|---------------------------|------------------|---------------|-------------|-----------|
| Substance                 | EC-No.           | CAS-No        | BGW (mg/m3) | BGW (ppm) |
| 7365-45-9 / 230-907-<br>9 | 230-907-9        | 7365-45-9     |             |           |
| 7789-23-3 / 232-151-<br>5 | 232-151-5        | 7789-23-3     |             |           |

# 8.1.2 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | bstance dat | abase   |  |   |   |                  |   |                  |
|--------------------------|-------------|-------------|---|--|---|---|------------------|---|------------------|
| Substance                | EC-No.      | CAS-No      | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | cyctomic attacts | Long-term –<br>inhalation, local<br>effects (mg/m3) | cyctomic attacts |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9   |   |  |   |   | 23.5-23.5        |   |                  |
| 7789-23-3 /<br>232-151-5 | 232-151-5   | 7789-23-3   |   |  |   | 3-3   | 3-3              |   |                  |

# • DNEL consumer

| Source :                 | GESTIS – sı | ubstance da | tabase  |  |   |   |   |   |                  |
|--------------------------|-------------|-------------|---|--|---|---|---|---|------------------|
| Substance                | EC-No.      | CAS-No      | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | Acute –<br>inhalation,<br>systemic effects<br>(mg/m3) | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic ettects |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9   |   |  |   |   |   |   |                  |
| 7789-23-3 /<br>232-151-5 | 232-151-5   | 7789-23-3   |   |  |   |   |   |   |                  |

# PNEC

| Source :  | INERIS |        |              |               |
|-----------|--------|--------|--------------|---------------|
| Substance | EC-No. | CAS-No | PNEC AQUATIC | PNEC Sediment |



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 6 of 12, Revision date: 07/09/2023

|                              |           |           |        |            |       |        |              |       |        |                      |       |        |            |       |        | \            | /     |
|------------------------------|-----------|-----------|--------|------------|-------|--------|--------------|-------|--------|----------------------|-------|--------|------------|-------|--------|--------------|-------|
|                              |           |           | 1      | freshwater |       |        | marine water |       |        | intermittent release |       |        | freshwater |       |        | marine water |       |
|                              |           |           | (mg/L) | (mg/kg)    | (ppm) | (mg/L) | (mg/kg)      | (ppm) | (mg/L) | (mg/kg)              | (ppm) | (mg/L) | (mg/kg)    | (ppm) | (mg/L) | (mg/kg)      | (ppm) |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9 | 7365-45-9 |        |            |       |        |              |       |        |                      |       |        |            |       |        |              |       |
| 7789-23-3<br>/ 232-151-<br>5 | 232-151-5 | 7789-23-3 |        |            |       |        |              |       |        |                      |       |        |            |       |        |              |       |

| Source :                 | INERIS    | _         |           |         |       | •                           |         |       | •        |         |       |                          |         |       |
|--------------------------|-----------|-----------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|-------|
|                          |           | Others    |           |         |       |                             |         |       |          |         |       |                          |         |       |
| Substance                | EC-No.    | CAS-No    | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         |       |
|                          |           |           | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |           |         |       |                             |         |       |          |         |       |                          |         |       |
| 7789-23-3 /<br>232-151-5 | 232-151-5 | 7789-23-3 |           |         |       |                             |         |       |          |         |       |                          |         |       |

## 8.2 Exposure controls

# 8.2.1 <u>Appropriate engineering controls:</u>

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

## 8.2.2 <u>Personal protective equipment:</u>

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

# 8.2.3 <u>Environmental exposure controls:</u>

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

**Appearance** 

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  |   | Concentration<br>(mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|---|--------------------------|--------|------------------|----------------|--------|
| рН                                       | 7 |                          |        |                  |                |        |
| Melting point (°C)                       |   |                          |        |                  |                |        |
| Freezing point (°C)                      |   |                          |        |                  |                |        |
| Initial boiling point/boiling range (°C) |   |                          |        |                  |                |        |



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 7 of 12, Revision date: 07/09/2023

|   |   |  |  |  | $\overline{}$ |
|---|---|--|--|--|---------------|
| Flash point (°C)  |   |  |  |  |               |
| Evaporation rate  | (kg/m²/h)                                 |  |  |  |               |
| Flammability (typ   | pe:)(%)                                   |  |  |  |               |
| Upper/lower<br>flammability or ex<br>limits   |   |  |  |  |               |
| illilits  | Lower explosive limit (%)                 |  |  |  |               |
| Vapour pressure   | (kPa)                                     |  |  |  |               |
| Vapour density (g   | g/cm³)                                    |  |  |  |               |
|   | Density (g/cm³)                           |  |  |  |               |
| Densities   | Relative density (g/cm³)                  |  |  |  |               |
|   | Bulk density (g/cm³)                      |  |  |  |               |
|   | Critical density (g/cm³)                  |  |  |  |               |
| Solubility (Type :  | ) (g/L)                                   |  |  |  |               |
| Partition coefficients of the properties of the |   |  |  |  |               |
| Auto-ignition tem   | nperature (°C)                            |  |  |  |               |
| Decomposition temperature (°C)<br>Decomposition energy : kJ   |   |  |  |  |               |
| Viscosity   | Viscosity, dynamic (poiseuille)           |  |  |  |               |
| 1   | Viscosity, cinematic (cm <sup>3</sup> /s) |  |  |  |               |
|   | Explosive properties                      |  |  |  |               |
|   | Oxidising properties                      |  |  |  |               |

# 9.2 Other information:

No other relevant data available

# **SECTION 10: STABILITY AND REACTIVITY**

## 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.;

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:
- 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

# SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

# 11.1 Information on toxicological effects

**Substances** 



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 8 of 12, Revision date: 07/09/2023

## Acute toxicity

## Animal data:

Acute oral toxicity:

| Substance name        | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|-----------------------|-----------------|---------|--------|----------------------------|--------|
| 7789-23-3 / 232-151-5 | 245-245         | Rat     |        |                            |        |

# Acute dermal toxicity:

| Substance name        | LD50 (mg/kg) | Species | Method | Remark |
|-----------------------|--------------|---------|--------|--------|
| 7789-23-3 / 232-151-5 |              |         |        |        |

## Acute inhalative toxicity:

| Substance name        | C(E)L50<br>(mg/L) | Exposure time | Species | Method | Remark |
|-----------------------|-------------------|---------------|---------|--------|--------|
| 7789-23-3 / 232-151-5 |                   |               |         |        |        |

Practical experience / human evidence:

Assessment / Classification:

General Remark:

## • Skin corrosion/irritation

# Animal data:

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:

# • Eye damage/irritation

# Animal data:

In vitro eye test method: In vitro eye test result:

Assessment / Classification:

# CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

o Germ cell mutagenicity:

Animal data:

Assessment / Classification:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 9 of 12, Revision date: 07/09/2023

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

## 11.1.1 Mixtures

No toxicological information is available for the mixture itself



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 10 of 12, Revision date: 07/09/2023

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

#### 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

# 12.2 Persistence and degradability

**Biodegradation:** 

**Abiotic Degradation:** 

Assessment / Classification:

# 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

12.4 Mobility in soil

## 12.5 Results of PBT and vPvB assessment

#### 12.6 Other adverse effects:

Additional ecotoxicological information:

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation.;

Other disposal recommendations:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 11 of 12, Revision date: 07/09/2023

Additional information:

#### SECTION 14: TRANSPORT INFORMATION

#### ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Limited quantities for ADR/RID: Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions: Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage: Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading:

Provisions concerning carriage: Number of blue cones/lights:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:



Designation / Trade name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: US, Page 12 of 12, Revision date: 07/09/2023

## **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out:

## **SECTION 16: OTHER INFORMATION**

#### 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

- 16.2 Abbreviations and acronyms:
- 16.3 Key literature references and sources for data
- 16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

## 16.5 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments           |  |
|------|----------------------------|--|
| H301 | Toxic if swallowed         |  |
| H311 | Toxic in contact with skin |  |
| H331 | Toxic if inhaled           |  |

