

Trade name: HTRF p62/SQSTM1 total kit - 500 pts / 64N62PEG

Version: KIT, Page 1 of 1, Revision date: 07/09/2023

Cette section présente les différents flacons présents dans le kit. Les fiches de sécurité de tous ces composants sont disponibles dans la langue choisie à la suite du document.

This section shows all the vials in the kit. The Safety Datasheets are available in the selected language in the next part of the document.

# Nomenclature of the product

| Description  | Component | Nb of vials | рН | Color     | Physical state |
|--|-----------|-------------|----|-----------|----------------|
| HTRF p62/SQSTM1 total kit - 500 pts d2 antibody          |           | 1           | 7  | Blue      | Liquid         |
| HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody |           | 1           | 7  | Colorless | Liquid         |
| HTRF p62/SQSTM1 total kit - Ctrl lysate                  | 64N62TDA  | 1           | 7  | Colorless | Liquid         |
| HTRF P-T prot Lysis Buf.4 (4X) 130 mL                    | 64KL4FDF  | 1           | 7  | Colorless | Liquid         |
| HTRF P-T prot Block. reag.(100X) 2 mL                    | 64KB1AAC  | 3           | -  | Colorless | Liquid         |
| HTRF P-T prot Detect. Buf. 2 mL                          |           | 2           | 7  | Colorless | Liquid         |





Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 1 of 14, Revision date: 07/09/2023

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Designation / Commercial name : HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

## **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture:

| Classification according to Regulation (EC) No 1272/2008 [CLP] | Category code | Hazard statement | Precautionary statement                           |
|--|---------------|------------------|---|
| Serious eye damage/eye irritation - Eye Irrit. 2 - H319        | Eye Irrit. 2  | H319             | P264<br>P280<br>P305 + P351 + P338<br>P337 + P313 |

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### <u>Product identifier:</u>

Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Substances contained in this product:



Designation / Commercial name : HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 2 of 14, Revision date: 07/09/2023

Hazard pictograms
GHS07-exclam



Signal word: Warning

**Hazard and precautionary statements:** 

| Code               | Hazard statments   |
|--------------------|--|
| H319               | Causes serious eye irritation  |
| P264               | Wash thoroughly after handling.  |
| P280               | Wear protective gloves/protective clothing/eye protection/face protection.   |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337 + P313        | If eye irritation persists: Get medical advice/attention.  |

# 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.; Adverse human health effects and symptoms:



Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 3 of 14, Revision date: 07/09/2023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name                      | CAS n°     | Index n° | EC n°     | Classification according Regulation (EC)<br>No. 1272 [CLP]   | Concentration (%) | SCL | M-factor |
|-------------------------------------|------------|----------|-----------|--|-------------------|-----|----------|
| disodium<br>dihydrogenpyrophosphate | 7758-16-9  |          | D31-835-0 | Serious eye damage/eye irritation - Eye<br>Irrit. 2 - H319   | < 25%             |     |          |
| trisodium<br>tetraoxovanadate       | 13721-39-6 |          | 237-287-9 | Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H312 - Dermal Acute toxicity - Acute Tox. 4 - H332 - Inhalation Serious eye damage/eye irritation - Eye Irrit. 2 - H319 Skin corrosion/irritation - Skin Irrit. 2 - H315 | < 3%              |     |          |

### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General information:Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

Following skin contact: After contact with skin, wash immediately with water;

**Following eye contact**: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.;

Following ingestion: Do NOT induce vomiting.;

Self-protection of the first aider:

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:/



Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 4 of 14, Revision date: 07/09/2023

#### 5.3 Advice for fire-fighters

Wear Protective clothing.;

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up:Suitable material for taking up: Absorbing material, organic; Other information:

#### 6.4 Reference to other sections

Additional information:

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

**Protective measures:** 

 $\label{prop:advice} \mbox{Advice on safe handling:} \mbox{Avoid contact with skin, eyes and clothes.} \; ;$ 

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled. ;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice;

### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

### 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Preliminary remark:

#### 8.1.1 Occupational exposure limits:

France



Designation / Commercial name : HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 5 of 14, Revision date: 07/09/2023

| Source :                   | Informations rela | nformations relatives à la réglementation VME (France) : ED 984, 07.2012                          |  |  |  |  |  |  |
|----------------------------|-------------------|---|--|--|--|--|--|--|
| Substance                  | EC-No.            | EC-No.         CAS-No         VLE (mg/m3)         VLE (ppm)         VME (mg/m3)         VME (ppm) |  |  |  |  |  |  |
| 13721-39-6 / 237-<br>287-9 | 237-287-9         | 13721-39-6  |  |  |  |  |  |  |
| 7758-16-9 / 231-<br>835-0  | 231-835-0         | 7758-16-9   |  |  |  |  |  |  |

# Spain

| Source :                   | •         | imites de Exposicion Profesional para Agentes Quimicos en Espana<br>astituto Nacional de Seguridad e Higiene en el Trabajo<br>une 2015 |                |              |                |              |  |  |
|----------------------------|-----------|--|----------------|--------------|----------------|--------------|--|--|
| Substance                  | EC-No.    | CAS-No   | VLA-EC (mg/m3) | VLA-EC (ppm) | VLA-ED (mg/m3) | VLA-ED (ppm) |  |  |
| 13721-39-6 / 237-<br>287-9 | 237-287-9 | 13721-39-6   |                |              |                |              |  |  |
| 7758-16-9 / 231-<br>835-0  | 231-835-0 | 7758-16-9  |                |              |                |              |  |  |

# • Germany

| Source :               | TRGS 900, June 2015, BA | GS 900, June 2015, BAuA |             |           |  |  |  |
|------------------------|-------------------------|-------------------------|-------------|-----------|--|--|--|
| Substance              | EC-No.                  | CAS-No                  | AGW (mg/m3) | AGW (ppm) |  |  |  |
| 13721-39-6 / 237-287-9 | 237-287-9               | 13721-39-6              |             |           |  |  |  |
| 7758-16-9 / 231-835-0  | 231-835-0               | 7758-16-9               |             |           |  |  |  |

- Italia
- Greece
- UK
- OSHA (USA)

| 6        |   | 1: :: (PFLC) (                        |
|----------|---|---------------------------------------|
| Source : | Occupational Safety and Health Administration (OSHA) Permissible Exposure | E Limits (PELS) from 29 CFR 1910.1000 |



Designation / Commercial name : HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 6 of 14, Revision date: 07/09/2023

|                           |           |            | OSHA Permissible                         | OSHA Permissible                            | OSHA Permissible                   | OSHA Permissible                     |
|---------------------------|-----------|------------|--|---|------------------------------------|--------------------------------------|
| Substance                 | EC-No.    | CAS-No     | Exposure Limit (PEL)<br>8-hour TWA (ppm) | Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | Exposure Limit (PEL)<br>STEL (ppm) | Exposure Limit (PEL)<br>STEL (mg/m3) |
| 287-9                     |           | 13721-39-6 |  |   |                                    | 0,05                                 |
| 7758-16-9 / 231-835-<br>0 | 231-835-0 | 7758-16-9  |  |   |                                    |                                      |

# 8.1.2 <u>Biological limit values (Germany):</u>

| Source :               | List of recommended health-based biological limit values (BLVs) and biological guidance values (BGVs), June 2014 |            |                    |  |  |  |  |
|------------------------|--|------------|--------------------|--|--|--|--|
| Substance              | EC-No.   | CAS-No     | CAS-No BLV (mg/m3) |  |  |  |  |
| 13721-39-6 / 237-287-9 | 237-287-9  | 13721-39-6 |                    |  |  |  |  |
| 7758-16-9 / 231-835-0  | 231-835-0  | 7758-16-9  |                    |  |  |  |  |

# 8.1.3 Exposure limits at intended use (Germany):

| Source :               | RGS 903, November 2015, BAuA |            |             |           |  |  |  |
|------------------------|------------------------------|------------|-------------|-----------|--|--|--|
| Substance              | EC-No.                       | CAS-No     | BGW (mg/m3) | BGW (ppm) |  |  |  |
| 13721-39-6 / 237-287-9 | 237-287-9                    | 13721-39-6 |             |           |  |  |  |
| 7758-16-9 / 231-835-0  | 231-835-0                    | 7758-16-9  |             |           |  |  |  |

# 8.1.4 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                  | GESTIS – su | ESTIS – substance database |   |  |                  |   |                  |   |                  |
|---------------------------|-------------|----------------------------|---|--|------------------|---|------------------|---|------------------|
| Substance                 | EC-No.      | CAS-No                     | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic ettects | Acute –<br>inhalation, local<br>effects (mg/m3) | cyctemic ettects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic ettects |
| 13721-39-6 /<br>237-287-9 | 237-287-9   | 13721-39-6                 |   |  |                  |   |                  |   |                  |
| 7758-16-9 /<br>231-835-0  | 231-835-0   | 7758-16-9                  |   |  |                  |   | 2.79-2.79        |   |                  |

### DNEL consumer

| Source :                  | GESTIS – sı | STIS – substance database |   |  |   |   |                  |   |                  |  |  |
|---------------------------|-------------|---------------------------|---|--|---|---|------------------|---|------------------|--|--|
| Substance                 | EC-No.      | CAS-No                    | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |
| 13721-39-6 /<br>237-287-9 | 237-287-9   | 13721-39-6                |   |  |   |   |                  |   |                  |  |  |



Designation / Commercial name : HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 7 of 14, Revision date: 07/09/2023

|                          |                   |  |  |  | ~ |
|--------------------------|-------------------|--|--|--|---|
| 7758-16-9 /<br>231-835-0 | 1-835-0 7758-16-9 |  |  |  |   |

DNEL remark:

PNEC

| Source :                      | INERIS    |            |        |              |       |        |              |       |                      |         |            |        |               |       |        |         |       |
|-------------------------------|-----------|------------|--------|--------------|-------|--------|--------------|-------|----------------------|---------|------------|--------|---------------|-------|--------|---------|-------|
|                               |           |            |        | PNEC AQUATIC |       |        |              |       |                      |         |            |        | PNEC Sediment |       |        |         |       |
| Substance                     | EC-No.    | CAS-No     | 1      | freshwater   |       | m      | marine water |       | intermittent release |         | freshwater |        | marine water  |       | er     |         |       |
| Substance                     | LC-NO.    |            | (mg/L) | (mg/kg)      | (ppm) | (mg/L) | (mg/kg)      | (ppm) | (mg/L)               | (mg/kg) | (ppm)      | (mg/L) | (mg/kg)       | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 13721-39-6<br>/ 237-287-<br>9 | 237-287-9 | 13721-39-6 |        |              |       |        |              |       |                      |         |            |        |               |       |        |         |       |
| 7758-16-9<br>/ 231-835-<br>0  | 231-835-0 | 7758-16-9  |        |              |       |        |              |       |                      |         |            |        |               |       |        |         |       |

| Source :                  | INERIS    |            |           |         |       |                             |         |       |          |         |       |                          |         |       |
|---------------------------|-----------|------------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|-------|
|                           |           |            |           |         |       |                             |         | Oth   | ers      |         |       |                          |         |       |
| Substance                 | EC-No.    | CAS-No     | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         |       |
|                           |           |            | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |
| 13721-39-6 /<br>237-287-9 | 237-287-9 | 13721-39-6 |           |         |       |                             |         |       |          |         |       |                          |         |       |
| 7758-16-9 /<br>231-835-0  | 231-835-0 | 7758-16-9  |           |         |       |                             |         |       |          |         |       |                          |         |       |

PNEC remark:

Control parameters remark:

### 8.2 Exposure controls

8.2.1 Appropriate engineering controls:

### 8.2.2 <u>Personal protective equipment:</u>

**Eye / Face protection**: Safety glasses with side-shields;

Skin protection: Gloves;

**Respiratory protection**: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>



Designation / Commercial name : HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 8 of 14, Revision date: 07/09/2023

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

#### Appearance

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  |  | Value | Concentration<br>(mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|--|-------|--------------------------|--------|------------------|----------------|--------|
| рН   |  |       |                          |        |                  |                |        |
| Melting point (°C)   |  |       |                          |        |                  |                |        |
| reezing point (°C)   |  |       |                          |        |                  |                |        |
| Initial boiling point/boiling                              | itial boiling point/boiling range (°C)               |       |                          |        |                  |                |        |
| Flash point (°C)   |  |       |                          |        |                  |                |        |
| Evaporation rate (kg/m²/h                                  | n)   |       |                          |        |                  |                |        |
| Flammability (type : ) (%)                                 |  |       |                          |        |                  |                |        |
| Upper/lower<br>flammability or explosive<br>limits         | Upper explosive limit (%)  Lower explosive limit (%) |       |                          |        |                  |                |        |
| Vapour pressure (kPa)                                      | Lower explosive innit (%)                            |       |                          |        |                  |                |        |
| Vapour density (g/cm³)                                     |  |       |                          |        |                  |                |        |
|  | Density (g/cm³)                                      |       |                          |        |                  |                |        |
| Densities  | Relative density (g/cm³)                             |       |                          |        |                  |                |        |
|  | Bulk density (g/cm³)                                 |       |                          |        |                  |                |        |
|  | Critical density (g/cm³)                             |       |                          |        |                  |                |        |
| Solubility (Type: ) (g/L)                                  |  |       |                          |        |                  |                |        |
| Partition coefficient (log P<br>n-octanol/water at pH:     | ow)  |       |                          |        |                  |                |        |
| Auto-ignition temperature                                  | e (°C)   |       |                          |        |                  |                |        |
| Decomposition temperature (°C)<br>Decomposition energy: kJ |  |       |                          |        |                  |                |        |
| Viscosity  | Viscosity, dynamic (poiseuille)                      |       |                          |        |                  |                |        |
|  | Viscosity, cinematic (cm³/s)                         |       |                          |        |                  |                |        |
| Oxidising properties                                       |  |       |                          |        |                  |                |        |
| Explosive properties                                       |  |       |                          |        |                  |                |        |

### 9.2 Other information:

No other relevant data available



Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 9 of 14, Revision date: 07/09/2023

### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity This material is considered to be non-reactive under normal use conditions.;
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

### 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

### **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicokinetics, metabolism and distribution

#### 11.1 Information on toxicological effects

#### <u>Substances</u>

### Acute toxicity

### Animal data:

Acute oral toxicity:

| Substance name         | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|------------------------|-----------------|---------|--------|----------------------------|--------|
| 13721-39-6 / 237-287-9 | 330-330         | Rat     |        | Hemorragie                 |        |

### Acute dermal toxicity:

| Substance name         | LD50 (mg/kg) | Species | Method | Remark |
|------------------------|--------------|---------|--------|--------|
| 13721-39-6 / 237-287-9 |              |         |        |        |

### Acute inhalative toxicity:

| Substance name         | C(E)L50<br>(mg/L) | Exposure time | Species | Method | Remark |
|------------------------|-------------------|---------------|---------|--------|--------|
| 13721-39-6 / 237-287-9 |                   |               |         |        |        |

Practical experience / human evidence:

Assessment / Classification:

General Remark:

### • Skin corrosion/irritation



Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 10 of 14, Revision date: 07/09/2023

#### Animal data:

| Substance name        | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|-----------------------|---------|--------|---------------|-------------------|-------|--------|
| 13721-39-6 / 237-287- |         |        |               |                   |       |        |
| 9                     |         |        |               |                   |       |        |

In-vitro skin test method: In-vitro skin test result: Assessment / Classification:

• Eye damage/irritation

### Animal data:

| Substance name        | Species | Method   | Exposure time | Result/evaluation | Score | Remark |
|-----------------------|---------|----------|---------------|-------------------|-------|--------|
| 13721-39-6 / 237-287- |         |          |               |                   |       |        |
| 9                     |         |          |               |                   |       |        |
| 7758-16-9 / 231-835-0 | Rabbit  | OECD 405 |               | Eye irritation    |       |        |

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2



Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 11 of 14, Revision date: 07/09/2023

Animal data:

Other information:

STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

#### Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

### 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:



Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 12 of 14, Revision date: 07/09/2023

#### 12.2 Persistence and degradability

**Biodegradation:** 

Abiotic Degradation:

Assessment / Classification:

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

12.4 Mobility in soil

### 12.5 Results of PBT and vPvB assessment

#### 12.6 Other adverse effects:

Additional ecotoxicological information:

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste treatment options:Dispose of waste according to applicable legislation.;

#### **SECTION 14: TRANSPORT INFORMATION**

### ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR:

Limited quantities for ADR/RID:

Packing Instructions for ADR/RID:

Special Provisions for ADR/RID:

Excepted Quantities for ADR/RID:

Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions: Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages: Special provisions for carriage Bulk:



Designation / Commercial name: HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 13 of 14, Revision date: 07/09/2023

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading: Provisions concerning carriage:

Number of blue cones/lights: Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

#### SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Authorisations and/or restrictions on use:

Authorisations:

Restrictions on use:

SVHC:

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

National regulations



Designation / Commercial name : HTRF P-T prot. - Block. reag.(100X) 2 mL 64KB1AAC

Version: UK, Page 14 of 14, Revision date: 07/09/2023

#### 15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

#### **SECTION 16: OTHER INFORMATION**

### 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

### 16.2 Other informations

### 16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

### 16.4 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments              |  |  |  |  |  |
|------|-------------------------------|--|--|--|--|--|
| H302 | Harmful if swallowed          |  |  |  |  |  |
| H312 | Harmful in contact with skin  |  |  |  |  |  |
|      | Causes skin irritation        |  |  |  |  |  |
| H319 | Causes serious eye irritation |  |  |  |  |  |
| H332 | Harmful if inhaled            |  |  |  |  |  |





Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 1 of 14, Revision date: 07/09/2023

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

## **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture:

| Classification according to Regulation (EC) No 1272/2008 [CLP]  | Category code     | Hazard statement | Precautionary statement |
|---|-------------------|------------------|-------------------------|
| Hazardous to the aquatic environment - Aquatic Chronic 3 - H412 | Aquatic Chronic 3 | IH412            | P273<br>P501            |

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### <u> Product identifier:</u>

Designation / Commercial name : HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Substances contained in this product:



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 2 of 14, Revision date: 07/09/2023

### **Hazard pictograms**

### Signal word:

#### **Hazard and precautionary statements:**

| Code | Hazard statments                                  |
|------|---|
| H412 | Harmful to aquatic life with long lasting effects |
| P273 | Avoid release to the environment.                 |
| P501 | Dispose of contents/container to                  |

### 2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European CHemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher;

Adverse human health effects and symptoms:



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 3 of 14, Revision date: 07/09/2023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous ingredients:

| Substance name   | CAS n°    | Index n° | EC n°     | Classification according Regulation (EC)<br>No. 1272 [CLP]   | Concentration (%) | SCL | M-factor |
|--|-----------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-1-<br>ylethanesulphonic acid                                 | 7365-45-9 |          | 230-907-9 |  | < 10%             |     |          |
| Poly(oxy-1,2-ethanediyl), $\alpha$ -[4-(1,1,3,3-tetramethylbutyl)phenyl]- $\omega$ -hydroxy- | 9002-93-1 |          |           | Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315 | < 1%              |     |          |

# Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

## **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

Following skin contact: After contact with skin, wash immediately with water;

**Following eye contact**: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.;

Following ingestion: Do NOT induce vomiting.;

Self-protection of the first aider:

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 4 of 14, Revision date: 07/09/2023

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:/

### 5.3 Advice for fire-fighters

Wear Protective clothing.;

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up:Suitable material for taking up: Absorbing material, organic; Other information:

### 6.4 Reference to other sections

Additional information:

#### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

**Protective measures:** 

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice;

#### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

#### 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Preliminary remark:



Designation / Commercial name : HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 5 of 14, Revision date: 07/09/2023

# 8.1.1 <u>Occupational exposure limits:</u>

France

| Source :                  | Informations rela   | nformations relatives à la réglementation VME (France) : ED 984, 07.2012 |  |  |  |  |  |  |  |
|---------------------------|---|--|--|--|--|--|--|--|--|
| Substance                 | EC-No.         CAS-No         VLE (mg/m3)         VLE (ppm)         VME (mg/m3)         VME (ppm) |  |  |  |  |  |  |  |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9   | 7365-45-9  |  |  |  |  |  |  |  |

• Spain

| Source :                  | •         | imites de Exposicion Profesional para Agentes Quimicos en Espana<br>nstituto Nacional de Seguridad e Higiene en el Trabajo<br>une 2015 |                |              |                |              |  |  |  |
|---------------------------|-----------|--|----------------|--------------|----------------|--------------|--|--|--|
| Substance                 | EC-No.    | CAS-No   | VLA-EC (mg/m3) | VLA-EC (ppm) | VLA-ED (mg/m3) | VLA-ED (ppm) |  |  |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9 | 7365-45-9  |                |              |                |              |  |  |  |

Germany

| Source :              | TRGS 900, June 2015, BAuA |           |             |           |  |  |  |
|-----------------------|---------------------------|-----------|-------------|-----------|--|--|--|
| Substance EC-No.      |                           | CAS-No    | AGW (mg/m3) | AGW (ppm) |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9                 | 7365-45-9 |             |           |  |  |  |

- Italia
- Greece
- UK
- OSHA (USA)

| Source : Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000 |  |
|--|--|
|--|--|



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 6 of 14, Revision date: 07/09/2023

| Substance                 | EC-No.    | CAS-No    | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |
|---------------------------|-----------|-----------|--|---|--|--|
| 7365-45-9 / 230-907-<br>9 | 230-907-9 | 7365-45-9 |  |   |  |  |

### 8.1.2 <u>Biological limit values (Germany):</u>

| Source :              | List of recommended health-based biological limit values (BLVs) and biological guidance values (BGVs), June 2014 |           |             |           |  |  |  |
|-----------------------|--|-----------|-------------|-----------|--|--|--|
| Substance             | EC-No.   | CAS-No    | BLV (mg/m3) | BLV (ppm) |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9  | 7365-45-9 |             |           |  |  |  |

### 8.1.3 Exposure limits at intended use (Germany):

| Source : TRGS 903, November 2015, BAuA |           |           |             |           |  |  |
|--|-----------|-----------|-------------|-----------|--|--|
| Substance                              | EC-No.    | CAS-No    | BGW (mg/m3) | BGW (ppm) |  |  |
| 7365-45-9 / 230-907-9                  | 230-907-9 | 7365-45-9 |             |           |  |  |

### 8.1.4 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | ESTIS – substance database |   |  |                  |   |                  |   |                  |
|--------------------------|-------------|----------------------------|---|--|------------------|---|------------------|---|------------------|
| Substance                | EC-No.      | CAS-No                     | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                  |   |  |                  |   | 23.5-23.5        |   |                  |

### DNEL consumer

| Source :                 | GESTIS – sı | ESTIS – substance database |   |               |                  |   |                  |   |                  |  |  |  |  |
|--------------------------|-------------|----------------------------|---|---------------|------------------|---|------------------|---|------------------|--|--|--|--|
| Substance                | EC-No.      | CAS-No                     | Acute – dermal,<br>local effects<br>(mg/kg/day) | dermal, local | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                  |   |               |                  |   |                  |   |                  |  |  |  |  |

## DNEL remark:

PNEC

| Source :  | INERIS |        |              |               |
|-----------|--------|--------|--------------|---------------|
| Substance | EC-No. | CAS-No | PNEC AQUATIC | PNEC Sediment |



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 7 of 14, Revision date: 07/09/2023

| _                            |           |           |        |            |       |        |                 |       |        |                      |       |            |         |              |        | \<br>   | /     |
|------------------------------|-----------|-----------|--------|------------|-------|--------|-----------------|-------|--------|----------------------|-------|------------|---------|--------------|--------|---------|-------|
|                              |           |           | 1      | freshwater |       |        | marine water in |       | interr | intermittent release |       | freshwater |         | marine water |        | ter     |       |
|                              |           |           | (mg/L) | (mg/kg)    | (ppm) | (mg/L) | (mg/kg)         | (ppm) | (mg/L) | (mg/kg)              | (ppm) | (mg/L)     | (mg/kg) | (ppm)        | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9 | 7365-45-9 |        |            |       |        |                 |       |        |                      |       |            |         |              |        |         |       |

| Source :                 | INERIS    |           |        |           |       |        |                           |       |        |          |       |                          |         |       |
|--------------------------|-----------|-----------|--------|-----------|-------|--------|---------------------------|-------|--------|----------|-------|--------------------------|---------|-------|
|                          |           |           |        | Others    |       |        |                           |       |        |          |       |                          |         |       |
| Substance                | EC-No.    | CAS-No    |        | PNEC soil |       |        | sewage treatment<br>plant |       |        | PNEC air |       | PNEC secondary poisoning |         |       |
|                          |           |           | (mg/L) | (mg/kg)   | (ppm) | (mg/L) | (mg/kg)                   | (ppm) | (mg/L) | (mg/kg)  | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |        |           |       |        |                           |       |        |          |       |                          |         |       |

PNEC remark:

Control parameters remark:

### 8.2 Exposure controls

8.2.1 Appropriate engineering controls:

8.2.2 <u>Personal protective equipment:</u>

**Eye / Face protection**: Safety glasses with side-shields;

**Skin protection**:Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

**Appearance** 

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  |  | Value | Concentration (mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|--|-------|-----------------------|--------|------------------|----------------|--------|
| рН   |  | 7     |                       |        |                  |                |        |
| Melting point (°C)                                 |  |       |                       |        |                  |                |        |
| Freezing point (°C)                                | Freezing point (°C)                      |       |                       |        |                  |                |        |
| Initial boiling point/boiling r                    | Initial boiling point/boiling range (°C) |       |                       |        |                  |                |        |
| Flash point (°C)                                   |  |       |                       |        |                  |                |        |
| Evaporation rate (kg/m²/h)                         |  |       |                       |        |                  |                |        |
| Flammability (type : ) (%)                         |  |       |                       |        |                  |                |        |
| Upper/lower<br>flammability or explosive<br>limits | Upper explosive limit<br>(%)             |       |                       |        |                  |                |        |
| IIIIILS  | Lower explosive limit (%)                |       |                       |        |                  |                |        |



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 8 of 14, Revision date: 07/09/2023

|                                       |  |  |  |  | V |
|---------------------------------------|--|--|--|--|---|
| Vapour pressure (I                    | «Pa)   |  |  |  |   |
| Vapour density (g/                    | ′cm³)  |  |  |  |   |
|                                       | Density (g/cm³)  |  |  |  |   |
| Densities                             | Relative density (g/cm³)                                   |  |  |  |   |
|                                       | Bulk density (g/cm³)                                       |  |  |  |   |
|                                       | Critical density (g/cm³)                                   |  |  |  |   |
| Solubility (Type: ) (g/L)             |  |  |  |  |   |
|                                       | Partition coefficient (log Pow)<br>n-octanol/water at pH : |  |  |  |   |
| Auto-ignition temp                    | perature (°C)  |  |  |  |   |
| Decomposition ter<br>Decomposition en |  |  |  |  |   |
| Viscosity                             | Viscosity, dynamic (poiseuille)                            |  |  |  |   |
|                                       | Viscosity, cinematic (cm³/s)                               |  |  |  |   |
| Oxidising propertie                   | Oxidising properties                                       |  |  |  |   |
| Explosive propertie                   | es   |  |  |  |   |

## 9.2 Other information:

No other relevant data available

#### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity This material is considered to be non-reactive under normal use conditions.;
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

### 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

# SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

## 11.1 Information on toxicological effects

# <u>Substances</u>

Acute toxicity

#### Animal data:

Acute oral toxicity:

| Substance name | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|----------------|-----------------|---------|--------|----------------------------|--------|
| 9002-93-1      | 1800-1800       | Rat     |        |                            |        |



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 9 of 14, Revision date: 07/09/2023

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:

### • Skin corrosion/irritation

### Animal data:

| Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|----------------|---------|--------|---------------|-------------------|-------|--------|
| 9002-93-1      |         |        |               |                   |       |        |

In-vitro skin test method: In-vitro skin test result:

Assessment / Classification:

# • Eye damage/irritation

#### Animal data:

| Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|----------------|---------|--------|---------------|-------------------|-------|--------|
| 9002-93-1      | Rabbit  |        |               | Eye irritation    |       |        |

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 10 of 14, Revision date: 07/09/2023

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

### Specific target organ toxicity (single exposure)

o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

#### Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

## 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

| Source :  | Informations relatives à la réglementation VME (France) : ED 984, 07.2012 |        |                |                |                  |         |                       |        |        |                |  |
|-----------|---|--------|----------------|----------------|------------------|---------|-----------------------|--------|--------|----------------|--|
| Substance | EC-No.  | CAS-No | LC50<br>(mg/L) | EC50<br>(mg/L) | Test<br>duration | Species | Result/<br>Evaluation | Method | Remark | General Remark |  |



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 11 of 14, Revision date: 07/09/2023

|           |           |     |                                  |           |  | $\overline{}$ |
|-----------|-----------|-----|----------------------------------|-----------|--|---------------|
| 9002-93-1 | 9002-93-1 | 8,9 | 96 Pimepl<br>96 (fathea<br>minno | las<br>id |  |               |

### Chronic (long-term) fish toxicity

| Source :  | Informations relatives à la réglementation VME (France) : ED 984, 07.2012 |  |  |  |  |  |  |  |  |  |
|-----------|---|--|--|--|--|--|--|--|--|--|
| Substance | EC-No.  | EC-No. CAS-No NOEC (mg/L) Test duration Species Method Remark General Remark |  |  |  |  |  |  |  |  |
| 9002-93-1 |   | 9002-93-1  |  |  |  |  |  |  |  |  |

### Acute (short-term) toxicity to crustacea

| Source :  | Informations relatives à la réglementation VME (France) : ED 984, 07.2012 |   |    |    |  |  |  |  |  |  |
|-----------|---|---|----|----|--|--|--|--|--|--|
| Substance | EC-No.  | EC-No. CAS-No EC50 (mg/L) Test duration Species Result/ Evaluation Method Remark General Remark |    |    |  |  |  |  |  |  |
| 9002-93-1 |   | 9002-93-1   | 26 | 48 |  |  |  |  |  |  |

### Chronic (long-term) toxicity to crustacea

| Source :  | Informations relatives à la réglementation VME (France) : ED 984, 07.2012 |  |  |  |  |  |  |  |  |  |
|-----------|---|--|--|--|--|--|--|--|--|--|
| Substance | EC-No.  | EC-No. CAS-No NOEC (mg/L) Test duration Species Method Remark General Remark |  |  |  |  |  |  |  |  |
| 9002-93-1 |   | 9002-93-1  |  |  |  |  |  |  |  |  |

## Acute (short-term) toxicity to algae and cyanobacteria

| Source :  | Informations relatives à la réglementation VME (France) : ED 984, 07.2012 |  |  |  |  |  |  |  |  |  |
|-----------|---|--|--|--|--|--|--|--|--|--|
| Substance | EC-No.  | C-No. CAS-No EC50 (mg/L) Test duration Species Result/ Evaluation Method Remark General Remark |  |  |  |  |  |  |  |  |
| 9002-93-1 |   | 9002-93-1  |  |  |  |  |  |  |  |  |

# Toxicity to microorganisms and other aquatic plants / organisms

| Source :  | Informations rela | Informations relatives à la réglementation VME (France) : ED 984, 07.2012 |  |  |  |  |  |  |  |  |  |
|-----------|-------------------|---|--|--|--|--|--|--|--|--|--|
| Substance | EC-No.            | EC-No. CAS-No EC50 (mg/L) Species Method Remark General Remark            |  |  |  |  |  |  |  |  |  |
| 9002-93-1 |                   | 9002-93-1   |  |  |  |  |  |  |  |  |  |

Assessment / Classification:

### 12.2 Persistence and degradability

# **Biodegradation:**

| Source :  | rce : Informations relatives à la réglementation VME (France) : ED 984, 07.2012 |           |          |                          |                      |        |  |  |  |  |
|-----------|---|-----------|----------|--------------------------|----------------------|--------|--|--|--|--|
| Substance | EC-No.  | CAS-No    | Inoculum | Biodegradation parameter | Degradation rate (%) | Method | Remark   |  |  |  |
| 9002-93-1 |   | 9002-93-1 |          | BOD (% of COD).          | 36-36                |        | In accordance with the required stability the product is poorly biodegradable. |  |  |  |



Designation / Commercial name : HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 12 of 14, Revision date: 07/09/2023

### Abiotic Degradation:

| Source :  |        |           |                               |                       |                     |    |        |        |
|-----------|--------|-----------|-------------------------------|-----------------------|---------------------|----|--------|--------|
| Substance | EC-No. | CAS-No    | Abiotic degradation test type | Half-life time<br>(j) | Temperature<br>(°C) | рН | Method | Remark |
| 9002-93-1 |        | 9002-93-1 |                               |                       |                     |    |        |        |

Assessment / Classification:

### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

| Source :  |        |           |         |        |        |        |
|-----------|--------|-----------|---------|--------|--------|--------|
| Substance | EC-No. | CAS-No    | Species | Result | Method | Remark |
| 9002-93-1 |        | 9002-93-1 |         |        |        |        |

### 12.4 Mobility in soil

| Source :  |       |               |              |      |  |         |                                  |  |  |        |        |
|-----------|-------|---------------|--------------|------|--|---------|----------------------------------|--|--|--------|--------|
| Substance | EC n° | CAS n°        | Distribution | tvne | Henry's law<br>constant<br>(Pa.m3/mol) | Log KOC | Half-life<br>time in<br>soil (j) | Half-life<br>time in<br>fresh<br>water (j) | Half-life<br>time in<br>sea water<br>(j) | Method | Remark |
| 9002-93-1 |       | 9002-<br>93-1 |              |      |  |         |                                  |  |  |        |        |

#### 12.5 Results of PBT and vPvB assessment

### 12.6 Other adverse effects:

Additional ecotoxicological information:

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste treatment options: Dispose of waste according to applicable legislation.;

### **SECTION 14: TRANSPORT INFORMATION**

# ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 13 of 14, Revision date: 07/09/2023

Packing group

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Excepted Quantities for ADR/RID: Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions: Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages: Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading: Provisions concerning carriage:

Number of blue cones/lights: Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions: Cargo Aircraft only Maximal Net Quantity:

ERG code: Special Provisions for IATA:

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Authorisations and/or restrictions on use:

Authorisations: 9002-93-1



Designation / Commercial name: HTRF P-T prot. - Lysis Buf.4 (4X) 130 mL 64KL4FDF

Version: UK, Page 14 of 14, Revision date: 07/09/2023

Restrictions on use: SVHC:9002-93-1

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

**National regulations** 

### 15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

### **SECTION 16: OTHER INFORMATION**

### 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

### 16.2 Other informations

### 16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

### 16.4 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments                                     |
|------|--|
| H302 | Harmful if swallowed                                 |
| H315 | Causes skin irritation                               |
| H318 | Causes serious eye damage.                           |
| H400 | Very toxic to aquatic life                           |
| H410 | Very toxic to aquatic life with long lasting effects |





Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 1 of 14, Revision date: 07/09/2023

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Designation / Commercial name : HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture:

| Classification according to Regulation (EC) No 1272/2008 [CLP]                                     | Category code | Hazard statement | Precautionary statement |
|--|---------------|------------------|-------------------------|
| The substance or mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008 | None          | None             | None                    |

# 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### Product identifier:

Designation / Commercial name : HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Substances contained in this product:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 2 of 14, Revision date: 07/09/2023

**Hazard pictograms** 

Signal word:

Hazard and precautionary statements:

#### 2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European CHemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher;

Adverse human health effects and symptoms:



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 3 of 14, Revision date: 07/09/2023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous ingredients:

| Substance name   | CAS n°    | Index n° | EC n°     | Classification according Regulation (EC)<br>No. 1272 [CLP]   | Concentration (%) | SCL | M-factor |
|--|-----------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-1-<br>ylethanesulphonic acid                                 | 7365-45-9 |          | 230-907-9 |  | < 3%              |     |          |
| Poly(oxy-1,2-ethanediyl), $\alpha$ -[4-(1,1,3,3-tetramethylbutyl)phenyl]- $\omega$ -hydroxy- | 9002-93-1 |          |           | Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315 | < 1%              |     |          |

# Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

Following skin contact: After contact with skin, wash immediately with water;

**Following eye contact**: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.;

Following ingestion: Do NOT induce vomiting.;

Self-protection of the first aider:

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms:No known symptoms to date.; Effects:

2110003.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 4 of 14, Revision date: 07/09/2023

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:/

### 5.3 Advice for fire-fighters

Wear Protective clothing.;

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

### 6.4 Reference to other sections

Additional information:

#### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

**Protective measures:** 

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice;

#### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

#### 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Preliminary remark:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 5 of 14, Revision date: 07/09/2023

# 8.1.1 <u>Occupational exposure limits:</u>

France

| Source :                  | Informations rela | formations relatives à la réglementation VME (France) : ED 984, 07.2012 |  |           |             |           |  |  |  |  |  |  |
|---------------------------|-------------------|---|--|-----------|-------------|-----------|--|--|--|--|--|--|
| Substance                 | EC-No.            | EC-No. CAS-No   |  | VLE (ppm) | VME (mg/m3) | VME (ppm) |  |  |  |  |  |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9         | 7365-45-9   |  |           |             |           |  |  |  |  |  |  |

Spain

| Source :                  | Limites de Exposicion Profesional para Agentes Quimicos en Espana<br>Instituto Nacional de Seguridad e Higiene en el Trabajo<br>June 2015 |   |  |  |  |  |  |  |  |  |  |  |
|---------------------------|---|---|--|--|--|--|--|--|--|--|--|--|
| Substance                 | EC-No.  | EC-No.         CAS-No         VLA-EC (mg/m3)         VLA-EC (ppm)         VLA-ED (mg/m3)         VLA-ED (ppm) |  |  |  |  |  |  |  |  |  |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9   | 7365-45-9   |  |  |  |  |  |  |  |  |  |  |

Germany

| Source :              | TRGS 900, June 2015, BA | RGS 900, June 2015, BAuA |             |           |  |  |  |  |  |  |  |
|-----------------------|-------------------------|--------------------------|-------------|-----------|--|--|--|--|--|--|--|
| Substance             | EC-No.                  | CAS-No                   | AGW (mg/m3) | AGW (ppm) |  |  |  |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9               | 7365-45-9                |             |           |  |  |  |  |  |  |  |

- Italia
- Greece
- UK
- OSHA (USA)

| Source : Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000 |  |
|--|--|
|--|--|



Designation / Commercial name : HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 6 of 14, Revision date: 07/09/2023

| Substanc            | e EC-No.  | CAS-No    | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |
|---------------------|-----------|-----------|--|---|--|--|
| 7365-45-9 / 23<br>9 | 230-907-9 | 7365-45-9 |  |   |  |  |

### 8.1.2 <u>Biological limit values (Germany):</u>

| Source :              | List of recommended heal | ist of recommended health-based biological limit values (BLVs) and biological guidance values (BGVs), June 2014 |             |           |  |  |  |  |  |  |  |
|-----------------------|--------------------------|---|-------------|-----------|--|--|--|--|--|--|--|
| Substance             | EC-No.                   | CAS-No  | BLV (mg/m3) | BLV (ppm) |  |  |  |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9                | 7365-45-9   |             |           |  |  |  |  |  |  |  |

# 8.1.3 <u>Exposure limits at intended use (Germany):</u>

| Source :              | RGS 903, November 2015, BAuA |           |             |           |  |  |  |  |  |  |
|-----------------------|------------------------------|-----------|-------------|-----------|--|--|--|--|--|--|
| Substance             | EC-No.                       | CAS-No    | BGW (mg/m3) | BGW (ppm) |  |  |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9                    | 7365-45-9 |             |           |  |  |  |  |  |  |

### 8.1.4 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | bstance dat | abase   |  |                  |   |                                  |  |   |
|--------------------------|-------------|-------------|---|--|------------------|---|----------------------------------|--|---|
| Substance                | EC-No.      | CAS-No      | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | halation, local systemic effects |  | Long-term –<br>inhalation,<br>systemic effects<br>(mg/m3) |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9   |   |  |                  |   | 23.5-23.5                        |  |   |

### DNEL consumer

| Source :                 | GESTIS – sı | S – substance database |   |               |                  |   |                  |   |                  |  |  |  |
|--------------------------|-------------|------------------------|---|---------------|------------------|---|------------------|---|------------------|--|--|--|
| Substance                | EC-No.      | CAS-No                 | Acute – dermal,<br>local effects<br>(mg/kg/day) | dermal, local | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9              |   |               |                  |   |                  |   |                  |  |  |  |

## DNEL remark:

PNEC

| Source :  | INERIS |        |              |               |
|-----------|--------|--------|--------------|---------------|
| Substance | EC-No. | CAS-No | PNEC AQUATIC | PNEC Sediment |



Designation / Commercial name : HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 7 of 14, Revision date: 07/09/2023

| _                            |           |           |            |         |       |              |         |                      |        |            |       |        |              |       |        | \<br>   | /     |
|------------------------------|-----------|-----------|------------|---------|-------|--------------|---------|----------------------|--------|------------|-------|--------|--------------|-------|--------|---------|-------|
|                              |           |           | freshwater |         | m     | marine water |         | intermittent release |        | freshwater |       | er     | marine water |       | ter    |         |       |
|                              |           |           | (mg/L)     | (mg/kg) | (ppm) | (mg/L)       | (mg/kg) | (ppm)                | (mg/L) | (mg/kg)    | (ppm) | (mg/L) | (mg/kg)      | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9 | 7365-45-9 |            |         |       |              |         |                      |        |            |       |        |              |       |        |         |       |

| Source :                 | INERIS    |           |           |         |       |                             |         |       |          |         |       |                          |         |       |
|--------------------------|-----------|-----------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|-------|
| Substance                | EC-No.    | CAS-No    | Others    |         |       |                             |         |       |          |         |       |                          |         |       |
|                          |           |           | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         |       |
|                          |           |           | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |           |         |       |                             |         |       |          |         |       |                          |         |       |

PNEC remark:

Control parameters remark:

### 8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

8.2.2 <u>Personal protective equipment:</u>

**Eye / Face protection**: Safety glasses with side-shields;

**Skin protection**:Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

**Appearance** 

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  |                              | I | Concentration (mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|------------------------------|---|-----------------------|--------|------------------|----------------|--------|
| рН   |                              | 7 |                       |        |                  |                |        |
| Melting point (°C)                                 |                              |   |                       |        |                  |                |        |
| Freezing point (°C)                                |                              |   |                       |        |                  |                |        |
| Initial boiling point/boiling range (°C)           |                              |   |                       |        |                  |                |        |
| Flash point (°C)                                   |                              |   |                       |        |                  |                |        |
| Evaporation rate (kg/m²/h)                         |                              |   |                       |        |                  |                |        |
| Flammability (type : ) (%)                         |                              |   |                       |        |                  |                |        |
| Upper/lower<br>flammability or explosive<br>limits | Upper explosive limit<br>(%) |   |                       |        |                  |                |        |
|  | Lower explosive limit (%)    |   |                       |        |                  |                |        |



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 8 of 14, Revision date: 07/09/2023

|   |                          |  |  | V |
|---|--------------------------|--|--|---|
| Vapour pressure (I                        | «Pa)                     |  |  |   |
| Vapour density (g/                        | ′cm³)                    |  |  |   |
|   | Density (g/cm³)          |  |  |   |
| Densities                                 | Relative density (g/cm³) |  |  |   |
|   | Bulk density (g/cm³)     |  |  |   |
|   | Critical density (g/cm³) |  |  |   |
| Solubility (Type: ) (g/L)                 |                          |  |  |   |
| Partition coefficier<br>n-octanol/water a |                          |  |  |   |
| Auto-ignition temp                        | perature (°C)            |  |  |   |
| Decomposition ter<br>Decomposition en     |                          |  |  |   |
| Viscosity Viscosity, dynamic (poiseuille) |                          |  |  |   |
| Viscosity, cinematic (cm³/s)              |                          |  |  |   |
| Oxidising properties                      |                          |  |  |   |
| Explosive propertion                      | es                       |  |  |   |

## 9.2 Other information:

No other relevant data available

#### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity This material is considered to be non-reactive under normal use conditions.;
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

### 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

# SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

## 11.1 Information on toxicological effects

# <u>Substances</u>

Acute toxicity

#### Animal data:

Acute oral toxicity:

| Substance name | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|----------------|-----------------|---------|--------|----------------------------|--------|
| 9002-93-1      | 1800-1800       | Rat     |        |                            |        |



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 9 of 14, Revision date: 07/09/2023

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:

### • Skin corrosion/irritation

### Animal data:

| Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|----------------|---------|--------|---------------|-------------------|-------|--------|
| 9002-93-1      |         |        |               |                   |       |        |

In-vitro skin test method: In-vitro skin test result: Assessment / Classification:

## • Eye damage/irritation

### Animal data:

| Substance name | Species | Method | Exposure time | Result/evaluation | Score | Remark |
|----------------|---------|--------|---------------|-------------------|-------|--------|
| 9002-93-1      | Rabbit  |        |               | Eye irritation    |       |        |

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

o Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 10 of 14, Revision date: 07/09/2023

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

## 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

## 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

| Source :  | Informatio | nformations relatives à la réglementation VME (France) : ED 984, 07.2012 |                |                |                  |         |                       |        |        |                |  |
|-----------|------------|--|----------------|----------------|------------------|---------|-----------------------|--------|--------|----------------|--|
| Substance | EC-No.     | CAS-No   | LC50<br>(mg/L) | EC50<br>(mg/L) | Test<br>duration | Species | Result/<br>Evaluation | Method | Remark | General Remark |  |



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 11 of 14, Revision date: 07/09/2023

|           |           |     | _ |    |   |  | $\sim$ |
|-----------|-----------|-----|---|----|---|--|--------|
| 9002-93-1 | 9002-93-1 | 8,9 |   | 96 | Pimephales<br>promelas<br>(fathead<br>minnow) |  |        |

## Chronic (long-term) fish toxicity

| Source :  | Informations r | elatives à la rég  | glementation V | 'ME (France) : ED | 984, 07.2012 |  |  |  |  |  |
|-----------|----------------|--|----------------|-------------------|--------------|--|--|--|--|--|
| Substance | EC-No.         | EC-No. CAS-No NOEC (mg/L) Test duration Species Method Remark General Remark |                |                   |              |  |  |  |  |  |
| 9002-93-1 |                | 9002-93-1  |                |                   |              |  |  |  |  |  |

## Acute (short-term) toxicity to crustacea

| Source :  | Information | s relatives à la  | a réglementa | ation VME (Fran | ce) : ED 984, 0 | 7.2012 |  |  |  |  |
|-----------|-------------|---|--------------|-----------------|-----------------|--------|--|--|--|--|
| Substance | EC-No.      | C-No. CAS-No EC50 Test duration Species Result/ Evaluation Method Remark General Remark |              |                 |                 |        |  |  |  |  |
| 9002-93-1 |             | 9002-93-1   | 26           | 48              |                 |        |  |  |  |  |

## Chronic (long-term) toxicity to crustacea

| Source :  | Informations r | elatives à la ré  | glementation V | ME (France) : El | 984, 07.2012 |  |  |  |  |  |
|-----------|----------------|---|----------------|------------------|--------------|--|--|--|--|--|
| Substance | EC-No.         | C-No. CAS-No NOEC (mg/L) Test duration Species Method Remark General Remark |                |                  |              |  |  |  |  |  |
| 9002-93-1 |                | 9002-93-1   |                |                  |              |  |  |  |  |  |

## Acute (short-term) toxicity to algae and cyanobacteria

| Source :  | Informations | s relatives à l  | a réglementat | tion VME (Fran | ce) : ED 984, 07 | .2012 |  |  |  |  |
|-----------|--------------|--|---------------|----------------|------------------|-------|--|--|--|--|
| Substance | EC-No.       | C-No. CAS-No EC50 (mg/L) Test duration Species Result/ Evaluation Method Remark General Remark |               |                |                  |       |  |  |  |  |
| 9002-93-1 |              | 9002-93-1  |               |                |                  |       |  |  |  |  |

# Toxicity to microorganisms and other aquatic plants / organisms

| Source :  | Informations rela | atives à la réglem   | entation VME (Fr | ance) : ED 984, 07. | 2012 |  |  |  |  |  |
|-----------|-------------------|--|------------------|---------------------|------|--|--|--|--|--|
| Substance | EC-No.            | EC-No. CAS-No EC50 (mg/L) Species Method Remark General Remark |                  |                     |      |  |  |  |  |  |
| 9002-93-1 |                   | 9002-93-1  |                  |                     |      |  |  |  |  |  |

Assessment / Classification:

## 12.2 Persistence and degradability

# **Biodegradation:**

| Source :  | Informations r | nformations relatives à la réglementation VME (France) : ED 984, 07.2012 |          |  |       |  |  |  |  |  |  |
|-----------|----------------|--|----------|--|-------|--|--|--|--|--|--|
| Substance | EC-No.         | CAS-No   | Inoculum | Inoculum Biodegradation parameter Degradation rate (%) Method Remark |       |  |  |  |  |  |  |
| 9002-93-1 |                | 9002-93-1  |          | BOD (% of COD).  | 36-36 |  | In accordance with the required stability the product is poorly biodegradable. |  |  |  |  |



Designation / Commercial name : HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 12 of 14, Revision date: 07/09/2023

### Abiotic Degradation:

| Source :  |        |           |                               |                       |                     |    |        |        |
|-----------|--------|-----------|-------------------------------|-----------------------|---------------------|----|--------|--------|
| Substance | EC-No. | CAS-No    | Abiotic degradation test type | Half-life time<br>(j) | Temperature<br>(°C) | рН | Method | Remark |
| 9002-93-1 |        | 9002-93-1 |                               |                       |                     |    |        |        |

Assessment / Classification:

## 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

| Source :  |        |           |         |        |        |        |
|-----------|--------|-----------|---------|--------|--------|--------|
| Substance | EC-No. | CAS-No    | Species | Result | Method | Remark |
| 9002-93-1 |        | 9002-93-1 |         |        |        |        |

## 12.4 Mobility in soil

| Source :  |       |               |              |      |  |         |                                  |  |  |        |        |
|-----------|-------|---------------|--------------|------|--|---------|----------------------------------|--|--|--------|--------|
| Substance | EC n° | CAS n°        | Distribution | tvne | Henry's law<br>constant<br>(Pa.m3/mol) | Log KOC | Half-life<br>time in<br>soil (j) | Half-life<br>time in<br>fresh<br>water (j) | Half-life<br>time in<br>sea water<br>(j) | Method | Remark |
| 9002-93-1 |       | 9002-<br>93-1 |              |      |  |         |                                  |  |  |        |        |

#### 12.5 Results of PBT and vPvB assessment

### 12.6 Other adverse effects:

Additional ecotoxicological information:

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

Waste treatment options: Dispose of waste according to applicable legislation.;

### **SECTION 14: TRANSPORT INFORMATION**

# ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 13 of 14, Revision date: 07/09/2023

Packing group

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Excepted Quantities for ADR/RID: Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions: Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages: Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading: Provisions concerning carriage:

Number of blue cones/lights: Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

## **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

Authorisations and/or restrictions on use:

Authorisations: 9002-93-1



Designation / Commercial name: HTRF p62/SQSTM1 total kit - Ctrl lysate 64N62TDA

Version: UK, Page 14 of 14, Revision date: 07/09/2023

Restrictions on use: SVHC:9002-93-1

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

**National regulations** 

### 15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

### **SECTION 16: OTHER INFORMATION**

### 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

## 16.2 Other informations

## 16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

## 16.4 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments                                     |
|------|--|
| H302 | Harmful if swallowed                                 |
| H315 | Causes skin irritation                               |
| H318 | Causes serious eye damage.                           |
| H400 | Very toxic to aquatic life                           |
| H410 | Very toxic to aquatic life with long lasting effects |





Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 1 of 13, Revision date: 07/09/2023

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier:

Designation / Commercial name: HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture:

| Classification according to Regulation (EC) No 1272/2008 [CLP]                                     | Category code | Hazard statement | Precautionary statement |
|--|---------------|------------------|-------------------------|
| The substance or mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008 | None          | None             | None                    |

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### Product identifier:

Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Substances contained in this product:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 2 of 13, Revision date: 07/09/2023

**Hazard pictograms** 

Signal word:

Hazard and precautionary statements:

### 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.; Adverse human health effects and symptoms:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 3 of 13, Revision date: 07/09/2023

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name  | CAS n°    | Index n° | EC n°     | Classification according Regulation (EC)<br>No. 1272 [CLP] | Concentration (%) | SCL | M-factor |
|---|-----------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-<br>1-ylethanesulphonic<br>acid | 7365-45-9 |          | 230-907-9 |  | < 3%              |     |          |

#### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General information:Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

**Following skin contact**: After contact with skin, wash immediately with water;

**Following eye contact**: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.;

Following ingestion: Do NOT induce vomiting.;

Self-protection of the first aider:

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms:No known symptoms to date.;

Effects:

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:/

## 5.3 Advice for fire-fighters

Wear Protective clothing.;



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 4 of 13, Revision date: 07/09/2023

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

#### 6.4 Reference to other sections

Additional information:

#### **SECTION 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

Protective measures:

 $\label{prop:advice} \mbox{Advice on safe handling:} \mbox{Avoid contact with skin, eyes and clothes.} \; ;$ 

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled. ;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice;

#### 7.2 Conditions for safe storage, including any incompatibilities

<u>Technical measures and storage conditions:</u>

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

### 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Preliminary remark:

### 8.1.1 Occupational exposure limits:

France

Source : Informations relatives à la réglementation VME (France) : ED 984, 07.2012



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 5 of 13, Revision date: 07/09/2023

|                           |           |           |             |           |             | V         |
|---------------------------|-----------|-----------|-------------|-----------|-------------|-----------|
| Substance                 | EC-No.    | CAS-No    | VLE (mg/m3) | VLE (ppm) | VME (mg/m3) | VME (ppm) |
| 7365-45-9 / 230-<br>907-9 | 230-907-9 | 7365-45-9 |             |           |             |           |

## Spain

| Source :                  | •         | imites de Exposicion Profesional para Agentes Quimicos en Espana<br>nstituto Nacional de Seguridad e Higiene en el Trabajo<br>une 2015 |  |  |  |  |  |  |  |
|---------------------------|-----------|--|--|--|--|--|--|--|--|
| Substance                 | EC-No.    | EC-No.         CAS-No         VLA-EC (mg/m3)         VLA-EC (ppm)         VLA-ED (mg/m3)         VLA-ED (ppm)                          |  |  |  |  |  |  |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9 | 7365-45-9  |  |  |  |  |  |  |  |

### Germany

| Source :              | TRGS 900, June 2015, BAuA |           |             |           |  |  |  |  |
|-----------------------|---------------------------|-----------|-------------|-----------|--|--|--|--|
| Substance             | EC-No.                    | CAS-No    | AGW (mg/m3) | AGW (ppm) |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9                 | 7365-45-9 |             |           |  |  |  |  |

- Italia
- Greece
- UK
- OSHA (USA)

| Source :                  | Occupational Safe | ccupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000 |  |   |  |  |  |  |
|---------------------------|-------------------|--|--|---|--|--|--|--|
| Substance                 | EC-No.            | CAS-No   | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |  |  |
| 7365-45-9 / 230-907-<br>9 | 230-907-9         | 7365-45-9  |  |   |  |  |  |  |

# 8.1.2 <u>Biological limit values (Germany):</u>



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 6 of 13, Revision date: 07/09/2023

| Source :              | ist of recommended health-based biological limit values (BLVs) and biological guidance values (BGVs), June 2014 |           |  |  |  |  |  |  |
|-----------------------|---|-----------|--|--|--|--|--|--|
| Substance             | EC-No. CAS-No BLV (mg/m3) BLV (ppm)   |           |  |  |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9   | 7365-45-9 |  |  |  |  |  |  |

# 8.1.3 Exposure limits at intended use (Germany):

| Source :              | TRGS 903, November 201 | GS 903, November 2015, BAuA |             |           |  |  |  |  |  |  |
|-----------------------|------------------------|-----------------------------|-------------|-----------|--|--|--|--|--|--|
| Substance             | EC-No.                 | CAS-No                      | BGW (mg/m3) | BGW (ppm) |  |  |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9              | 7365-45-9                   |             |           |  |  |  |  |  |  |

# 8.1.4 <u>DNEL/PNEC-values:</u>

• DNEL worker

| Source :                 | GESTIS – su | ESTIS – substance database |   |  |                   |   |                  |   |                  |  |  |  |
|--------------------------|-------------|----------------------------|---|--|-------------------|---|------------------|---|------------------|--|--|--|
| Substance                | EC-No.      | CAS-No                     | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Isystemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                  |   |  |                   |   | 23.5-23.5        |   |                  |  |  |  |

## DNEL consumer

| Source :                 | GESTIS – si | ubstance da | tabase  |  |                  |   |                  |   |                  |
|--------------------------|-------------|-------------|---|--|------------------|---|------------------|---|------------------|
| Substance                | EC-No.      | CAS-No      | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9   |   |  |                  |   |                  |   |                  |

## DNEL remark:

PNEC

| Source :                     | INERIS    |           |            |              |       |              |         |                      |        |            |       |               |          |       |        |         |       |
|------------------------------|-----------|-----------|------------|--------------|-------|--------------|---------|----------------------|--------|------------|-------|---------------|----------|-------|--------|---------|-------|
| Substance                    | EC-No.    |           |            | PNEC AQUATIC |       |              |         |                      |        |            |       | PNEC Sediment |          |       |        |         |       |
|                              |           |           | freshwater |              | m     | marine water |         | intermittent release |        | freshwater |       | ma            | rine wat | .er   |        |         |       |
|                              |           |           | (mg/L)     | (mg/kg)      | (ppm) | (mg/L)       | (mg/kg) | (ppm)                | (mg/L) | (mg/kg)    | (ppm) | (mg/L)        | (mg/kg)  | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9 | 7365-45-9 |            |              |       |              |         |                      |        |            |       |               |          |       |        |         |       |

| Source: INERIS |
|----------------|
|----------------|



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 7 of 13, Revision date: 07/09/2023

|                          | 1                     | 1         |           |         |       |                             |         |       |          |         |       |                          |         | $\checkmark$ |  |
|--------------------------|-----------------------|-----------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|--------------|--|
|                          |                       |           |           | Others  |       |                             |         |       |          |         |       |                          |         |              |  |
| Substance                | bstance EC-No. CAS-No |           | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         |              |  |
|                          |                       |           | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm)        |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9             | 7365-45-9 |           |         |       |                             |         |       |          |         |       |                          |         |              |  |

PNEC remark:

Control parameters remark:

### 8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

#### 8.2.2 <u>Personal protective equipment:</u>

**Eye / Face protection**: Safety glasses with side-shields;

**Skin protection**:Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

**Appearance** 

| Physical state        | Liquid; |
|-----------------------|---------|
| Colour                | Blue;   |
| Odour                 |         |
| Odour threshold (ppm) |         |

|   |   | Value | Concentration | Method | Temperature (°C) | Pressure (kPa) | Remark |
|---|---|-------|---------------|--------|------------------|----------------|--------|
|   |   |       | (mol/L)       |        |                  |                |        |
| рН  |   | 7     |               |        |                  |                |        |
| Melting point (°C)  |   |       |               |        |                  |                |        |
| Freezing point (°C)                                       |   |       |               |        |                  |                |        |
| Initial boiling point/boiling                             | nitial boiling point/boiling range (°C) |       |               |        |                  |                |        |
| Flash point (°C)  |   |       |               |        |                  |                |        |
| Evaporation rate (kg/m²/h)                                |   |       |               |        |                  |                |        |
| Flammability (type : ) (%)                                |   |       |               |        |                  |                |        |
| Upper/lower<br>flammability or explosive<br>limits        | Upper explosive limit<br>(%)            |       |               |        |                  |                |        |
| lillits   | Lower explosive limit (%)               |       |               |        |                  |                |        |
| Vapour pressure (kPa)                                     |   |       |               |        |                  |                |        |
| Vapour density (g/cm³)                                    |   |       |               |        |                  |                |        |
|   | Density (g/cm³)                         |       |               |        |                  |                |        |
| Densities   | Relative density (g/cm³)                |       |               |        |                  |                |        |
|   | Bulk density (g/cm³)                    |       |               |        |                  |                |        |
|   | Critical density (g/cm³)                |       |               |        |                  |                |        |
| Solubility (Type: ) (g/L)                                 |   |       |               |        |                  |                |        |
| Partition coefficient (log Pon-<br>n-octanol/water at pH: | w)                                      |       |               |        |                  |                |        |
| Auto-ignition temperature                                 | (°C)                                    |       |               |        |                  |                |        |



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 8 of 13, Revision date: 07/09/2023

| Decomposition temperature (°C) Decomposition energy: kJ |   |  |  |  |  |  |
|---|---|--|--|--|--|--|
| Viscosity   | Viscosity, dynamic (poiseuille)           |  |  |  |  |  |
|   | Viscosity, cinematic (cm <sup>3</sup> /s) |  |  |  |  |  |
| Oxidising proper  | ties                                      |  |  |  |  |  |
| Explosive properties                                    |   |  |  |  |  |  |

### 9.2 Other information:

No other relevant data available

#### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity This material is considered to be non-reactive under normal use conditions.;
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- **10.5** Incompatible materials:
- 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

# SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

## 11.1 Information on toxicological effects

### **Substances**

Acute toxicity

Animal data:

Acute oral toxicity:

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence: Assessment / Classification:

General Remark:

• Skin corrosion/irritation

Animal data:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 9 of 13, Revision date: 07/09/2023

In-vitro skin test method: In-vitro skin test result: Assessment / Classification:

• Eye damage/irritation

## Animal data:

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

o Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 10 of 13, Revision date: 07/09/2023

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

#### • Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

#### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

### 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

### 12.2 Persistence and degradability

**Biodegradation:** 

Abiotic Degradation:

Assessment / Classification:

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 11 of 13, Revision date: 07/09/2023

#### 12.4 Mobility in soil

#### 12.5 Results of PBT and vPvB assessment

#### 12.6 Other adverse effects:

Additional ecotoxicological information:

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste treatment options: Dispose of waste according to applicable legislation.;

### **SECTION 14: TRANSPORT INFORMATION**

### ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Excepted Quantities for ADR/RID: Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions: Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages: Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts d2 antibody

Version: UK, Page 12 of 13, Revision date: 07/09/2023

**Inland waterway transport (ADN)** 

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading: Provisions concerning carriage:

Number of blue cones/lights: Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

#### SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

Authorisations and/or restrictions on use:

Authorisations:

Restrictions on use:

SVHC:

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

## National regulations

### 15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

## **SECTION 16: OTHER INFORMATION**

## 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:

#### 16.2 Other informations



 $Designation \, / \, Commercial \, name: \quad HTRF \, p62/SQSTM1 \, total \, kit \, -500 \, pts \, d2 \, antibody$ 

Version: UK, Page 13 of 13, Revision date: 07/09/2023

16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

16.4 Relevant R-, H- and EUH-phrases (number and full text):





Designation / Commercial name: HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 1 of 13, Revision date: 07/09/2023

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier:

Designation / Commercial name: HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): + 33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture:

| Classification according to Regulation (EC) No 1272/2008 [CLP]                                     | Category code | Hazard statement | Precautionary statement |
|--|---------------|------------------|-------------------------|
| The substance or mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008 | None          | None             | None                    |

# 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### Product identifier:

Designation / Commercial name: HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Substances contained in this product:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 2 of 13, Revision date: 07/09/2023

**Hazard pictograms** 

Signal word:

Hazard and precautionary statements:

### 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.; Adverse human health effects and symptoms:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 3 of 13, Revision date: 07/09/2023

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name  | CAS n°    | Index n° | EC n°     | Classification according Regulation (EC)<br>No. 1272 [CLP] | Concentration (%) | SCL | M-factor |
|---|-----------|----------|-----------|--|-------------------|-----|----------|
| 4-(2-<br>hydroxyethyl)piperazin-<br>1-ylethanesulphonic<br>acid | 7365-45-9 |          | 230-907-9 |  | < 3%              |     |          |

#### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

#### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General information:Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

**Following skin contact**: After contact with skin, wash immediately with water;

**Following eye contact**: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.;

Following ingestion: Do NOT induce vomiting.;

Self-protection of the first aider:

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms:No known symptoms to date.;

Effects:

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:/

## 5.3 Advice for fire-fighters

Wear Protective clothing.;



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 4 of 13, Revision date: 07/09/2023

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

#### 6.4 Reference to other sections

Additional information:

#### **SECTION 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

Protective measures:

 $\label{prop:advice} \mbox{Advice on safe handling:} \mbox{Avoid contact with skin, eyes and clothes.} \; ;$ 

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice;

#### 7.2 Conditions for safe storage, including any incompatibilities

<u>Technical measures and storage conditions:</u>

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

### 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Preliminary remark:

### 8.1.1 Occupational exposure limits:

France

Source : Informations relatives à la réglementation VME (France) : ED 984, 07.2012



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 5 of 13, Revision date: 07/09/2023

|                           |           |           |             |           |             | V         |
|---------------------------|-----------|-----------|-------------|-----------|-------------|-----------|
| Substance                 | EC-No.    | CAS-No    | VLE (mg/m3) | VLE (ppm) | VME (mg/m3) | VME (ppm) |
| 7365-45-9 / 230-<br>907-9 | 230-907-9 | 7365-45-9 |             |           |             |           |

## • Spain

| Source :                  | •         | osicion Profesional para Agentes Quimicos en Espana<br>nal de Seguridad e Higiene en el Trabajo |                |              |                |              |  |  |
|---------------------------|-----------|---|----------------|--------------|----------------|--------------|--|--|
| Substance                 | EC-No.    | CAS-No  | VLA-EC (mg/m3) | VLA-EC (ppm) | VLA-ED (mg/m3) | VLA-ED (ppm) |  |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9 | 7365-45-9   |                |              |                |              |  |  |

### Germany

| Source :              | TRGS 900, June 2015, BAuA |           |             |           |  |  |  |  |
|-----------------------|---------------------------|-----------|-------------|-----------|--|--|--|--|
| Substance             | EC-No.                    | CAS-No    | AGW (mg/m3) | AGW (ppm) |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9                 | 7365-45-9 |             |           |  |  |  |  |

- Italia
- Greece
- UK
- OSHA (USA)

| Source :                  | Occupational Safe | ccupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000 |  |   |  |  |  |  |  |  |  |  |
|---------------------------|-------------------|--|--|---|--|--|--|--|--|--|--|--|
| Substance                 | EC-No.            | CAS-No   | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |  |  |  |  |  |  |
| 7365-45-9 / 230-907-<br>9 | 230-907-9         | 7365-45-9  |  |   |  |  |  |  |  |  |  |  |

# 8.1.2 <u>Biological limit values (Germany):</u>



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 6 of 13, Revision date: 07/09/2023

| Source :              | List of recommended heal | n-based biological limit values (BLVs) and biological guidance values (BGVs), June 2014 |             |           |  |  |  |  |  |
|-----------------------|--------------------------|---|-------------|-----------|--|--|--|--|--|
| Substance             | EC-No.                   | CAS-No  | BLV (mg/m3) | BLV (ppm) |  |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9                | 7365-45-9   |             |           |  |  |  |  |  |

# 8.1.3 Exposure limits at intended use (Germany):

| Source :              | TRGS 903, November 2015, BAuA |           |             |           |  |  |  |
|-----------------------|-------------------------------|-----------|-------------|-----------|--|--|--|
| Substance             | EC-No.                        | CAS-No    | BGW (mg/m3) | BGW (ppm) |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9                     | 7365-45-9 |             |           |  |  |  |

## 8.1.4 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | TIS – substance database |   |  |                   |   |                  |   |                  |  |  |  |
|--------------------------|-------------|--------------------------|---|--|-------------------|---|------------------|---|------------------|--|--|--|
| Substance                | EC-No.      | CAS-No                   | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Isystemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                |   |  |                   |   | 23.5-23.5        |   |                  |  |  |  |

DNEL consumer

| Source :                 | GESTIS – si | ubstance da | tabase  |  |                  |   |                  |   |                  |
|--------------------------|-------------|-------------|---|--|------------------|---|------------------|---|------------------|
| Substance                | EC-No.      | CAS-No      | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | systemic effects | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9   |   |  |                  |   |                  |   |                  |

## DNEL remark:

PNEC

| Source :                     | INERIS        |           |         |              |        |              |       |                      |         |            |        |         |               |        |         |       |  |  |
|------------------------------|---------------|-----------|---------|--------------|--------|--------------|-------|----------------------|---------|------------|--------|---------|---------------|--------|---------|-------|--|--|
|                              |               |           |         | PNEC AQUATIC |        |              |       |                      |         |            |        |         | PNEC Sediment |        |         |       |  |  |
| Substance                    | EC-No.        | CAS-No    | 1       | freshwater   |        | marine water |       | intermittent release |         | freshwater |        |         | marine water  |        |         |       |  |  |
| Substance                    | EC-NO. CAS-NO | (mg/L)    | (mg/kg) | (ppm)        | (mg/L) | (mg/kg)      | (ppm) | (mg/L)               | (mg/kg) | (ppm)      | (mg/L) | (mg/kg) | (ppm)         | (mg/L) | (mg/kg) | (ppm) |  |  |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9     | 7365-45-9 |         |              |        |              |       |                      |         |            |        |         |               |        |         |       |  |  |

| Source: INERIS |
|----------------|
|----------------|



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 7 of 13, Revision date: 07/09/2023

|                          |           |           |           | Others  |       |                             |         |       |          |         |       |                          |         |       |  |  |
|--------------------------|-----------|-----------|-----------|---------|-------|-----------------------------|---------|-------|----------|---------|-------|--------------------------|---------|-------|--|--|
| Substance                | EC-No.    | CAS-No    | PNEC soil |         |       | PNEC sewage treatment plant |         |       | PNEC air |         |       | PNEC secondary poisoning |         |       |  |  |
|                          |           |           | (mg/L)    | (mg/kg) | (ppm) | (mg/L)                      | (mg/kg) | (ppm) | (mg/L)   | (mg/kg) | (ppm) | (mg/L)                   | (mg/kg) | (ppm) |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |           |         |       |                             |         |       |          |         |       |                          |         |       |  |  |

PNEC remark:

Control parameters remark:

### 8.2 Exposure controls

8.2.1 <u>Appropriate engineering controls:</u>

#### 8.2.2 <u>Personal protective equipment:</u>

**Eye / Face protection**: Safety glasses with side-shields;

**Skin protection**:Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

**Appearance** 

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|  |  | Value | Concentration<br>(mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|--|--|-------|--------------------------|--------|------------------|----------------|--------|
| рН   |  | 7     |                          |        |                  |                |        |
| Melting point (°C)                                       |  |       |                          |        |                  |                |        |
| Freezing point (°C)                                      |  |       |                          |        |                  |                |        |
| Initial boiling point/boiling                            | range (°C)   |       |                          |        |                  |                |        |
| Flash point (°C)   |  |       |                          |        |                  |                |        |
| Evaporation rate (kg/m²/h)                               |  |       |                          |        |                  |                |        |
| Flammability (type : ) (%)                               |  |       |                          |        |                  |                |        |
| Upper/lower<br>flammability or explosive<br>limits       | Upper explosive limit (%)  Lower explosive limit (%) |       |                          |        |                  |                |        |
| Vapour pressure (kPa)                                    |  |       |                          |        |                  |                |        |
| Vapour density (g/cm³)                                   |  |       |                          |        |                  |                |        |
|  | Density (g/cm³)                                      |       |                          |        |                  |                |        |
| Densities  | Relative density (g/cm³) Bulk density (g/cm³)        |       |                          |        |                  |                |        |
| Critical density (g/cm³)  Solubility (Type: ) (g/L)      |  |       |                          |        |                  |                |        |
| Partition coefficient (log Ponto) n-octanol/water at pH: | ow)  |       |                          |        |                  |                |        |
| Auto-ignition temperature                                | (°C)   |       |                          |        |                  |                |        |



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 8 of 13, Revision date: 07/09/2023

|  |   |  |  | V |
|--|---|--|--|---|
| Decomposition temperature (°C)<br>Decomposition energy: kJ |   |  |  |   |
| Viscosity  | Viscosity, dynamic (poiseuille)           |  |  |   |
|  | Viscosity, cinematic (cm <sup>3</sup> /s) |  |  |   |
| Oxidising properties                                       |   |  |  |   |
| Explosive properties                                       |   |  |  |   |

## 9.2 Other information:

No other relevant data available

#### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity This material is considered to be non-reactive under normal use conditions.;
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- **10.5** Incompatible materials:

### 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicokinetics, metabolism and distribution

## 11.1 Information on toxicological effects

### **Substances**

Acute toxicity

Animal data:

Acute oral toxicity:

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence: Assessment / Classification:

General Remark:

• Skin corrosion/irritation

Animal data:



 $Designation \ / \ Commercial \ name: \ \ HTRF \ p62/SQSTM1 \ total \ kit - 500 \ pts \ Eu \ Cryptate \ antibody$ 

Version: UK, Page 9 of 13, Revision date: 07/09/2023

In-vitro skin test method: In-vitro skin test result: Assessment / Classification:

Eye damage/irritation

|  |  | ita: |
|--|--|------|
|  |  |      |
|  |  |      |
|  |  |      |

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

o Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

• Specific target organ toxicity (repeated exposure)



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 10 of 13, Revision date: 07/09/2023

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

#### • Aspiration hazard

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

#### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

### 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

## 12.2 Persistence and degradability

**Biodegradation:** 

Abiotic Degradation:

Assessment / Classification:

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 11 of 13, Revision date: 07/09/2023

#### 12.4 Mobility in soil

#### 12.5 Results of PBT and vPvB assessment

#### 12.6 Other adverse effects:

Additional ecotoxicological information:

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste treatment options: Dispose of waste according to applicable legislation.;

### **SECTION 14: TRANSPORT INFORMATION**

### ADR/RID/AND/IMDG/IATA

| UN No.                     |  |
|----------------------------|--|
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
|                            |  |
| Packing group              |  |

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## Land transport (ADR/RID)

Classification code ADR: Special Provisions for ADR/RID: Excepted Quantities for ADR/RID: Packing Instructions for ADR/RID: Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions: Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages: Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:

IBC Provisions: IMO tank instructions:

UN tank instructions: Tanks and bulk Provisions:

EmS: Stowage and segregation for IMDG:

Properties and observations:



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody

Version: UK, Page 12 of 13, Revision date: 07/09/2023

#### **Inland waterway transport (ADN)**

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading: Provisions concerning carriage:

Number of blue cones/lights: Remark:

## Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions: Passenger and Cargo Aircraft Maximal Net Quantity:

Cargo Aircraft only Packaging Instructions : Cargo Aircraft only Maximal Net Quantity :

ERG code: Special Provisions for IATA:

#### SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

Authorisations and/or restrictions on use:

Authorisations:

Restrictions on use:

SVHC:

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

## National regulations

### 15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

## **SECTION 16: OTHER INFORMATION**

## 16.1 Indication of changes

Date of the previous version:07/09/2023 Modifications:

#### 16.2 Other informations



Designation / Commercial name : HTRF p62/SQSTM1 total kit - 500 pts Eu Cryptate antibody Version: UK, Page 13 of 13, Revision date: 07/09/2023

**16.3** Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]: See SECTION 2.1 (classification).

16.4 Relevant R-, H- and EUH-phrases (number and full text):





Designation / Commercial name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 1 of 14, Revision date: 07/09/2023

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier:

Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

CAS No.: Index No: EC No: REACH No:

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

## 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

#### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

## **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture:

| Classification according to Regulation (EC) No 1272/2008 [CLP]                                     | Category code | Hazard statement | Precautionary statement |
|--|---------------|------------------|-------------------------|
| The substance or mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008 | None          | None             | None                    |

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### Product identifier:

Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Substances contained in this product:



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 2 of 14, Revision date: 07/09/2023

**Hazard pictograms** 

Signal word:

**Hazard and precautionary statements:** 

## 2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.; Adverse human health effects and symptoms:



Designation / Commercial name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 3 of 14, Revision date: 07/09/2023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Hazardous ingredients:

| Substance name  | CAS n°    | Index n°     | EC n°     | Classification according Regulation (EC)<br>No. 1272 [CLP]  | Concentration (%) | SCL | M-factor |
|---|-----------|--------------|-----------|---|-------------------|-----|----------|
| potassium fluoride  | 7789-23-3 | 009-005-00-2 | 232-151-5 | Acute toxicity - Acute Tox. 3 - H301 - Oral<br>Acute toxicity - Acute Tox. 3 - H311 -<br>Dermal<br>Acute toxicity - Acute Tox. 3 - H331 -<br>Inhalation | < 3%              |     |          |
| 4-(2-<br>hydroxyethyl)piperazin-<br>1-ylethanesulphonic<br>acid | 7365-45-9 |              | 230-907-9 |   | < 3%              |     |          |

#### Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

Following skin contact: After contact with skin, wash immediately with water;

**Following eye contact**: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.;

Following ingestion: Do NOT induce vomiting.;

Self-protection of the first aider:

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms:No known symptoms to date.;

Effects:

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:/



Designation / Commercial name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 4 of 14, Revision date: 07/09/2023

#### 5.3 Advice for fire-fighters

Wear Protective clothing.;

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

#### 6.3 Methods and material for containment and cleaning up

For cleaning up:Suitable material for taking up: Absorbing material, organic; Other information:

#### 6.4 Reference to other sections

Additional information:

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

**Protective measures:** 

 $\label{prop:prop:contact} \mbox{Advice on safe handling:} \mbox{Avoid contact with skin, eyes and clothes.} \; ;$ 

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled.;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice;

## 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Requirements for storage rooms and vessels: Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

<u>Further information on storage conditions:</u>

## 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Preliminary remark:

#### 8.1.1 Occupational exposure limits:

France



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 5 of 14, Revision date: 07/09/2023

| Source :                  | Informations rela | nformations relatives à la réglementation VME (France) : ED 984, 07.2012                          |  |  |     |  |  |
|---------------------------|-------------------|---|--|--|-----|--|--|
| Substance                 | EC-No.            | EC-No.         CAS-No         VLE (mg/m3)         VLE (ppm)         VME (mg/m3)         VME (ppm) |  |  |     |  |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9         | 7365-45-9   |  |  |     |  |  |
| 7789-23-3 / 232-<br>151-5 | 232-151-5         | 7789-23-3   |  |  | 2,5 |  |  |

## Spain

|                           |           | imites de Exposicion Profesional para Agentes Quimicos en Espana<br>nstituto Nacional de Seguridad e Higiene en el Trabajo<br>une 2015 |                |              |                |              |  |
|---------------------------|-----------|--|----------------|--------------|----------------|--------------|--|
| Substance                 | EC-No.    | CAS-No   | VLA-EC (mg/m3) | VLA-EC (ppm) | VLA-ED (mg/m3) | VLA-ED (ppm) |  |
| 7365-45-9 / 230-<br>907-9 | 230-907-9 | 7365-45-9  |                |              |                |              |  |
| 7789-23-3 / 232-<br>151-5 | 232-151-5 | 7789-23-3  |                |              |                |              |  |

# Germany

| Source : TRGS 900, June 2015, BAuA |           |           |             |           |  |  |
|------------------------------------|-----------|-----------|-------------|-----------|--|--|
| Substance                          | EC-No.    | CAS-No    | AGW (mg/m3) | AGW (ppm) |  |  |
| 7365-45-9 / 230-907-9              | 230-907-9 | 7365-45-9 |             |           |  |  |
| 7789-23-3 / 232-151-5              | 232-151-5 | 7789-23-3 |             |           |  |  |

- Italia
- Greece
- UK
- OSHA (USA)

| Source : Occupational Sa | fety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000 |
|--------------------------|--|
|--------------------------|--|



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 6 of 14, Revision date: 07/09/2023

| Substance                 | EC-No.    | CAS-No    | OSHA Permissible<br>Exposure Limit (PEL)<br>8-hour TWA (ppm) | OSHA Permissible<br>Exposure Limit (PEL) 8-<br>hour TWA (mg/m3) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (ppm) | OSHA Permissible<br>Exposure Limit (PEL)<br>STEL (mg/m3) |
|---------------------------|-----------|-----------|--|---|--|--|
| 7365-45-9 / 230-907-<br>9 |           | 7365-45-9 |  |   |  |  |
| 7789-23-3 / 232-151-<br>5 | 232-151-5 | 7789-23-3 |  |   |  |  |

# 8.1.2 <u>Biological limit values (Germany):</u>

| Source :              | List of recommended health-based biological limit values (BLVs) and biological guidance values (BGVs), June 2014 |           |             |           |  |  |  |
|-----------------------|--|-----------|-------------|-----------|--|--|--|
| Substance             | EC-No.   | CAS-No    | BLV (mg/m3) | BLV (ppm) |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9  | 7365-45-9 |             |           |  |  |  |
| 7789-23-3 / 232-151-5 | 232-151-5  | 7789-23-3 |             |           |  |  |  |

# 8.1.3 Exposure limits at intended use (Germany):

| Source :              | TRGS 903, November 201 | GS 903, November 2015, BAuA |             |           |  |  |  |  |  |
|-----------------------|------------------------|-----------------------------|-------------|-----------|--|--|--|--|--|
| Substance             | EC-No.                 | CAS-No                      | BGW (mg/m3) | BGW (ppm) |  |  |  |  |  |
| 7365-45-9 / 230-907-9 | 230-907-9              | 7365-45-9                   |             |           |  |  |  |  |  |
| 7789-23-3 / 232-151-5 | 232-151-5              | 7789-23-3                   |             |           |  |  |  |  |  |

# 8.1.4 <u>DNEL/PNEC-values:</u>

DNEL worker

| Source :                 | GESTIS – su | FIS – substance database |   |  |   |   |                  |   |                  |  |  |
|--------------------------|-------------|--------------------------|---|--|---|---|------------------|---|------------------|--|--|
| Substance                | EC-No.      | CAS-No                   | Acute – dermal,<br>local effects<br>(mg/kg/day) | Long-term –<br>dermal, local<br>effects<br>(mg/kg/day) | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | cyctemic ettects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic ettects |  |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                |   |  |   |   | 23.5-23.5        |   |                  |  |  |
| 7789-23-3 /<br>232-151-5 | 232-151-5   | 7789-23-3                |   |  |   | 3-3   | 3-3              |   |                  |  |  |

## DNEL consumer

| Source :                 | GESTIS – sı | STIS – substance database |   |               |   |   |                  |   |                  |  |
|--------------------------|-------------|---------------------------|---|---------------|---|---|------------------|---|------------------|--|
| Substance                | EC-No.      | CAS-No                    | Acute – dermal,<br>local effects<br>(mg/kg/day) | dermal, local | Long-term –<br>dermal,<br>systemic effects<br>(mg/kg/day) | Acute –<br>inhalation, local<br>effects (mg/m3) | systemic effects | Long-term –<br>inhalation, local<br>effects (mg/m3) | systemic effects |  |
| 7365-45-9 /<br>230-907-9 | 230-907-9   | 7365-45-9                 |   |               |   |   |                  |   |                  |  |



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 7 of 14, Revision date: 07/09/2023

|                          |           |  |  |  | ~ |
|--------------------------|-----------|--|--|--|---|
| 7789-23-3 /<br>232-151-5 | 7789-23-3 |  |  |  |   |

DNEL remark:

PNEC

| Source :                     | INERIS    | •         | •          |         |       |              |         |                      | •      |            |       |              | •             |       |        | •       |       |
|------------------------------|-----------|-----------|------------|---------|-------|--------------|---------|----------------------|--------|------------|-------|--------------|---------------|-------|--------|---------|-------|
|                              |           |           |            |         |       | PNI          | EC AQUA | TIC                  |        |            |       |              | PNEC Sediment |       |        |         |       |
| Substance                    | EC-No.    | CAS-No    | freshwater |         | m     | marine water |         | intermittent release |        | freshwater |       | marine water |               |       |        |         |       |
| Substance                    | LC-NO.    |           | (mg/L)     | (mg/kg) | (ppm) | (mg/L)       | (mg/kg) | (ppm)                | (mg/L) | (mg/kg)    | (ppm) | (mg/L)       | (mg/kg)       | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9<br>/ 230-907-<br>9 | 230-907-9 | 7365-45-9 |            |         |       |              |         |                      |        |            |       |              |               |       |        |         |       |
| 7789-23-3<br>/ 232-151-<br>5 | 232-151-5 | 7789-23-3 |            |         |       |              |         |                      |        |            |       |              |               |       |        |         |       |

| Source :                 | INERIS    |           |           |         |                             |        |          |       |        |                          |       |        |         |       |
|--------------------------|-----------|-----------|-----------|---------|-----------------------------|--------|----------|-------|--------|--------------------------|-------|--------|---------|-------|
| Substance EC-No.         |           |           |           |         |                             |        |          | Oth   | ers    |                          |       |        |         |       |
|                          | CAS-No    |           | PNEC soil |         | PNEC sewage treatment plant |        | PNEC air |       |        | PNEC secondary poisoning |       |        |         |       |
|                          |           |           | (mg/L)    | (mg/kg) | (ppm)                       | (mg/L) | (mg/kg)  | (ppm) | (mg/L) | (mg/kg)                  | (ppm) | (mg/L) | (mg/kg) | (ppm) |
| 7365-45-9 /<br>230-907-9 | 230-907-9 | 7365-45-9 |           |         |                             |        |          |       |        |                          |       |        |         |       |
| 7789-23-3 /<br>232-151-5 | 232-151-5 | 7789-23-3 |           |         |                             |        |          |       |        |                          |       |        |         |       |

PNEC remark:

Control parameters remark:

## 8.2 Exposure controls

8.2.1 Appropriate engineering controls:

## 8.2.2 <u>Personal protective equipment:</u>

**Eye / Face protection**: Safety glasses with side-shields;

**Skin protection**:Gloves;

**Respiratory protection**: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 8 of 14, Revision date: 07/09/2023

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

# <u>Appearance</u>

| Physical state        | Liquid;    |
|-----------------------|------------|
| Colour                | Colorless; |
| Odour                 |            |
| Odour threshold (ppm) |            |

|   |   | Value | Concentration | Method | Temperature (°C) | Pressure (kPa) | Remark |
|---|---|-------|---------------|--------|------------------|----------------|--------|
|   |   |       | (mol/L)       |        |                  |                |        |
| pH  |   | 7     |               |        |                  |                |        |
| Melting point (°C)  |   |       |               |        |                  |                |        |
| Freezing point (°C)   |   |       |               |        |                  |                |        |
| Initial boiling point/boiling                               | Initial boiling point/boiling range (°C)  |       |               |        |                  |                |        |
| Flash point (°C)  |   |       |               |        |                  |                |        |
| Evaporation rate (kg/m²/h                                   | )   |       |               |        |                  |                |        |
| Flammability (type : ) (%)                                  |   |       |               |        |                  |                |        |
| Upper/lower<br>flammability or explosive<br>limits          | Upper explosive limit<br>(%)              |       |               |        |                  |                |        |
|   | Lower explosive limit (%)                 |       |               |        |                  |                |        |
| Vapour pressure (kPa)                                       |   |       |               |        |                  |                |        |
| Vapour density (g/cm³)                                      |   |       |               |        |                  |                |        |
|   | Density (g/cm³)                           |       |               |        |                  |                |        |
| Densities   | Relative density (g/cm³)                  |       |               |        |                  |                |        |
|   | Bulk density (g/cm³)                      |       |               |        |                  |                |        |
|   | Critical density (g/cm³)                  |       |               |        |                  |                |        |
| Solubility (Type: ) (g/L)                                   |   |       |               |        |                  |                |        |
| Partition coefficient (log Pon-octanol/water at pH:         | ow)                                       |       |               |        |                  |                |        |
| Auto-ignition temperature                                   | e (°C)                                    |       |               |        |                  |                |        |
| Decomposition temperature (°C)<br>Decomposition energy : kJ |   |       |               |        |                  |                |        |
| Viscosity   | Viscosity, dynamic (poiseuille)           |       |               |        |                  |                |        |
|   | Viscosity, cinematic (cm <sup>3</sup> /s) |       |               |        |                  |                |        |
| Oxidising properties  |   |       |               |        |                  |                |        |
| Explosive properties  |   |       |               |        |                  |                |        |

### 9.2 Other information:

No other relevant data available



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 9 of 14, Revision date: 07/09/2023

## **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity This material is considered to be non-reactive under normal use conditions.;
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:

### 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

### **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicokinetics, metabolism and distribution

#### 11.1 Information on toxicological effects

#### <u>Substances</u>

## Acute toxicity

### Animal data:

Acute oral toxicity:

| Substance name        | LD50<br>(mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|-----------------------|-----------------|---------|--------|----------------------------|--------|
| 7789-23-3 / 232-151-5 | 245-245         | Rat     |        |                            |        |

## Acute dermal toxicity:

| Substance name        | LD50 (mg/kg) | Species | Method | Remark |
|-----------------------|--------------|---------|--------|--------|
| 7789-23-3 / 232-151-5 |              |         |        |        |

### Acute inhalative toxicity:

| Substance name        | C(E)L50<br>(mg/L) | Exposure time | Species | Method | Remark |
|-----------------------|-------------------|---------------|---------|--------|--------|
| 7789-23-3 / 232-151-5 |                   |               |         |        |        |

Practical experience / human evidence:

Assessment / Classification:

General Remark:

## • Skin corrosion/irritation



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 10 of 14, Revision date: 07/09/2023

#### Animal data:

In-vitro skin test method: In-vitro skin test result: Assessment / Classification:

• Eye damage/irritation

### Animal data:

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
  - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:



Designation / Commercial name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 11 of 14, Revision date: 07/09/2023

Assessment / Classification:

#### Specific target organ toxicity (repeated exposure)

Practical experience / human evidence: Animal data:

Assessment / Classification:

Other information

#### Aspiration hazard

Practical experience / human evidence: Experimental data: viscosity data: see SECTION 9. Assessment / Classification:

Remark:

#### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

#### **SECTION 12: ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

### 12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

## 12.2 Persistence and degradability

**Biodegradation:** 

Abiotic Degradation:

Assessment / Classification:



Designation / Commercial name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 12 of 14, Revision date: 07/09/2023

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

### 12.4 Mobility in soil

#### 12.5 Results of PBT and vPvB assessment

#### *12.6 Other adverse effects:*

Additional ecotoxicological information:

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste treatment options: Dispose of waste according to applicable legislation.;

#### **SECTION 14: TRANSPORT INFORMATION**

## ADR/RID/AND/IMDG/IATA

| <u> </u>                   |  |
|----------------------------|--|
| UN No.                     |  |
| UN Proper shipping name    |  |
| Transport hazard class(es) |  |
| Hazard label(s)            |  |
| Packing group              |  |

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## Land transport (ADR/RID)

Classification code ADR:

Limited quantities for ADR/RID:

Packing Instructions for ADR/RID:

Special Provisions for ADR/RID:

Excepted Quantities for ADR/RID:

Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions: Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages: Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:



Designation / Commercial name: HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 13 of 14, Revision date: 07/09/2023

IBC Provisions:IMO tank instructions:UN tank instructions:Tanks and bulk Provisions:EmS:Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading: Provisions concerning carriage:

Number of blue cones/lights: Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions: Cargo Aircraft only Maximal Net Quantity:

ERG code: Special Provisions for IATA:

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

• Authorisations and/or restrictions on use:

Authorisations:

Restrictions on use: 7789-23-3 / 232-151-5

SVHC:

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

### National regulations

#### 15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

### **SECTION 16: OTHER INFORMATION**

## 16.1 Indication of changes

Date of the previous version:06/09/2023 Modifications:



Designation / Commercial name : HTRF P-T prot. - Detect. Buf. 2 mL

Version: UK, Page 14 of 14, Revision date: 07/09/2023

### 16.2 Other informations

# 16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

## 16.4 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments           |
|------|----------------------------|
| H301 | Toxic if swallowed         |
| H311 | Toxic in contact with skin |
| H331 | Toxic if inhaled           |

