

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 1 of 13, Revision date: 13/10/2023

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier:

**Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA**

CAS No.:

Index No:

EC No:

REACH No:

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only ;

Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses. ;

### 1.3 Details of the supplier of the safety data sheet:

#### Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA -

Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone : +33 4 66 79 67 05 - Fax : +33 4 66 79 67 50

E-Mail (competent person):  codolet.sds@revvity.com

### 1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS) : + 33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

<https://www.cisbio.com>

<https://www.revvity.com>

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

## SECTION 2 : HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008 [CLP]	Category code	Hazard statement	Precautionary statement
The substance or mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008	None	None	None

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### Product identifier:

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Substances contained in this product:

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 2 of 13, Revision date: 13/10/2023

---

Hazard pictograms

Signal word:

Hazard and precautionary statements:

**2.3 Other hazards**

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European Chemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher ;

Adverse human health effects and symptoms:

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTD A

Version: UK, Page 3 of 13, Revision date: 13/10/2023

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification according Regulation (EC) No. 1272 [CLP]	Concentration (%)	SCL	M-factor
Poly(oxy-1,2-ethanediyl), α-[4-(1,1,3,3-tetramethylbutyl)phenyl]- ω-hydroxy-	9002-93-1			Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315	< 1%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

## SECTION 4 : FIRST AID MEASURES

### 4.1 Description of first aid measures

**General information:** Do not leave affected person unattended. ;

**Following inhalation:** In case of respiratory tract irritation, consult a physician. ;

**Following skin contact:** After contact with skin, wash immediately with water ;

**Following eye contact:** After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. ;

**Following ingestion:** Do NOT induce vomiting. ;

**Self-protection of the first aider:**

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date. ;

Effects:

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

## SECTION 5 : FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

**Suitable extinguishing media:** This product is not flammable. Use extinguishing agent suitable for type of surrounding fire ;

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

### 5.3 Advice for fire-fighters

Wear Protective clothing. ;

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 4 of 13, Revision date: 13/10/2023

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1 *Personal precautions, protective equipment and emergency procedures*

Emergency procedures: Provide adequate ventilation. ;

### 6.2 *Environmental precautions*

Do not allow to enter into surface water or drains. ;

### 6.3 *Methods and material for containment and cleaning up*

For cleaning up: Suitable material for taking up: Absorbing material, organic ;

Other information:

### 6.4 *Reference to other sections*

Additional information:

## SECTION 7 : HANDLING AND STORAGE

### 7.1 *Precautions for safe handling*

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes. ;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled. ;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice ;

### 7.2 *Conditions for safe storage, including any incompatibilities*

Technical measures and storage conditions:

Requirements for storage rooms and vessels: Keep container tightly closed. ;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

### 7.3 *Specific end uses:*

Recommendations on specific end uses: Observe technical data sheet. ;

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 *Control parameters*

Preliminary remark:

#### 8.1.1 Occupational exposure limits:

- France

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTD

Version: UK, Page 5 of 13, Revision date: 13/10/2023

- 
- Spain
  - Germany
  - Italia
  - Greece
  - UK
  - OSHA (USA)

8.1.2 Biological limit values (Germany):

8.1.3 Exposure limits at intended use (Germany):

8.1.4 DNEL/PNEC-values:

- DNEL worker
- DNEL consumer

DNEL remark:

- PNEC

PNEC remark:

Control parameters remark:

## 8.2 **Exposure controls**

8.2.1 Appropriate engineering controls:

8.2.2 Personal protective equipment:

**Eye / Face protection:** Safety glasses with side-shields ;

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 6 of 13, Revision date: 13/10/2023

**Skin protection:**Gloves ;

**Respiratory protection:**Ensure adequate ventilation ;

**Thermal hazards:**

8.2.3 Environmental exposure controls:

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	Liquid ;
Colour	Colorless ;
Odour	
Odour threshold (ppm)	

	Value	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
pH	7					
Melting point (°C)						
Freezing point (°C)						
Initial boiling point/boiling range (°C)						
Flash point (°C)						
Evaporation rate (kg/m <sup>2</sup> /h)						
Flammability (type : ) (%)						
Upper/lower flammability or explosive limits	Upper explosive limit (%)					
	Lower explosive limit (%)					
Vapour pressure (kPa)						
Vapour density (g/cm <sup>3</sup> )						
Densities	Density (g/cm <sup>3</sup> )					
	Relative density (g/cm <sup>3</sup> )					
	Bulk density (g/cm <sup>3</sup> )					
	Critical density (g/cm <sup>3</sup> )					
Solubility (Type : ) (g/L)						
Partition coefficient (log Pow) n-octanol/water at pH :						
Auto-ignition temperature (°C)						
Decomposition temperature (°C) Decomposition energy : kJ						
Viscosity	Viscosity, dynamic (poiseuille)					
	Viscosity, cinematic (cm <sup>2</sup> /s)					
Oxidising properties						
Explosive properties						

### 9.2 Other information:

No other relevant data available

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 7 of 13, Revision date: 13/10/2023

## SECTION 10 : STABILITY AND REACTIVITY

**10.1 Reactivity** This material is considered to be non-reactive under normal use conditions. ;

**10.2 Chemical stability**

**10.3 Possibility of hazardous reactions**

**10.4 Conditions to avoid:**

**10.5 Incompatible materials:**

**10.6 Hazardous decomposition products:**

Does not decompose when used for intended uses. ;

## SECTION 11 : TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

### 11.1 Information on toxicological effects

#### Substances

- **Acute toxicity**

#### Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
9002-93-1	1800-1800	Rat			

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:

- **Skin corrosion/irritation**

#### Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1						

In-vitro skin test method:

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 8 of 13, Revision date: 13/10/2023

In-vitro skin test result:

Assessment / Classification:

- **Eye damage/irritation**

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1	Rabbit			Eye irritation		

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
  - Germ cell mutagenicity:

Animal data:

Assessment / Classification:

- Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

- Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- **Specific target organ toxicity (single exposure)**
  - STOT SE 1 and 2

Animal data:

Other information:

- STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:



according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTD

Version: UK, Page 9 of 13, Revision date: 13/10/2023

- **Specific target organ toxicity (repeated exposure)**

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

- **Aspiration hazard**

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

**SECTION 12 : ECOLOGICAL INFORMATION**

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

**12.1 Aquatic toxicity:**

Acute (short-term) fish toxicity

Source : Informations relatives à la réglementation VME (France) : ED 984, 07.2012										
Substance	EC-No.	CAS-No	LC50 (mg/L)	EC50 (mg/L)	Test duration	Species	Result/Evaluation	Method	Remark	General Remark
9002-93-1		9002-93-1	8,9		96	Pimephales promelas (fathead minnow)				

Chronic (long-term) fish toxicity

Source : Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark	
9002-93-1		9002-93-1							

Acute (short-term) toxicity to crustacea

Source : Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	EC50 (mg/L)	Test duration	Species	Result/Evaluation	Method	Remark	General Remark
9002-93-1		9002-93-1	26	48					

Chronic (long-term) toxicity to crustacea

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 10 of 13, Revision date: 13/10/2023

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012							
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark
9002-93-1		9002-93-1						

Acute (short-term) toxicity to algae and cyanobacteria

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012								
Substance	EC-No.	CAS-No	EC50 (mg/L)	Test duration	Species	Result/Evaluation	Method	Remark	General Remark
9002-93-1		9002-93-1							

Toxicity to microorganisms and other aquatic plants / organisms

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012							
Substance	EC-No.	CAS-No	EC50 (mg/L)	Species	Method	Remark	General Remark	
9002-93-1		9002-93-1						

Assessment / Classification:

**12.2 Persistence and degradability**

Biodegradation:

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012						
Substance	EC-No.	CAS-No	Inoculum	Biodegradation parameter	Degradation rate (%)	Method	Remark
9002-93-1		9002-93-1		BOD (% of COD).	36-36		In accordance with the required stability the product is poorly biodegradable.

Abiotic Degradation:

Source :								
Substance	EC-No.	CAS-No	Abiotic degradation test type	Half-life time (j)	Temperature (°C)	pH	Method	Remark
9002-93-1		9002-93-1						

Assessment / Classification:

**12.3 Bioaccumulative potential**

Bioconcentration factor (BCF):

Source :							
Substance	EC-No.	CAS-No	Species	Result	Method	Remark	
9002-93-1		9002-93-1					

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTD

Version: UK, Page 11 of 13, Revision date: 13/10/2023

**12.4 Mobility in soil**

Substance	EC n°	CAS n°	Distribution	Transport type	Henry's law constant (Pa.m3/mol)	Log KOC	Half-life time in soil (j)	Half-life time in fresh water (j)	Half-life time in sea water (j)	Method	Remark
9002-93-1		9002-93-1									

**12.5 Results of PBT and vPvB assessment**

**12.6 Other adverse effects:**

Additional ecotoxicological information:

**SECTION 13 : DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

Waste treatment options:Dispose of waste according to applicable legislation. ;

**SECTION 14 : TRANSPORT INFORMATION**

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Land transport (ADR/RID)

Classification code ADR:

Limited quantities for ADR/RID:

Packing Instructions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code:

Vehicle for tank carriage:

Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No:

Special Provisions for ADR/RID:

Excepted Quantities for ADR/RID:

Special packing provisions for ADR/RID:

ADR Tank special provisions:

Transport category (Tunnel restriction code):

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 12 of 13, Revision date: 13/10/2023

#### Sea transport (IMDG)

Marine Pollutant:	Subsidiary risk(s) for IMDG:
Packing provisions for IMDG:	Limited quantities for IMDG:
Packing instructions for IMDG:	IBC Instructions:
IBC Provisions:	IMO tank instructions:
UN tank instructions:	Tanks and bulk Provisions:
EmS :	Stowage and segregation for IMDG:
Properties and observations:	

#### Inland waterway transport (ADN)

Classification Code ADN:	Special Provisions ADN:
Limited quantities ADN:	Excepted quantities ADN:
Carriage permitted:	Equipment required:
Provisions concerning loading and unloading:	Provisions concerning carriage:
Number of blue cones/lights:	Remark:

#### Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA:	Excepted quantity for IATA:
Passenger and Cargo Aircraft Limited Quantities Packing Instructions:	
Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity :	
Passenger and Cargo Aircraft Packaging Instructions :	
Passenger and Cargo Aircraft Maximal Net Quantity :	
Cargo Aircraft only Packaging Instructions :	Cargo Aircraft only Maximal Net Quantity :
ERG code:	Special Provisions for IATA:

## SECTION 15 : REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

- Authorisations and/or restrictions on use:

Authorisations: 9002-93-1

Restrictions on use:

SVHC :9002-93-1

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

#### National regulations

### 15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : HTRF ULK1 p-S758 kit - Ctrl lysate 64ULKTDA

Version: UK, Page 13 of 13, Revision date: 13/10/2023

## SECTION 16 : OTHER INFORMATION

### 16.1 Indication of changes

Date of the previous version:10/10/2023

Modifications:

### 16.2 Other informations

### 16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

### 16.4 Relevant R-, H- and EUH-phrases (number and full text):

Code	Hazard statements
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage.
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects