

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 1 of 13, Revision date: 13/10/2023

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

CAS No.:

Index No:

EC No:

REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only ;

Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses. ;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA -

Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone : +33 4 66 79 67 05 - Fax : +33 4 66 79 67 50

E-Mail (competent person):  codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS) : + 33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

<https://www.cisbio.com>

<https://www.revvity.com>

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2 : HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with 29 CFR 1910 (OSHA HCS)	Category code	Hazard statement	Precautionary statement
Hazardous to the aquatic environment - Aquatic Chronic 3 - H412	Aquatic Chronic 3	H412	P273 P501

2.2 Label elements

Labelling according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Product identifier:

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Substances contained in this product:

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 2 of 13, Revision date: 13/10/2023

Hazard pictograms

Signal word:

Hazard and precautionary statements:

Code	Hazard statments
H412	Harmful to aquatic life with long lasting effects
P273	Avoid release to the environment.
P501	Dispose of contents/container to ...

2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European CHemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher ;

Adverse human health effects:

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 3 of 13, Revision date: 13/10/2023

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

This mixture does not contain any hazardous substances at the concentration limits given in Regulation (EC) No. 1272/2008 and OSHA Hazard Communication Standard 29 CFR 1910.1200.

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4 : FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended. ; Remove affected person from the danger area and lay down. ;

Following inhalation: In case of respiratory tract irritation, consult a physician. ; Provide fresh air. ;

Following skin contact:After contact with skin, wash immediately with water ; Remove contaminated clothing ;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. ;

Following ingestion: Do NOT induce vomiting. ; Give nothing to eat or drink. ; If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. ;

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date. ;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5 : FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire ;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: /

5.3 Advice for fire-fighters

Wear Protective clothing. ;

Additional information:

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation. ; Emergency procedures: Remove persons to safety. ; Personal precautions: Use personal protection equipment (see section 8). ;

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 4 of 13, Revision date: 13/10/2023

6.2 Environmental precautions

Do not allow to enter into surface water or drains. ; Ensure all waste water is collected and treated via a waste water treatment plant. ;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic ;
Other information:

6.4 Reference to other sections

Additional information:

SECTION 7 : HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes. ; Avoid: Eye contact ; Avoid: Generation/formation of aerosols ; Avoid: Skin contact ; Avoid: inhalation ; In the immediate working surroundings there must be: Emergency shower installed ; In the immediate working surroundings there must be: Provide eye shower and label its location conspicuously ; Wash contaminated clothing immediately. ;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled. ; Do not pipet by mouth ; Wear suitable one-way gloves at work ;

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice ; Observe technical data sheet. ; Remove contaminated, saturated clothing. ; Wash hands before breaks and after work. ;

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed. ; Keep-store only in original container or in properly labeled containers ;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet. ;

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

- OSHA (USA)

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 5 of 13, Revision date: 13/10/2023

Source : Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000						
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)
26628-22-8 / 247-852-1	247-852-1	26628-22-8				
7647-14-5 / 231-598-3	231-598-3	7647-14-5				
7778-77-0 / 231-913-4	231-913-4	7778-77-0				

Source : TRGS 903, November 2015, BAuA				
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8		
7647-14-5 / 231-598-3	231-598-3	7647-14-5		
7778-77-0 / 231-913-4	231-913-4	7778-77-0		

8.1.2 DNEL/PNEC-values:

- DNEL worker

Source : GESTIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	Acute – inhalation, systemic effects (mg/m3)	Long-term – inhalation, local effects (mg/m3)	Long-term – inhalation, systemic effects (mg/m3)
26628-22-8 / 247-852-1	247-852-1	26628-22-8							
7647-14-5 / 231-598-3	231-598-3	7647-14-5					2068.62-2068.62		
7778-77-0 / 231-913-4	231-913-4	7778-77-0					4.07-4.07		

- DNEL consumer

Source : GESTIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	Acute – inhalation, systemic effects (mg/m3)	Long-term – inhalation, local effects (mg/m3)	Long-term – inhalation, systemic effects (mg/m3)
26628-22-8 / 247-852-1	247-852-1	26628-22-8							
7647-14-5 / 231-598-3	231-598-3	7647-14-5							
7778-77-0 / 231-913-4	231-913-4	7778-77-0							

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 6 of 13, Revision date: 13/10/2023

- PNEC

Source :		INERIS															
Substance	EC-No.	CAS-No	PNEC AQUATIC									PNEC Sediment					
			freshwater			marine water			intermittent release			freshwater			marine water		
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8															
7647-14-5 / 231-598-3	231-598-3	7647-14-5															
7778-77-0 / 231-913-4	231-913-4	7778-77-0															

Source :		INERIS												
Substance	EC-No.	CAS-No	Others											
			PNEC soil			PNEC sewage treatment plant			PNEC air			PNEC secondary poisoning		
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8												
7647-14-5 / 231-598-3	231-598-3	7647-14-5												
7778-77-0 / 231-913-4	231-913-4	7778-77-0												

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

8.2.2 Personal protective equipment:

Eye / Face protection: Safety glasses with side-shields ;

Skin protection:Gloves ; Laboratory coats ;

Respiratory protection:Ensure adequate ventilation ;

Thermal hazards:

8.2.3 Environmental exposure controls:

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 7 of 13, Revision date: 13/10/2023

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state	Liquid ;
Colour	Colorless ;
Odour	
Odour threshold (ppm)	

	Value	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
pH	7,4					
Melting point (°C)						
Freezing point (°C)						
Initial boiling point/boiling range (°C)						
Flash point (°C)						
Evaporation rate (kg/m ² /h)						
Flammability (type :) (%)						
Upper/lower flammability or explosive limits	Upper explosive limit (%)					
	Lower explosive limit (%)					
Vapour pressure (kPa)						
Vapour density (g/cm ³)						
Densities	Density (g/cm ³)					
	Relative density (g/cm ³)					
	Bulk density (g/cm ³)					
	Critical density (g/cm ³)					
Solubility (Type :) (g/L)						
Partition coefficient (log Pow) n-octanol/water at pH :						
Auto-ignition temperature (°C)						
Decomposition temperature (°C) Decomposition energy : kJ						
Viscosity	Viscosity, dynamic (poiseuille)					
	Viscosity, cinematic (cm ² /s)					
Explosive properties						
Oxidising properties						

9.2 Other information:

No other relevant data available

SECTION 10 : STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions. ;

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid:

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 8 of 13, Revision date: 13/10/2023

10.5 Incompatible materials:

10.6 Hazardous decomposition products:

Does not decompose when used for intended uses. ; Thermal decomposition can lead to the escape of irritating gases and vapors. ;

SECTION 11 : TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

Substances

- **Acute toxicity**

Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
9002-93-1	1800-1800	Rat			

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:

- **Skin corrosion/irritation**

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1						

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:

- **Eye damage/irritation**

Animal data:

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 9 of 13, Revision date: 13/10/2023

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1	Rabbit			Eye irritation		

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - Germ cell mutagenicity:

Animal data:

Assessment / Classification:

- Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

- Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- **Specific target organ toxicity (single exposure)**
 - STOT SE 1 and 2

Animal data:

Other information:

- STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

- **Specific target organ toxicity (repeated exposure)**

Practical experience / human evidence:

Animal data:

Assessment / Classification:

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 12 of 13, Revision date: 13/10/2023

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:

SECTION 13 : DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation. ;

Other disposal recommendations:

Additional information:

SECTION 14 : TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR:

Special Provisions for ADR/RID:

Limited quantities for ADR/RID:

Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID:

Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code:

ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No:

Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant:

Subsidiary risk(s) for IMDG:

Packing provisions for IMDG:

Limited quantities for IMDG:

Packing instructions for IMDG:

IBC Instructions:

IBC Provisions:

IMO tank instructions:

UN tank instructions:

Tanks and bulk Provisions:

EmS :

Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN:

Special Provisions ADN:

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Designation / Trade name: PhenoVue Permeabilization - 0,5% Triton Solution, 1x25mL PVPERM051

Version: US, Page 13 of 13, Revision date: 13/10/2023

Limited quantities ADN:

Carriage permitted:

Provisions concerning loading and unloading:

Provisions concerning carriage:

Remark:

Excepted quantities ADN:

Equipment required:

Number of blue cones/lights:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions:

Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity :

Passenger and Cargo Aircraft Packaging Instructions :

Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions :

Cargo Aircraft only Maximal Net Quantity :

ERG code:

Excepted quantity for IATA:

Special Provisions for IATA:

SECTION 15 : REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment:

For the following substances of this mixture a chemical safety assessment has been carried out :

SECTION 16 : OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:07/09/2023

Modifications:

16.2 Abbreviations and acronyms:

16.3 Key literature references and sources for data

16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):

See SECTION 2.1 (classification).

16.5 Relevant R-, H- and EUH-phrases (number and full text):

Code	Hazard statments
H300	Fatal if swallowed
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage.
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects