

Trade name: PhenoVue Fluor 555 - Phalloidin / CP25551

Version: KIT, Page 1 of 1, Revision date: 13/10/2023

Cette section présente les différents flacons présents dans le kit. Les fiches de sécurité de tous ces composants sont disponibles dans la langue choisie à la suite du document.

This section shows all the vials in the kit. The Safety Datasheets are available in the selected language in the next part of the document.

Nomenclature of the product

| Description | Component | Nb of vials | рН | Color | Physical state |
|--------------------------------------|-----------|-------------|----|-------|----------------|
| PhenoVue Fluor 555 - Phalloidin Unit | | 1 | 7 | Pink | Liquid |





Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 1 of 13, Revision date: 13/10/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit CAS No.: EC No: REACH No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use of the substance or mixture for Laboratory Research use only; Uses advised against: Do not use for diagnostics, therapeutics or other clinical uses.;

1.3 Details of the supplier of the safety data sheet:

Supplier:

Name: CISBIO BIOASSAYS, company of Revvity Group - CBBIOA - Address: Parc Marcel Boiteux - BP 84175 - 30200 Codolet, France

Phone: +33 4 66 79 67 05 - Fax: +33 4 66 79 67 50 E-Mail (competent person): codolet.sds@revvity.com

1.4 EMERGENCY TELEPHONE NUMBER:

France - Numéro ORFILA (INRS): +33 (0)1 45 42 59 59

Ce numéro permet d'obtenir les coordonnées de tous les centres Anti-poison Français. Ces centres anti-poison et de toxicovigilance fournissent une aide médicale gratuite (hors coût d'appel), 24 heures sur 24 et 7 jours sur 7.

USA & Canada - Phone: 1-888-963-456 (1)

Other countries - Phone: +33 (0) 466 796 737 (2)

https://www.cisbio.com https://www.revvity.com

(1) Available from Monday to Thursday 8:30 am to 5:30pm GMT-5 and Friday: 8:30 am to 3:00pm GMT-5

(2) Available from Monday to Friday 9:00 am to 5:30 pm GMT+2

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

| Classification according to Regulation (EC) No 1272/2008 [CLP] | Category code | Hazard statement | Precautionary statement |
|--|---------------|------------------|-------------------------|
| | | | P264 |
| | | | P270 |
| | | | P301 + P310 |
| Acute toxicity - Acute Tox. 2 - H300 - Oral | Acute Tox. 2 | H300 | P321 |
| | | | P330 |
| | | | P405 |
| | | | P501 |
| | | | P262 |
| | | | P264 |
| | | | P270 |
| | | | P280 |
| Acute toxicity - Acute Tox. 2 - H310 - Dermal | Acute Tox. 2 | H310 | P302 + P352 |
| | | | P310 |
| | | | P321 |
| | | | P405 |
| | | | P501 |



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 2 of 13, Revision date: 13/10/2023

| | | | V |
|---|--------------|------|-------------|
| | | | P260 |
| | | | P271 |
| | | | P284 |
| | | | P304 + P340 |
| Acute toxicity - Acute Tox. 2 - H330 - Inhalation | Acute Tox. 2 | H330 | P310 |
| | | | P320 |
| | | | P403 + P233 |
| | | | P405 |
| | | | P501 |

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Product identifier:

Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Substances contained in this product:

| Substance name | CAS n° | Index n° | EC n° |
|----------------|------------|----------|-------|
| Phalloidin | 87876-22-0 | | |

Hazard pictograms

GHS06-skull



Signal word:

Danger

Hazard and precautionary statements:

| Code | Hazard statments |
|-------------|--|
| H300 | Fatal if swallowed |
| H310 | Fatal in contact with skin |
| H330 | Fatal if inhaled |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P262 | Do not get in eyes, on skin, or on clothing. |
| P264 | Wash thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P284 | [In case of inadequate ventilation] wear respiratory protection. |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor/ |
| P302 + P352 | IF ON SKIN: Wash with plenty of water/ |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P310 | Immediately call a POISON CENTER/doctor/ |
| P320 | Specific treatment is urgent (see on this label). |
| P321 | Specific treatment (see on this label). |
| P330 | Rinse mouth. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 3 of 13, Revision date: 13/10/2023

| P405 | Store locked up. | |
|------|----------------------------------|--|
| P501 | Dispose of contents/container to | |

2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH. The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.; Adverse human health effects and symptoms:



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 4 of 13, Revision date: 13/10/2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

| Substance name | CAS n° | Index n° | EC n° | Classification according Regulation (EC) No. 1272 [CLP] | Concentration (%) | SCL | M-factor |
|----------------|------------|----------|-------|---|-------------------|-----|----------|
| Phalloidin | 87876-22-0 | | | Acute toxicity - Acute Tox. 2 - H300 - Oral Acute toxicity - Acute Tox. 2 - H310 - Dermal Acute toxicity - Acute Tox. 2 - H330 - Inhalation | ≤ 100% | | |

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Do not leave affected person unattended.;

Following inhalation: In case of respiratory tract irritation, consult a physician.;

Following skin contact: After contact with skin, wash immediately with water;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.;

Following ingestion: Do NOT induce vomiting.;

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date.;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire;

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:/

5.3 Advice for fire-fighters

Wear Protective clothing.;



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 5 of 13, Revision date: 13/10/2023

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures: Provide adequate ventilation.;

6.2 Environmental precautions

Do not allow to enter into surface water or drains.;

6.3 Methods and material for containment and cleaning up

For cleaning up: Suitable material for taking up: Absorbing material, organic; Other information:

6.4 Reference to other sections

Additional information:

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes.;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled. ;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice;

7.2 Conditions for safe storage, including any incompatibilities

<u>Technical measures and storage conditions:</u>

<u>Requirements for storage rooms and vessels</u>:Keep container tightly closed.;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet.;

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

• France



| according to Regulation (EC) No 1907/2006 (REACH) | | | | | | | |
|---|--|--|--|--|--|--|--|
| Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit Version: UK, Page 6 of 13, Revision date: 13/10/2023 | | | | | | | |
| • Spain | | | | | | | |
| | | | | | | | |
| • Germany | | | | | | | |
| • Italia | | | | | | | |
| • Greece | | | | | | | |
| • UK | | | | | | | |
| OSHA (USA) | | | | | | | |
| 8.1.2 <u>Biological limit values (Germany):</u> | | | | | | | |
| 8.1.3 Exposure limits at intended use (Germany): | | | | | | | |
| 8.1.4 <u>DNEL/PNEC-values:</u> • DNEL worker | | | | | | | |
| DNEL consumer | | | | | | | |
| DNEL remark: • PNEC | | | | | | | |
| PNEC remark: Control parameters remark: | | | | | | | |
| 8.2 Exposure controls | | | | | | | |
| 8.2.1 Appropriate engineering controls: | | | | | | | |

8.2.2 <u>Personal protective equipment:</u> **Eye / Face protection**: Safety glasses with side-shields;



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 7 of 13, Revision date: 13/10/2023

Skin protection: Gloves;

Respiratory protection: Ensure adequate ventilation;

Thermal hazards:

8.2.3 <u>Environmental exposure controls:</u>

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

| Dhysical state | Lianid. |
|-----------------------|---------|
| Physical state | Liquid; |
| Colour | Pink; |
| Odour | |
| Odour threshold (ppm) | |

| | | Value | Concentration (mol/L) | Method | Temperature (°C) | Pressure (kPa) | Remark |
|---|---------------------------------|-------|-----------------------|--------|------------------|----------------|--------|
| рН | | 7 | | | | | |
| Melting point (°C) | | | | | | | |
| Freezing point (°C) | | | | | | | |
| Initial boiling point/boiling | range (°C) | | | | | | |
| Flash point (°C) | | | | | | | |
| Evaporation rate (kg/m²/h |) | | | | | | |
| Flammability (type :) (%) | | | | | | | |
| Upper/lower flammability or explosive limits | Upper explosive limit (%) | | | | | | |
| - | Lower explosive limit (%) | | | | | | |
| Vapour pressure (kPa) | | | | | | | |
| Vapour density (g/cm³) | | | | | | | |
| | Density (g/cm³) | | | | | | |
| Densities | Relative density (g/cm³) | | | | | | |
| | Bulk density (g/cm³) | | | | | | |
| | Critical density (g/cm³) | | | | | | |
| Solubility (Type:) (g/L) | | | | | | | |
| Partition coefficient (log Pow) n-octanol/water at pH : | | | | | | | |
| Auto-ignition temperature (°C) | | | | | | | |
| Decomposition temperature (°C) Decomposition energy : kJ | | | | | | | |
| Viscosity | Viscosity, dynamic (poiseuille) | | | | | | |
| | Viscosity, cinematic (cm³/s) | | | | | | |
| Oxidising properties | | | | | | | |
| Explosive properties | | | | | | | |

9.2 Other information:

No other relevant data available



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 8 of 13, Revision date: 13/10/2023

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity This material is considered to be non-reactive under normal use conditions.;
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid:
- 10.5 Incompatible materials:
- 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.;

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

<u>Substances</u>

• Acute toxicity

Animal data:

Acute oral toxicity:

| Substance name | LD50 (mg/kg) | Species | Method | Symptoms / delayed effects | Remark |
|----------------|-----------------|---------|--------|----------------------------|--------|
| 87876-22-0 | · | | | | |

Acute dermal toxicity:

| Substance name | LD50 (mg/kg) | Species | Method | Remark |
|----------------|--------------|---------|--------|--------|
| 87876-22-0 | | | | |

Acute inhalative toxicity:

| Substance name | C(E)L50 (mg/L) | Exposure time | Species | Method | Remark |
|----------------|-------------------|---------------|---------|--------|--------|
| 87876-22-0 | | | | | |

Practical experience / human evidence:

Assessment / Classification:

General Remark:

• Skin corrosion/irritation



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 9 of 13, Revision date: 13/10/2023

Animal data:

In-vitro skin test method: In-vitro skin test result: Assessment / Classification:

• Eye damage/irritation

Animal data:

In vitro eye test method: In vitro eye test result: Assessment / Classification:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - o Germ cell mutagenicity:

Animal data:

Assessment / Classification:

Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

o Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- Specific target organ toxicity (single exposure)
 - o STOT SE 1 and 2

Animal data:

Other information:

o STOT SE 3

Practical experience / human evidence:

Other information:



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 10 of 13, Revision date: 13/10/2023

Assessment / Classification:

Specific target organ toxicity (repeated exposure)

Practical experience / human evidence: Animal data:

Assessment / Classification: Other information

Aspiration hazard

Practical experience / human evidence: Experimental data: viscosity data: see SECTION 9. Assessment / Classification: Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

SECTION 12: ECOLOGICAL INFORMATION

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Chronic (long-term) fish toxicity

Acute (short-term) toxicity to crustacea

Chronic (long-term) toxicity to crustacea

Acute (short-term) toxicity to algae and cyanobacteria

Toxicity to microorganisms and other aquatic plants / organisms

Assessment / Classification:

12.2 Persistence and degradability

Biodegradation:

Abiotic Degradation:

Assessment / Classification:



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 11 of 13, Revision date: 13/10/2023

12.3 Bioaccumulative potential

Bioconcentration factor (BCF):

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects:

Additional ecotoxicological information:

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment options: Dispose of waste according to applicable legislation.;

SECTION 14: TRANSPORT INFORMATION

ADR/RID/AND/IMDG/IATA

| UN No. | | | |
|----------------------------|--|--|--|
| UN Proper shipping name | | | |
| Transport hazard class(es) | | | |
| Hazard label(s) | | | |
| Packing group | | | |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Land transport (ADR/RID)

Classification code ADR:

Limited quantities for ADR/RID:

Packing Instructions for ADR/RID:

Special Provisions for ADR/RID:

Excepted Quantities for ADR/RID:

Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions: Portable tanks and bulk containers Special Provisions:

ADR Tank Code: ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages: Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No: Transport category (Tunnel restriction code):

Sea transport (IMDG)

Marine Pollutant: Subsidiary risk(s) for IMDG: Packing provisions for IMDG: Limited quantities for IMDG:

Packing instructions for IMDG: IBC Instructions:



Designation / Commercial name: PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 12 of 13, Revision date: 13/10/2023

IBC Provisions:IMO tank instructions:UN tank instructions:Tanks and bulk Provisions:EmS:Stowage and segregation for IMDG:

Properties and observations:

Inland waterway transport (ADN)

Classification Code ADN: Special Provisions ADN:
Limited quantities ADN: Excepted quantities ADN:
Carriage permitted: Equipment required:

Provisions concerning loading and unloading: Provisions concerning carriage:

Number of blue cones/lights: Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA: Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions: Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity:

Passenger and Cargo Aircraft Packaging Instructions : Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions: Cargo Aircraft only Maximal Net Quantity:

ERG code: Special Provisions for IATA:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

• Authorisations and/or restrictions on use:

Authorisations:

Restrictions on use:

SVHC:

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

National regulations

15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

16.1 Indication of changes

Date of the previous version:07/09/2023 Modifications:



Designation / Commercial name : PhenoVue Fluor 555 - Phalloidin Unit

Version: UK, Page 13 of 13, Revision date: 13/10/2023

16.2 Other informations

16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

16.4 Relevant R-, H- and EUH-phrases (number and full text):

| Code | Hazard statments | | | |
|------|----------------------------|--|--|--|
| H300 | Fatal if swallowed | | | |
| H310 | Fatal in contact with skin | | | |
| H330 | Fatal if inhaled | | | |

